

FUNGAL NAIL TREATMENT- fungal nail treatment liquid
Shenzhen Yuetai Electronic Commerce Co., Ltd

84291-002

Active Ingredient(s)

SALICYLIC ACID 2%

Chlorhexidine di(acetate) 2%

Purpose

Antifungal

Use

Effectively treats nail fungus, discolouration, splitting, thickening, crumbling and brittleness.

Warnings

For external use only, do not ingest.

Do not use

Do not use on pregnant women or children under 2 years of age unless otherwise advised by a doctor.

Avoid contact with eyes when using this product,if contact occurs rinse thoroughly with water.

If irritation occurs, discontinue use and consult a physician.If swallowed, call a poison control

centre or seek medical attention immediately. Exercise caution when using on severely ulcerated

skin.

Stop and ask a doctor if discomfort persists.

keep out of reach of children.If swallowed, get medical help or contact PoisonControl Center right away.

Directions

1.Before use, clean the affected area with soap and soak the nail in warm water to soften it.

2. For toenail fungus, scrape the dirt off the nail and gently file the thickened part of the fungal nail until it's flat (be careful not to damage the nail bed).
3. You can use a nail file every 2-3 days to polish the surface of the affected area by applying a thin layer of liquid to the affected area, the skin under the nail and around the cuticle.
4. Use twice daily, morning and evening.
5. Repeat this process 2-3 times a day until a healthy nail begins its gradual degeneration. For best results, continue use for a continuous period of 6 weeks.

Other information

Store in a cool, shaded place away from direct sunlight. Store at room temperature between 15-30°C (59-86°F).

Inactive ingredients

Water, Sorbitol, Alcohol, Propylene Glycol, Angelica Dahurica, Laurocapram, Caramel, Dimethylol Urea, Sunset Yellow

Package Label - Principal Display Panel

(宽)100mm

(高)45mm

| | | | | | | | |
|--|--|-----------------------------|----------------|-----------------------------|------------|--|------------|
| <p>Directions</p> <p>Before use, clean the affected area with soap and soak the nail in warm water to soften it.</p> <p>For toenail fungus, scrape the dirt off the nail and gently file the thickened part of the fungal nail until it's flat (be careful not to damage the nail bed).</p> <p>You can use a nail file every 2-3 days to polish the surface of the affected area by applying a thin layer of liquid to the affected area, the skin under the nail and around the cuticle. Use twice daily, morning and evening.</p> <p>Repeat this process 2-3 times a day until a healthy nail begins its gradual degeneration. For best results, continue use for a continuous period of 6 weeks.</p> <p>Inactive Ingredients</p> <p>Water, Sorbitol, Alcohol, Propylene Glycol, Angelica Dahurica, Laurocapram, Caramel, Dimethylol Urea, Sunset Yellow</p> <p>Manufacturer</p> <p>Shantou Cross-border Premium Products E-commerce Co., Ltd Room 5, Building 5, Building 1901 Century Business Center No. 115 Haibin Road Shantou</p> | <p>Drug Facts</p> <table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black; padding: 2px;">Active Ingredient(s)</td> <td style="border-bottom: 1px solid black; padding: 2px;">Purpose</td> </tr> <tr> <td style="padding: 2px;">SALICYLIC ACID 2% • • • • •</td> <td style="padding: 2px;">Antifungal</td> </tr> <tr> <td style="padding: 2px;">Chlorhexidine di(acetate) 2% • • • • •</td> <td style="padding: 2px;">Antifungal</td> </tr> </table> <p>Uses</p> <p>Effectively treats nail fungus, discolouration, splitting, thickening, crumbling and brittleness.</p> <p>Warnings</p> <p><i>For external use only, do not ingest.</i> <i>Do not use on pregnant women or children under 2 years of age unless otherwise advised by a doctor.</i></p> <p>When using</p> <p>Avoid contact with eyes when using this product, if contact occurs rinse thoroughly with water. <i>If irritation occurs, discontinue use and consult a physician.</i> <i>If swallowed, call a poison control centre or seek medical attention immediately.</i></p> | Active Ingredient(s) | Purpose | SALICYLIC ACID 2% • • • • • | Antifungal | Chlorhexidine di(acetate) 2% • • • • • | Antifungal |
| Active Ingredient(s) | Purpose | | | | | | |
| SALICYLIC ACID 2% • • • • • | Antifungal | | | | | | |
| Chlorhexidine di(acetate) 2% • • • • • | Antifungal | | | | | | |

 Psecici FUNGAL NAIL RENEWAL NAIL TREATMENT DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT ADVANCED FORMULA CLINICALLY PROVEN - Stops Itching And Burning - Repair Fungi Infected Nails Deeply - Restore & Recover Healthy Nails - Protects From Reinfection SHELF LIFE : 3 YEARS NET: 1 fl oz / 30 ml |

(宽) 3.8cm

(宽) 3.8cm

DIRECTIONS

Before use, clean the affected area with soap and soak the nail in warm water to soften it.

For toenail fungus, scrape the dirt off the nail and gently file the thickened part of the fungal nail until it's flat (be careful not to damage the nail bed).

You can use a nail file every 2-3 days to polish the surface of the affected area by applying a thin layer of liquid to the affected area, the skin under the nail and around the outlie.

Use twice daily, morning and evening.

Repeat this process 2-3 times a day until a healthy nail begins its gradual degeneration. For best results, continue use for a continuous period of 8 weeks.

QUESTIONS

Pseciclink@hotmail.com

Inactive Ingredients

Water,Sorbitol,Alcohol,Propylene Glycol,Angelica Dahurica,Laurocapram,Caramel,Dimethylol Urea, Sunset Yellow

MANUFACTURER

Shantou Cross-border Premium Products E-commerce Co., Ltd

Room 5, Building 5, Building 1901 Century Business Center No. 115 Haibin Road Shantou

SHELF LIFE : 3 YEARS

Psecici

FUNGAL NAIL RENEWAL

Medical Strength

NAIL TREATMENT

DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT

ADVANCED FORMULA

CLINICALLY PROVEN

- Stops Itching And Burning
- Repair Fungi Infected Nails Deeply
- Restore & Recover Healthy Nails
- Protects From Reinfection

NET:1 fl.oz / 30 ml

Active Ingredient(s)

| | | |
|---------------------------|----------|------------|
| SALICYLIC ACID | 2% ***** | Antifungal |
| Chlorhexidine di(acetata) | 2% ***** | Antifungal |

Purpose

ALLEVIATES

It effectively treats various conditions such as onychomycosis, atrophy, uneven surface layering, nail thickening, yellowing, nail separation, opacity, discoloration and other nail irregularities.

WARNINGS

For external use only, do not ingest. Do not use on pregnant women or children under 2 years of age unless otherwise advised by a doctor. When using Avoid contact with eyes when using this product, if contact occurs rinse thoroughly with water. If irritation occurs, discontinue use and consult a physician.If swallowed, call a poison control centre or seek medical attention immediately. Exercise caution when using on severely ulcerated skin.

PRESERVATION METHOD

Store in a cool, shaded place away from direct sunlight. Store at room temperature between 15-30°C (59-86°F).

APPLICATION

Effectively treats nail fungus, discoloration, splitting, thickening, crumbling and brittleness.

Design by USA
Made in P.R.C

Psecici

FUNGAL NAIL RENEWAL

Medical Strength

NAIL TREATMENT

DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT

ADVANCED FORMULA

CLINICALLY PROVEN

- Stops Itching And Burning
- Repair Fungi Infected Nails Deeply
- Restore & Recover Healthy Nails
- Protects From Reinfection

NET:1 fl.oz / 30 ml

MFG:4/26/2024
EXP:4/26/2027
LOT:20240426-01

FUNGAL NAIL TREATMENT

fungal nail treatment liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84291-002 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------|---------------|
| SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) | SALICYLIC ACID | 2 g in 100 mL |
| CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE ACETATE | 2 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| | |
|--|--|
| WATER (UNII: 059QF0KO0R) | |
| SORBITOL (UNII: 506T60A25R) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| ANGELICA DAHURICA LEAF (UNII: ONF5ZKM88G) | |
| LAUROCAPRAM (UNII: 1F3X9DRV9X) | |
| OXYMETHUREA (UNII: N68H97CAWG) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| CARAMEL (UNII: T9D99G2B1R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84291-002-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 05/14/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M005 | 05/14/2024 | |

Labeler - Shenzhen Yuetai Electronic Commerce Co., Ltd (403120360)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--|---------|-----------|------------------------|
| Shenzhen Yuetai Electronic Commerce Co., Ltd | | 403120360 | manufacture(84291-002) |

Revised: 5/2024

Shenzhen Yuetai Electronic Commerce Co., Ltd