

PLEO MUC- mucor racemosus capsule
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo™ Muc
CAPSULES 4X

Homeopathic Analgesic Medicine

20 CAPSULES

Indications

For temporary relief of pain of bruises, sprains, swelling of joints and muscles.

INGREDIENTS

1 capsule contains 330 mg Mucor racemosus 4X in a base of lactose.

OTHER COMPONENTS

Capsule shells consist of Hypromellose (HPMC).

Tamper Evident

Do not use this product if shrink-wrap is missing from the carton or the imprinted blister foil is broken.

DOSAGE

1–3 capsules daily, either before breakfast or at bedtime.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck

GmbH & Co. KG

Rev. 05/2004

PRINCIPAL DISPLAY PANEL - 20 Capsule Carton

**Pleo™ Muc
CAPSULES 4X**

**Homeopathic
Analgesic Medicine**

Indications: For temporary relief
of pain of bruises, sprains,
swelling of joints and muscles.

ORIGINAL ENDERLEIN

20 CAPSULES



1804-1

Pleo™ Muc CAPSULES 4X

Homeopathic
Analgesic Medicine

Indications: For temporary relief of pain of bruises, sprains, swelling of joints and muscles.



20 CAPSULES

INGREDIENTS: 1 capsule contains 330 mg Mucor racemosus 4X in a base of lactose.

OTHER COMPONENTS: Capsule shells consist of Hypromellose (HPMC).

Tamper Evident: Do not use this product if shrink-wrap is missing from the carton or the imprinted blister foil is broken.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck
GmbH & Co. KG

Rev. 05/2004

DOSAGE: 1-3 capsules daily, either before breakfast or at bedtime.

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product. **Keep this and all medications out of the reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Lot #:

1804-1

PLEO MUC

mucor racemosus capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-1804	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	mucor racemosus (UNII: 17RH99LQ7G) (mucor racemosus - UNII:17RH99LQ7G)	mucor racemosus	4 [HP_X]	
Inactive Ingredients				
	Ingredient Name	Strength		
	lactose (UNII: J2B2A4N98G)			
Product Characteristics				
Color	YELLOW	Score	no score	
Shape	CAPSULE	Size	19mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-1804-1	1 in 1 CARTON		
1		20 in 1 BLISTER PACK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Unapproved homeopathic		03/01/1996		

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH & Co. KG