

**TUSSIN- guaifenesin solution**  
**Strategic Sourcing Services**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Tussin**  
**Guaifenesin Oral Solution, USP**

**ACTIVE INGREDIENT(S)**

Guaifenesin, USP 200 mg

**PURPOSE**

Expectorant

**USE(S)**

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**WARNINGS**

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**WHEN USING THIS PRODUCT**

- do not use more than directed

**STOP USE AND ASK DOCTOR IF**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

## If pregnant or breast-feeding

ask a health professional before use.

## KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## DIRECTIONS

- do not take more than 6 doses in any 24-hour period.
- this adult strength product is not intended for use in children under 12 years of age
- mL = milliliter
- measure only with dosing cup provided
- keep dosing cup with product

| Age                                      | Dose                        |
|--|-----------------------------|
| Adults and children<br>12 years and over | 10 - 20 mL<br>every 4 hours |
| Children under 12 years                  | do not use                  |

## Other information

- **each 10 mL contains:**sodium 6 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- **Keep carton for full directions for use**

## Inactive ingredients


Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

## Questions or comments?

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

## PRINCIPAL DISPLAY PANEL

Guaifenesin oral solution USP-118 mL



Guaifenesin oral solution USP-237 mL

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING  
KEEP OUTER CARTON FOR COMPLETE WARNINGS & PRODUCT INFORMATION

**Drug Facts**

**Active ingredient (in each 10 mL)**      **Purpose**  
Guaifenesin, USP 200 mg.      Expectorant

**Use** helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**  
**Ask a doctor before use if you have**  

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**  

- do not use more than directed

**Stop use and ask a doctor if**  

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  

- do not take more than 6 doses in any 24-hour period.
- this adult strength product is not intended for use in children under 12 years of age
- mL = milliliter
- measure only with dosing cup provided
- keep dosing cup with product

| Age                                   | Dose                     |
|---------------------------------------|--------------------------|
| Adults and children 12 years and over | 10 – 20 mL every 4 hours |
| Children under 12 years               | do not use               |

**Other information**  

- each 10 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- **Keep carton for full directions for use**

**Inactive ingredients**  
Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comments?**  
Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

©2023 McKesson Corporation  
Distributed by: McKesson Corp., via Strategic Sourcing Services LLC, Memphis, TN 38141  
Never Back Guarantee  
www.fosterandthrive.com

\*This product is not manufactured or distributed by Pfizer, the distributor of Robitussin® Mucus plus Chest Congestion.

Iss. 04/2023

NDC 70677-1186-2

COMPARE TO THE ACTIVE INGREDIENT IN ROBITUSSIN® MUCUS + CHEST CONGESTION\*

NDC 70677-1186-2

COMPARE TO THE ACTIVE INGREDIENT IN ROBITUSSIN® MUCUS + CHEST CONGESTION\*

NDC 70677-1186-2

COMPARE TO THE ACTIVE INGREDIENT IN ROBITUSSIN® MUCUS + CHEST CONGESTION\*

Foster & Thrive™  
**ADULT**  
**Tussin**  
Guaifenesin  
Oral Solution, USP  
EXPECTORANT

Mucus + Chest Congestion  
Non-Drowsy\*\*

Relieves:

- Mucus
- Chest Congestion

For Ages 12 & Over  
DOSING CUP INCLUDED

\*\*WHEN TAKEN AS DIRECTED

**8 FL OZ (237 mL)**

Foster & Thrive™  
**ADULT**  
**Tussin**  
Guaifenesin  
Oral Solution, USP  
EXPECTORANT

Mucus + Chest Congestion  
Non-Drowsy\*\*

Relieves:

- Mucus
- Chest Congestion

For Ages 12 & Over  
DOSING CUP INCLUDED

\*\*WHEN TAKEN AS DIRECTED

**8 FL OZ (237 mL)**

Foster & Thrive™  
**ADULT**  
**Tussin**  
Guaifenesin  
Oral Solution, USP  
EXPECTORANT

Mucus + Chest Congestion  
Non-Drowsy\*\*

Relieves:

- Mucus
- Chest Congestion

For Ages 12 & Over  
DOSING CUP INCLUDED

\*\*WHEN TAKEN AS DIRECTED

**8 FL OZ (237 mL)**

BX-167

0 10939 95896 9

LOT:

EXP:

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>TUSSIN</b>                  |                |                           |                |
| guaifenesin solution           |                |                           |                |
| <b>Product Information</b>     |                |                           |                |
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:70677-1186 |
| <b>Route of Administration</b> | ORAL           |                           |                |

| <b>Active Ingredient/Active Moiety</b>                         |  |   |                          |                    |
|--|--|---|--------------------------|--------------------|
| <b>Ingredient Name</b>   |  |   | <b>Basis of Strength</b> | <b>Strength</b>    |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) |  |   | GUAIFENESIN              | 200 mg in 10 mL    |
| <b>Inactive Ingredients</b>                                    |  |   |                          |                    |
| <b>Ingredient Name</b>   |  |   |                          | <b>Strength</b>    |
| CAMEL (UNII: T9D99G2B1R)                                       |  |   |                          |                    |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)                       |  |   |                          |                    |
| DEXTROSE (UNII: IY9XDZ35W2)                                    |  |   |                          |                    |
| FD&C RED NO. 40 (UNII: WZB9127XOA)                             |  |   |                          |                    |
| GLYCERIN (UNII: PDC6A3C0OX)                                    |  |   |                          |                    |
| HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)                    |  |   |                          |                    |
| MENTHOL (UNII: L7T10EIP3A)                                     |  |   |                          |                    |
| WATER (UNII: 059QF0K00R)                                       |  |   |                          |                    |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY)                            |  |   |                          |                    |
| SODIUM BENZOATE (UNII: OJ245FE5EU)                             |  |   |                          |                    |
| <b>Packaging</b>   |  |   |                          |                    |
| #  | Item Code                                | Package Description                                   | Marketing Start Date     | Marketing End Date |
| 1  | NDC:70677-1186-1                         | 1 in 1 CARTON   | 08/09/2023               |                    |
| 1  |  | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product |                          |                    |
| 2  | NDC:70677-1186-2                         | 1 in 1 CARTON   | 08/09/2023               |                    |
| 2  |  | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product |                          |                    |
| <b>Marketing Information</b>                                   |  |   |                          |                    |
| Marketing Category   | Application Number or Monograph Citation | Marketing Start Date                                  | Marketing End Date       |                    |
| OTC monograph final  | part341                                  | 08/09/2023  |                          |                    |

**Labeler** - Strategic Sourcing Services (116956644)

### Establishment

| Name            | Address | ID/FEI    | Business Operations     |
|-----------------|---------|-----------|-------------------------|
| AptaPharma Inc. |         | 790523323 | manufacture(70677-1186) |

Revised: 8/2023

Strategic Sourcing Services