

**STAGE FRIGHT - FEAR - aconitum nap., anacardium orientale, arg. nit., arsenicum alb., cypripedium, gelsemium, ignatia, kali carb., lycopodium, nat.mur., phosphorus, sambucus nig., sepia, staphysag., stramonium, tarentula hispana, theridion, passiflora, valeriana liquid
Newton Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Stage Fright - Fear

INDICATIONS & USAGE SECTION

Stage Fright Fear Formulated for symptoms associated with performance anxiety such as apprehension, nausea, restlessness, trembling and over-sensitivity.

DOSAGE & ADMINISTRATION SECTION

Directions: ORAL USE ONLY - SHAKE WELL. Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

OTC - ACTIVE INGREDIENT SECTION

Aconitum nap. 15x, Anacardium orientale 15x, Arg. nit. 15x, Arsenicum alb. 15x, Cypripedium 15x, Gelsemium 15x, Ignatia 15x, Kali carb. 15x, Lycopodium 15x, Nat.mur. 15x, Phosphorus 15x, Sambucus nig. 15x, Sepia 15x, Staphysag. 15x, Stramonium 15x, Tarentula hispana 15x, Theridion 15x, Passiflora 3x, Valeriana 3x.

OTC - PURPOSE SECTION

Formulated for symptoms associated with performance anxiety such as apprehension, nausea, restlessness, trembling and over-sensitivity.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

QUESTIONS SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

OTC - PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for

more than a few days.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

Newton homeopathics
Nurturing Naturally Since 1987™

NDC #
55714-2262-1

**Stage Fright
~Fear**

Formulated for symptoms associated with performance anxiety such as apprehension, nausea, restlessness, trembling and over-sensitivity.

1 fl oz (29.57 ml)

Directions: ORAL USE ONLY - SHAKE WELL.
Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

Active Ingredients: Aconitum nap. 15x, Anacardium orientale 15x, Arg. nit. 15x, Arsenicum alb. 15x, Cypripedium 15x, Gelsemium 15x, Ignatia 15x, Kali carb. 15x, Lycopodium 15x, Nat. mur. 15x, Phosphorus 15x, Sambucus nig. 15x, Sepia 15x, Staphysag. 15x, Stramonium 15x, Tarentula hispana 15x, Theridion 15x, Passiflora 3x, Valeriana 3x.

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# N032 Lot#

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est # 1051203 • Conyers, GA 30012
Questions? 1.800.448.7256

Warning: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

STAGE FRIGHT - FEAR

aconitum nap., anacardium orientale, arg. nit., arsenicum alb., cypripedium, gelsemium, ignatia, kali carb., lycopodium, nat.mur., phosphorus, sambucus nig., sepia, staphysag., stramonium, tarentula hispana, theridion, passiflora, valeriana liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2262
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aconitum Napellus (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	15 [hp_X] in 1 mL
Semecarpus Anacardium Juice (UNII: Y0F0BU8RDU) (Semecarpus Anacardium Juice - UNII:Y0F0BU8RDU)	Semecarpus Anacardium Juice	15 [hp_X] in 1 mL
Silver Nitrate (UNII: 95IT3W8JZE) (Silver Cation - UNII:57N7B0K90A)	Silver Nitrate	15 [hp_X] in 1 mL
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 mL
Cypripedium Parvifolium Root (UNII: 21Y9GZ1LZA) (Cypripedium Parvifolium Root - UNII:21Y9GZ1LZA)	Cypripedium Parvifolium Root	15 [hp_X] in 1 mL
Gelsemium Sempervirens Root (UNII: 639KR60Q1Q) (Gelsemium Sempervirens Root - UNII:639KR60Q1Q)	Gelsemium Sempervirens Root	15 [hp_X] in 1 mL

Strychnos Ignatii Seed (UNII: 1NM3M2487K) (Strychnos Ignatii Seed - UNII:1NM3M2487K)	Strychnos Ignatii Seed	15 [hp_X] in 1 mL
Potassium Carbonate (UNII: BQN1B9B9HA) (Carbonate Ion - UNII:7UJQ5OPE7D)	Potassium Carbonate	15 [hp_X] in 1 mL
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 mL
Sodium Chloride (UNII: 451W47IQ8X) (Chloride Ion - UNII:Q32ZN48698)	Sodium Chloride	15 [hp_X] in 1 mL
Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	15 [hp_X] in 1 mL
Sambucus Nigra Flowering Top (UNII: CT03BSA18U) (Sambucus Nigra Flowering Top - UNII:CT03BSA18U)	Sambucus Nigra Flowering Top	15 [hp_X] in 1 mL
Sepia Officinalis Juice (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	15 [hp_X] in 1 mL
Delphinium Staphisagria Seed (UNII: 00543AP1JV) (Delphinium Staphisagria Seed - UNII:00543AP1JV)	Delphinium Staphisagria Seed	15 [hp_X] in 1 mL
Datura Stramonium (UNII: G6W4F0V8Z3) (Datura Stramonium - UNII:G6W4F0V8Z3)	Datura Stramonium	15 [hp_X] in 1 mL
Lycosa Tarantula (UNII: 86M454L2TT) (Lycosa Tarantula - UNII:86M454L2TT)	Lycosa Tarantula	15 [hp_X] in 1 mL
Theridion Curassavicum (UNII: 9Z8D3HEM8L) (Theridion Curassavicum - UNII:9Z8D3HEM8L)	Theridion Curassavicum	15 [hp_X] in 1 mL
Passiflora Incarnata Flowering Top (UNII: CLF5YFS11O) (Passiflora Incarnata Flowering Top - UNII:CLF5YFS11O)	Passiflora Incarnata Flowering Top	3 [hp_X] in 1 mL
Valerian (UNII: JWF5YAW3QW) (Valerian - UNII:JWF5YAW3QW)	Valerian	3 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2262-1	29.57 mL in 1 BOTTLE, GLASS		
2	NDC:55714-2262-2	59.14 mL in 1 BOTTLE, GLASS		
3	NDC:55714-2262-0	.5 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-2262)

