

RING RELIEF- arnica montana - calcium sulfide - hypericum perforatum - lycopodium clavatum spore - mercurius solubilis - salicylic acid - silicon dioxide - allylthiourea - tablet, orally disintegrating TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ring Relief Homeopathic Fast Dissolving Tablets

Arnica montana HPUS 6x, 30x
Hepar sulph calc HPUS 13x
Hypericum perforatum HPUS 6x, 30x
Lycopodium clavatum HPUS 12x
Mercurius sol HPUS 13x
Salicylicum acidum HPUS 6x
Silicea HPUS 13x
Thiosinaminum HPUS 6x

Arnica montana HPUS - Buzzing, Chirping
Hepar sulph calc HPUS - Noise sensitivity
Hypericum perforatum HPUS - Nerve sensitivity
Lycopodium clavatum HPUS - Pounding, wax buildup
Mercurius sol HPUS - Discomfort
Salicylicum acidum HPUS - Ringing, Buzzing
Silicea HPUS - Roaring
Thiosinaminum HPUS - Ringing (Tinnitus)

Uses*

According to homeopathic indications, these ingredients temporarily relieve Tinnitus symptoms such as: • Ringing • Buzzing • Roaring • Nerve and Noise Sensitivity • Pounding • Discomfort • Wax buildup after diagnosis by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

- In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if:

- You experience ear pain or worsening symptoms.
- If symptoms last longer than 7 days.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Homeopathic remedies may not be effective for everyone.
- May take up to 60 days to see results.
- Children under the age of 12: consult a physician before use.

Other information

- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Ring Relief Fast Dissolving Tablets are homeopathic dilutions: see www.thereliefproducts.com for details.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

Questions or comments? 888-969-6855

www.thereliefproducts.com

Gluten Free
Ring Relief[®]
HOMEOPATHIC
FAST DISSOLVING TABLETS™
FOR TINNITUS SYMPTOMS

Homeopathic remedies may not be effective for everyone.
La medicina homeopática puede no ser eficaz para todos.

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™ NDC # 17312-043-14

Ring Relief[®]
HOMEOPATHIC
FAST DISSOLVING TABLETS™
FOR TINNITUS SYMPTOMS



Temporarily Relieves: Alivio Temporal de:
• Ringing, Buzzing
• Campanilleo, zumbido
• Roaring, Chirping
• Rugido, zumbido
• Pounding and discomfort
• Pulsaciones y malestar

50 Tablets

Stay Healthy, Naturally.™
Manténgase la Salud, Naturalmente.

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™

Ring Relief[®]
HOMEOPATHIC
FAST DISSOLVING TABLETS™
FOR TINNITUS SYMPTOMS

Ring Relief[®] provides temporary relief for ear noises and ear sounds associated with Tinnitus such as ringing, buzzing, roaring and ear wax build up. There are no known contraindications with other medications

Our natural products work with other delivery systems to achieve a unique synergy. In this case, use **Ring Relief**[®] Fast Dissolving Tablets™ with **Ring Relief**[®] Ear Drops to achieve **MAXIMUM EFFECT** to help you **Stay Healthy, Naturally.™**

WORKS WITH

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™

Ring Relief[®]
HOMEOPATHIC
FAST DISSOLVING TABLETS™
FOR TINNITUS SYMPTOMS

Drug Facts

Active Ingredients **Purpose**
Arnica montana HPUS 6X, 30X.....Buzzing
Hepar sulphuris calcareum HPUS 13X.....Noise sensitivity
Hypericum perforatum HPUS 6X, 30X.....Nerve sensitivity
Lycodium clavatum HPUS 12XPounding, ear wax build up
Mercurius solubilis HPUS 13X.....Discomfort
Salicylicum acidum HPUS 6X.....Ringing, Buzzing
Silicea HPUS 13X.....Roaring
Thiosinaminum HPUS 6XRinging (Tinnitus)

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Uses*
According to homeopathic indications these ingredients temporarily relieve symptoms of Tinnitus such as: • ringing, buzzing, roaring • nerve and noise sensitivity • pounding • discomfort • wax build up after diagnosis by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings
USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.
• This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • A physician should always be consulted to rule out serious causes. • **If pregnant or breast-feeding, ask a health professional before use.** • **Keep out of reach of children.** • In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if:**
• You experience ear pain or worsening symptoms. • Symptoms last longer than 7 days.

Directions
• Suitable for adults and children 12 years and above ▶

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™

Ring Relief[®]
HOMEOPATHIC
FAST DISSOLVING TABLETS™
FOR TINNITUS SYMPTOMS

Drug Facts (continued)

above. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • Homeopathic remedies may not be effective for everyone. May take up to 60 days to see results.

Other Information
• There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location. • **Ring Relief**[®] Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive Ingredients
Advantol[®] 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose.

Ring Relief[®]
FAST DISSOLVING TABLETS™
Stay Healthy, Naturally.™

Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2015 All rights reserved to TRP Company, Inc. RA/Drugs/Raj 2394. Manufactured in India exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502
Questions or Comments? 888-969-6855
www.thereliefproducts.com





TRP 100% Natural ACTIVE INGREDIENTS
the relief products™ NDC # 17312-043-14

Ring Relief[®]
HOMEOPATHIC
FAST DISSOLVING TABLETS™
FOR TINNITUS SYMPTOMS

Temporarily Relieves: • Ringing, Buzzing
• Roaring, Chirping • Pounding and discomfort

50 Tablets

Stay Healthy, Naturally.™

Active Ingredients
Arnica montana HPUS 6X, 30X; Hepar sulphuris calcareum HPUS 13X; Hypericum perforatum HPUS 6X, 30X; Lycodium clavatum HPUS 12X; Mercurius solubilis HPUS 13X; Salicylicum acidum HPUS 6X; Silicea HPUS 13X; Thiosinaminum HPUS 6X

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Directions
• Suitable for adults and children 12 years and above. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • Homeopathic remedies may not be effective for everyone. • May take up to 60 days to see results.

Inactive Ingredients
Advantol[®] 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline Cellulose

Other Information
• There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location. • **Ring Relief**[®] Fast Dissolving Tablets™ are homeopathic dilutions, see www.thereliefproducts.com for details.

Drug Facts are in Spanish on the interior of this carton.

© 2015 All rights reserved to TRP Company, Inc. RA/Drugs/Raj 2394. Manufactured in India exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502
Questions or Comments? 888-969-6855
www.thereliefproducts.com

RING RELIEF		
arnica montana - calcium sulfide - hypericum perforatum - lycodium clavatum spore - mercurius solubilis - salicylic acid - silicon dioxide - allylthiourea - tablet, orally disintegrating		
Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:17312-043
Route of Administration	ORAL	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	6 [hp_X]
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	13 [hp_X]
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	6 [hp_X]
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X]
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	13 [hp_X]
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	6 [hp_X]
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	13 [hp_X]
ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	6 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	DIAMOND	Size	13mm
Flavor		Imprint Code	TRP
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-043-14	1 in 1 PACKAGE	06/22/2015	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2015	

Labeler - TRP Company (105185719)**Registrant** - TRP Company (105185719)

