

OXYGEN - oxygen gas
Compressed Gases Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.


OXYGEN COMPRESSED LABEL

OXYGEN COMPRESSED USP UN 1072 OXYGEN-2 PRODUCED BY AIR LIQUEFACTION.

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. KEEP OUT OF THE REACH OF CHILDREN.

SIZE _____ CONTENTS _____





OXYGEN REFRIGERATED LIQUID LABEL

OXYGEN REFRIGERATED LIQUID U.S.P. UN 1073 OXYGEN-2

GROSS WT _____ LBS _____ OZ

NET WT _____ LBS _____ OZ

SIZE _____ CONTENTS _____ LITERS

OXYGEN PRODUCED BY AIR LIQUEFACTION ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

DO NOT DROP. USE HAND TRUCK SPECIFICALLY DESIGNED FOR LIQUID CYLINDER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

OXYGEN,*

REFRIGERATED LIQUID

U.S.P. UN 1073



Gross Wt.	lbs.	oz.	
Net Wt.	lbs.	oz.	
Size		Contents	Liters

*Oxygen produced by Air Liquefaction

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease and combustibles away.
Use only with equipment cleaned for oxygen service.
Use only with equipment designated for and compatible with oxygen and rated for cylinder pressure.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop.
Use hand truck specifically designed for liquid cylinder movement.
Avoid spills.
Do not walk on or roll equipment over spills.
Close valve after each use and when empty.
Use in accordance with MSDS.
For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications:

CAUTION: Rx only. Federal law prohibits dispensing without prescription.

WARNING: Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

FIRST AID: _____

IN CASE OF FROSTBITE, obtain medical treatment immediately.

TO BE REFILLED BY COMPRESSED GASES INC. ONLY.

7017R1 **DO NOT REMOVE THIS PRODUCT LABEL.** 10/03

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY.

CAUTION: Rx ONLY. FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT.

KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. OPEN VALVE SLOWLY. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY.

NOTE: RETURN WITH 25 PSIG.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET. DO NOT REMOVE THIS

PRODUCT LABEL.

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:34330-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34330-001-01	170 L in 1 CYLINDER		
2	NDC:34330-001-02	244 L in 1 CYLINDER		
3	NDC:34330-001-03	400 L in 1 CYLINDER		
4	NDC:34330-001-04	660 L in 1 CYLINDER		
5	NDC:34330-001-05	2350 L in 1 CYLINDER		
6	NDC:34330-001-06	3540 L in 1 CYLINDER		
7	NDC:34330-001-07	5300 L in 1 CYLINDER		
8	NDC:34330-001-08	7100 L in 1 CYLINDER		
9	NDC:34330-001-09	9540 L in 1 CYLINDER		
10	NDC:34330-001-10	127400 L in 1 DEWAR		
11	NDC:34330-001-11	141833 L in 1 DEWAR		
12	NDC:34330-001-12	172000 L in 1 DEWAR		
13	NDC:34330-001-13	387367 L in 1 TANK		
14	NDC:34330-001-14	618485 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1985	

Labeler - Compressed Gases Inc (147470967)

Registrant - Compressed Gases Inc (147470967)

Establishment

Name	Address	ID/FEI	Business Operations
Compressed Gases Inc		147470967	manufacture

