

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE PIGMENTCLAR DAILY
DARK SPOT CORRECTING MOISTURIZER BROAD SPECTRUM SPF 30
SUNSCREEN- avobenzone, homosalate, octisalate and octocrylene lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 5%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn

- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, alcohol denat., niacinamide, dimethicone, sucrose tristearate, pentaerythrityl tetraethylhexanoate, polysorbate 61, sodium stearyl glycolate, phenoxyethanol, phenylethyl resorcinol, propylene glycol, capryloyl salicylic acid, ammonium polyacryloyldimethyl taurate, caprylyl glycol, carbomer, xanthan gum, disodium EDTA, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, ginkgo biloba leaf extract, sodium hydroxide, ferulic acid

Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST_

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, alcohol denat., niacinamide, dimethicone, sucrose tristearate, pentaerythrityl tetraethylhexanoate, polysorbate 81, sodium stearoyl glutamate, phenoxyethanol, phenylethyl resorcinol, propylene glycol, capryloyl salicylic acid, ammonium polyacryloyldimethyl taurate, caprylyl glycol, carbomer, xanthan gum, disodium EDTA, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, ginkgo biloba leaf extract, sodium hydroxide, ferulic acid

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

693234 31

Code F.L.L.: D164737/1

Leading causes of dark spots and skin discolorations include skin aging, and past skin conditions such as acne. They are aggravated by UVA rays that penetrate the skin all year-long, even on overcast days. This is why dermatologists recommend using a daily broad spectrum sunscreen when addressing skin discolorations.

A pioneer in sun protection research for over 15 years, La Roche-Posay laboratories are trusted by dermatologists worldwide for its advanced formulations in UVA protection.

Innovation: for the first time, PIGMENTCLAR Daily Dark Spot Correcting Moisturizer combines a powerful complex [PhE-Resorcinol + Ginkgo + Ferulic Acid + LHA] with [UVA/UVB + antioxidant] protection in a single step.

This formula:

1. Reduces the look of visible dark spots.
2. Helps fight against the reappearance of skin discolorations.

Clinical results: Skin is instantly hydrated, looks more even and more radiant.

Dark spots and skin discolorations appear visibly reduced.

Texture: hydrating and fast-absorbing cream leaves a matte, non greasy finish.

Application: Every morning apply to face, neckline and décolleté after thoroughly cleansing skin. Excellent make-up base.

Clinically tested. Dermatologist tested.
Allergy tested. Suitable for sensitive skin.
Non comedogenic. Fragrance-free.
Paraben-free. Oil-free.

Made in USA

1855940

Distribution reserved to La Roche-Posay
agreed depositors
Distributed by:
La Roche-Posay LLC, New York, NY 10017
La Roche-Posay
Laboratoire Pharmaceutique
86270 La Roche-Posay, France
TSA 10007 F 92667 ASNIERES CEDEX
www.laroche-posay.com

SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

new

PIGMENTCLAR

Avec de l'eau thermale de La Roche-Posay

DAILY DARK SPOT
CORRECTING MOISTURIZER

Dark spots, skin discolorations
Dull & uneven complexion

UVA/UVB + Antioxidant protection

BROAD SPECTRUM
SPF 30

Suitable for sensitive skin
Fragrance-free
Paraben-free

30 ml - 1.01 FL.OZ.

ACTUAL SIZE

0.
[0.1

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, alcohol denat., niacinamide, dimethicone, sucrose tristearate, pentaerythrityl tetraethylhexanoate, polysorbate 81, sodium stearoyl glutamate, phenoxyethanol, phenylethyl resorcinol, propylene glycol, capryloyl salicylic acid, ammonium polyacryloyldimethyl taurate, caprylyl glycol, carbomer, xanthan gum, disodium EDTA, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, ginkgo biloba leaf extract, sodium hydroxide, ferulic acid

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

933234 31

Code F.L.L.: D164737/1

Leading causes of dark spots and skin discolorations include skin aging, and past skin conditions such as acne. They are aggravated by UVA rays that penetrate the skin all year-long, even on overcast days. This is why dermatologists recommend using a daily broad spectrum sunscreen when addressing skin discolorations.

A pioneer in sun protection research for over 15 years, La Roche-Posay laboratories are trusted by dermatologists worldwide for its advanced formulations in UVA protection.

Innovation: for the first time, PIGMENTCLAR Daily Dark Spot Correcting Moisturizer combines a powerful complex [PhE-Resorcinol + Ginkgo + Ferulic Acid + LHA] with [UVA/UVB + antioxidant] protection in a single step.

This formula:

- Reduces the look of visible dark spots.
- Helps fight against the reappearance of skin discolorations.

Clinical results: Skin is instantly hydrated, looks more even and more radiant.

Dark spots and skin discolorations appear visibly reduced.

Texture: hydrating and fast-absorbing cream leaves a matte, non greasy finish.

Application: Every morning apply to face, neckline and décolleté after thoroughly cleansing skin. Excellent make-up base.

Clinically tested. Dermatologist tested. Allergy tested. Suitable for sensitive skin.

Non comedogenic. Fragrance-free. Paraben-free. Oil-free.

SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

new

PIGMENTCLAR

Avec de l'eau thermale de La Roche-Posay

DAILY DARK SPOT
CORRECTING MOISTURIZER

Dark spots, skin discolorations
Dull & uneven complexion

UVA/UVB + Antioxidant protection

BROAD SPECTRUM
SPF 30

Suitable for sensitive skin
Fragrance-free
Paraben-free

30 ml - 1.01 FL.OZ.

Made in USA

1855940

Distribution reserved to La Roche-Posay
agreed depositories
Distributed by:
La Roche-Posay LLC, New York, NY 10017
La Roche-Posay
Laboratoire Pharmaceutique
86270 La Roche-Posay, France
TSA 10007 F 92667 ASNIERES CEDEX
www.laroche-posay.com

ACTUAL SIZE

0.
[0.]

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE PIGMENTCLAR DAILY DARK SPOT CORRECTING MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-664
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-664-01	1 in 1 CARTON	08/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-664-02	1 in 1 CARTON	08/01/2014	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2014	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc.		076693183	manufacture(49967-664) , pack(49967-664)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	analysis(49967-664)

Revised: 12/2023

L'Oreal USA Products Inc