

**CHILDRENS IBUPROFEN- ibuprofen suspension**  
**Precision Dose Inc.**

-----

**CHILDREN'S IBUPROFEN ORAL SUSPENSION**

Berry Flavor

100 mg/5 mL 200 mg/10 mL

***For Hospital Use Only***

***Drug Facts***

**Active ingredient (in each 5 mL)**

Ibuprofen 100 mg (NSAID)<sup>1</sup>

<sup>1</sup> nonsteroidal anti-inflammatory drug

**Purposes**

Pain reliever/fever reducer

**Uses**

temporarily:

- relieves minor aches and pains due to the common cold, flu, sore throat, headache and toothache
- reduces fever
- **Important: Read all product information before using.**
- **This product is intended for use in children.**

**Warnings**

**Allergy alert**

Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

**Stomach bleeding warning**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if your child:

- has had stomach ulcers or bleeding problems
- takes a blood thinning (anticoagulant) or steroid drug

- takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- takes more or for a longer time than directed

### **Sore throat warning**

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor.

### **Do not use**

- if the child has ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

### **Ask a doctor before use if**

- stomach bleeding warning applies to your child
- child has a history of stomach problems, such as heartburn
- child has problems or serious side effects from taking pain relievers or fever reducers
- child has not been drinking fluids
- child has lost a lot of fluid due to vomiting or diarrhea
- child has high blood pressure, heart disease, liver cirrhosis, or kidney disease
- child has asthma
- child is taking a diuretic

### **Ask a doctor or pharmacist before use if the child is**

- under a doctor's care for any serious condition
- taking any other drug

### **When using this product**

- give with food or milk if stomach upset occurs
- the risk of heart attack or stroke may increase if you use more than directed or for longer than directed

### **Stop use and ask a doctor if**

- child experiences any of the following signs of stomach bleeding
  - feels faint
  - vomits blood
  - has bloody or black stools
  - has stomach pain that does not get better
- the child does not get any relief within first day (24 hours) of treatment
- fever or pain gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms appear

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- **Use as directed per healthcare professional.**
- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find right dose on chart. If possible, use weight to dose; otherwise use age.

- shake cups well before using
- mL = milliliter; tsp = teaspoonful
- if needed, repeat dose every **6-8 hours**
- do not use more than **4 times a day**

### Dosing Chart

Weight (lb)	Age (yr)	Dose (mL or tsp)*
Under 24 lbs	Under 2 years	Ask a doctor
24-35 lbs	2-3 years	5 mL (1 tsp)
36-47 lbs	4-5 years	7.5 mL (1½ tsp)
48-59 lbs	6-8 years	10 mL (2 tsp)
60-71 lbs	9-10 years	12.5 mL (2½ tsp)
72-95 lbs	11 years	15 mL (3 tsp)

\* or as directed by a doctor

### Other information

- **each 5 mL (1 tsp) contains:** sodium 2 mg
- store at 20-25°C (68-77°F)
- do not freeze
- See individual label or shipper for lot number and expiration date.

### Inactive ingredients

anhydrous citric acid, artificial mixed berry flavor, D&C yellow #10, FD&C red #40, glycerin, high fructose corn syrup, hypromellose, polysorbate 80, purified water, sodium benzoate, sorbitol solution, xanthan gum

### Alcohol Free, Gluten Free

### How Supplied

NDC 68094-494-58

5 mL per unit dose syringe

Fifty (50) syringes per shipper

NDC 68094-494-61

5 mL per unit dose cup

One hundred (100) cups per shipper

NDC 68094-494-62

5 mL per unit dose cup

Thirty (30) cups per shipper

NDC 68094-503-61

10 mL per unit dose cup

One hundred (100) cups per shipper

NDC 68094-503-62

10 mL per unit dose cup

Thirty (30) cups per shipper

Distributed By

**Perrigo Company**

Allegan, MI 49010

Packaged By  
**Precision Dose, Inc.**  
South Beloit, IL 61080  
LI587 Rev. 06/17

**PRINCIPAL DISPLAY PANEL - 5 mL Cup Label**

NDC# 68094-494-58

**Children's IBUPROFEN Oral Suspension, 100 mg/5 mL**

Delivers 5 mL

(NSAID)

For Hospital Use Only

Each 5 mL contains: sodium 2 mg

Alcohol Free

Gluten Free

Store at 20°-25°C (68°-77°F)

Protect from freezing

Pkg: Precision Dose, Inc. S. Beloit, IL 61080

LSY495 Rev. 04/11

**For Oral Use Only**



**PRINCIPAL DISPLAY PANEL - 200 mg/10 mL Lid**

NDC 68094-503-59

**PrecisionDose™**

**Children's IBUPROFEN  
Oral Suspension  
200 mg/10 mL**

Delivers 10 mL Shake Well (NSAID) Alcohol Free Gluten Free  
Each 5 mL contains: sodium 2 mg

Hospital Use Only  
Store at 20-25°C (68-77°F)  
Pkg. By: Precision Dose, Inc.  
S. Beloit, IL 61080



## CHILDRENS IBUPROFEN

ibuprofen suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68094-494
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Ibuprofen</b> (UNII: WK2XYI10QM) (Ibuprofen - UNII:WK2XYI10QM)	Ibuprofen	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>anhydrous citric acid</b> (UNII: XF417D3PSL)	
<b>D&amp;C yellow NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C red NO. 40</b> (UNII: WZB9127XOA)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>high fructose corn syrup</b> (UNII: XY6UN3QB6S)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>water</b> (UNII: 059QF0K00R)	
<b>sodium benzoate</b> (UNII: OJ245FE5EU)	
<b>sorbitol</b> (UNII: 506T60A25R)	
<b>xanthan gum</b> (UNII: TTV12P4NEE)	

## Product Characteristics

Color	ORANGE	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68094-494-62	3 in 1 CASE	04/13/2004	
1		10 in 1 TRAY		
1	NDC:68094-494-59	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:68094-494-61	10 in 1 CASE	04/13/2004	
2		10 in 1 TRAY		
2	NDC:68094-494-59	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
3	NDC:68094-494-58	5 in 1 CASE	04/13/2004	
3		10 in 1 BAG		
3		5 mL in 1 SYRINGE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074937	04/13/2004	

## CHILDRENS IBUPROFEN

ibuprofen suspension

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68094-503
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Ibuprofen (UNII: WK2XYI10QM) (Ibuprofen - UNII:WK2XYI10QM)	Ibuprofen	200 mg in 10 mL

### Inactive Ingredients

Ingredient Name	Strength
anhydrous citric acid (UNII: XF417D3PSL)	
D&C yellow NO. 10 (UNII: 35SW5USQ3G)	

<b>FD&amp;C red NO. 40</b> (UNII: WZB9127XOA)
<b>glycerin</b> (UNII: PDC6A3C0OX)
<b>high fructose corn syrup</b> (UNII: XY6UN3QB6S)
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)
<b>polysorbate 80</b> (UNII: 6OZP39ZG8H)
<b>water</b> (UNII: 059QF0K00R)
<b>sodium benzoate</b> (UNII: OJ245FE5EU)
<b>sorbitol</b> (UNII: 506T60A25R)
<b>xanthan gum</b> (UNII: TTV12P4NEE)

### Product Characteristics

<b>Color</b>	ORANGE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68094-503-62	3 in 1 CASE	09/14/2006	
1		10 in 1 TRAY		
1	NDC:68094-503-59	10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:68094-503-61	10 in 1 CASE	09/14/2006	
2		10 in 1 TRAY		
2	NDC:68094-503-59	10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074937	09/14/2006	

**Labeler** - Precision Dose Inc. (035886746)

### Establishment

Name	Address	ID/FEI	Business Operations
L. Perrigo Company		006013346	MANUFACTURE(68094-494, 68094-503)