

VICKS DAYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS MUCUS- dextromethorphan hbr, guaifenesin liquid
The Procter & Gamble Manufacturing Company

VICKS® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + MUCUS Liquid

Drug Facts

Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Purpose

Cough suppressant

Expectorant

Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by doctor
children under 4 yrs	do not use

Other information

- **each 15 mL contains:**sodium 44 mg
- store at no greater than 25°C

Inactive ingredients

anhydrous citric acid, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE, CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL - 177 ml Bottle Label

VICKS®

DayQuil™

Kids

FREE OF

ARTIFICIAL DYES & SUGAR

COLD & COUGH + MUCUS
Guaifenesin, Dextromethorphan HBr
Chest Congestion,
Thins & Loosens Mucus
Cough
AGES 6+
6 FL OZ (177 mL)



Drug Facts (continued)

Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

Drug Facts (continued)

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- each 15 mL contains: sodium 44 mg
- store at no greater than 25°C

Inactive ingredients anhydrous citric acid, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

Questions? 1-800-362-1683



VICKS DAYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS MUCUS
 dextromethorphan hbr, guaifenesin liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84126-310
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	200 mg in 15 mL
Inactive Ingredients			
Ingredient Name			Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
GLYCERIN (UNII: PDC6A3C0OX)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			

SORBITOL (UNII: 506T60A25R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	white (product is clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-310-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/25/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2024	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 5/2024

The Procter & Gamble Manufacturing Company