

**STAMA PRO- lidocaine spray**  
**Cerno Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENT**

**Each milliliter contains**

Active Ingredient	Purpose
Lidocaine Hydrochloride 9.6%	Male Genital Desensitizer

**INACTIVE INGREDIENT**

Methylparaben, Propylparaben, Carboxymethyl Cellulose Sodium, Deionized Water.

**KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center.

**INDICATIONS & USAGE**

Helps in the prevention of premature ejaculation.

**WARNINGS**

For external use only. ■ Avoid contact with the eyes.

**Stop use and ask a doctor:**

- If you or your partner develop a rash or irritation such as burning or itching. If symptoms persist, consult a doctor.
- Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed does not provide relief, discontinue use and consult a doctor.

**DOSAGE & ADMINISTRATION**

Remove the protective cap. Press the actuator down repeatedly until product dispenses to prime spray pump.

Apply 3 or more sprays, not to exceed 10, to head and shaft of penis 8 minutes before intercourse, or use as directed by a doctor. Wash product off after intercourse. After spraying, place the cap back on.

**PURPOSE**

Male Genital Desensitizer

**Other Information**

■ Keep away from fire and flames. ■ Store at 20-25°C (68-77°F)

Made in the U.S.A.

**Drug Facts:**

**Active Ingredients:** Lidocaine Hydrochloride 9.6%.....Male Genital Desensitizer

**Purpose:** Male Genital Desensitizer

**Use:** Helps in the prevention of premature ejaculation.

**Warnings:** For external use only. ■ Avoid contact with the eyes.

**Stop use and ask a doctor:** ■ If you or your partner develop a rash or irritation such as burning or itching. If symptoms persist, consult a doctor. ■ Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed does not provide relief, discontinue use and consult a doctor.

■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center

# STAMA PRO<sup>TM</sup>


## Male Genital Desensitizer

**Directions:** Remove the protective cap. Press the actuator down repeatedly until product dispenses to prime spray pump. Apply 3 or more sprays, not to exceed 10, to head and shaft of penis 8 minutes before intercourse, or use as directed by a doctor. Wash product off after intercourse. After spraying, place the cap back on.

**Other Information:** ■ Keep away from fire and flames. ■ Store at 20-25°C (68-77°F)

**Inactive Ingredients:** Methylparaben, Propylparaben, Carbosymethyl Cellulose Sodium, Deionized Water.

Net Contents 0.46 Fl oz (13.5 ml) Approx. 135 Sprays per bottle. Made in the U.S.A Lot# 00291601 EXP: 11/2018



## STAMA PRO

lidocaine spray

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:70107-302

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	96 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70107-302-09	13.5 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/11/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	01/11/2017	

**Labeler** - Cerno Pharmaceuticals (079821037)

### Establishment

Name	Address	ID/FEI	Business Operations
Cerno Pharmaceuticals		079821037	MANUFACTURE(70107-302)

Revised: 1/2017

Cerno Pharmaceuticals