

MAXIMUM STRENGTH ANTACID ANTI GAS- aluminum hydroxide, magnesium hydroxide, simethicone suspension

Publix Super Markets Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Publix Super Markets, Inc. Maximum Strength Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 800 mg

Magnesium hydroxide 800 mg

Simethicone 80 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 40 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using
- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL two times a day or as directed by a physician
- do not take more than 40 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- **each 10 mL contains:** magnesium 350 mg and sodium 3 mg
- does not meet USP requirements for preservative effectiveness
- store at 68-77°F (20-25°C)
- protect from freezing

Inactive ingredients

butylparaben, flavor, glycerin, hydroxyethyl cellulose, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Principal Display Panel

ADVANCED

maximum strength

ALCOHOL 0.1%

ANTACID & ANTIGAS

Fast relief

Heartburn & acid indigestion

Pressure & bloating

CHERRY FLAVOR

12 FL OZ (355 mL)



NDC 56062-588-40

ADVANCED maximum strength

ALCOHOL 0.1%

ANTACID & ANTIGAS



CHERRY FLAVOR

Fast relief

- Heartburn & acid indigestion
- Pressure & bloating

12 FL OZ (355 mL)

: 58840 63 F7

DO NOT USE IF
PRINTED NECKBAND
IS BROKEN OR
MISSING



0 41415 28673 3

NO COPY AREA

Drug Facts

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 800 mg.....	Antacid
Magnesium hydroxide 800 mg.....	Antacid
Simethicone 80 mg.....	Antigas

Uses for the relief of ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach associated with these symptoms
■ pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 40 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

■ shake well before using ■ only use the dose cup provided ■ adults and children 12 years and older: take 10 mL to 20 mL two times a day or as directed by a physician ■ do not take more than 40 mL in 24 hours or use the maximum dosage for more than 2 weeks ■ children under 12 years: consult a physician

Other information ■ each 10 mL contains: magnesium 350 mg and sodium 3 mg ■ does not meet USP requirements for preservative effectiveness ■ store at 68-77°F (20-25°C) ■ protect from freezing

Inactive ingredients butylparaben, flavor, glycerin, hydroxyethyl cellulose, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

DISTRIBUTED BY PUBLIX
SUPER MARKETS, INC.,
3300 PUBLIX
CORPORATE PARKWAY
LAKELAND, FL 33811
1-888-267-3037
publix.com

PUBLIX GUARANTEE:
COMPLETE SATISFACTION
OR YOUR MONEY BACK

Publix.

NO COPY AREA

: 58840 63 B6

MAXIMUM STRENGTH ANTACID ANTI GAS

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-588
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	800 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYL PARABEN (UNII: 3QP1U3FV8)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-588-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/26/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	11/26/2007	

