

VICKS DAYQUIL KIDS AND VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS- dextromethorphan hbr, guaifenesin, diphenhydramine hcl
The Procter & Gamble Manufacturing Company

Vicks® DayQuil™ Kids / Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR
COLD & COUGH + Convenience Pack

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + MUCUS, Liquid

Drug Facts

Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg
Guaifenesin 200 mg

Purpose

Cough suppressant
Expectorant

Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or

persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- **each 15 mL contains:**sodium 44 mg
- store at no greater than 25°C

Inactive ingredients

anhydrous citric acid, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE, CINCINNATI, OH 45202

Vicks ®NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + RUNNY NOSE, Liquid

Drug Facts

Active ingredients (in each 15 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine/Cough suppressant

Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- runny nose & sneezing

Warnings**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- **each 15 mL contains:**sodium 44 mg
- store at no greater than 25°C

Inactive ingredients

anhydrous citric acid, flavor, glycerin, polysorbate 20, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE

CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL - Convenience Pack

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR / Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR
COLD & COUGH + Convenience Pack

TRUSTED RELIEF

VICKS®

VALUEPACK

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR

COLD & COUGH + MUCUS

Guaifenesin, Dextromethorphan HBr

Chest Congestion,

Thins & Loosens Mucus

Cough

Non-Drowsy

Ages 6+

FREE OF ALCOHOL & ACETAMINOPHEN

Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR

COLD & COUGH + RUNNY NOSE

Diphenhydramine HCl

Sneezing,

Runny Nose,

Cough Nighttime Relief

Ages 6+

FREE OF ALCOHOL & ACETAMINOPHEN

2 BOTTLES - 1 DAYQUIL/1 NYQUIL 6 FL OZ (177 mL) EACH; TOTAL 12 FL OZ (354 mL)

DayQuil Kids Free Of

Drug Facts

Active ingredients (in each 15 mL) Purpose
Diphenhydramine HCl 12.5 mg, ... Antihistamine Cough suppressant
Guaifenesin 200 mg, ... Cough suppressant
Expectorant

Uses

- temporarily relieves common cold symptoms;
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- runny nose & sneezing

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma;
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Step use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

children 6 to under 12 yrs 15 mL every 4 hrs
children 4 to under 6 yrs do not use unless directed by a doctor
children under 4 yrs do not use

Other information

- each 15 mL contains: sodium 44 mg
- store at no greater than 25°C

Inactive ingredients anhydrous citric acid, flavor, glycerin, polyethylene 20, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucrose, water

Questions? 1-800-362-1663

DayQuil Kids Free Of

Drug Facts

Active ingredients (in each 15 mL) Purpose
Dextromethorphan HBr 10 mg, ... Cough suppressant
Guaifenesin 200 mg, ... Cough suppressant
Expectorant

Uses

- temporarily relieves common cold symptoms;
- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of both mucus and make coughs more productive.

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Step use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over 30 mL every 4 hrs
children 6 to under 12 yrs 15 mL every 4 hrs
children 4 to under 6 yrs do not use unless directed by a doctor
children under 4 yrs do not use

Other information

- each 15 mL contains: sodium 44 mg
- store at no greater than 25°C

Inactive ingredients anhydrous citric acid, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucrose, water

Questions? 1-800-362-1663

TRUSTED RELIEF

FREE OF ARTIFICIAL DYES & SUGAR

FREE OF ARTIFICIAL DYES & SUGAR

Safe, fast and effective. Cough & cold relief for your little one.

From VICKS® the world's #1 selling cough & cold brand.

DayQuil Kids

NyQuil Kids

FREE OF ARTIFICIAL DYES & SUGAR

FREE OF ARTIFICIAL DYES & SUGAR

AGES 6+

Guaifenesin, Dextromethorphan HBr
Chest Congestion, Thins & Loosens Mucus
Cough

AGES 6+

Diphenhydramine HCl
Sneezing, Runny Nose, Cough

Non-Drowsy FREE OF ALCOHOL & ACETAMINOPHEN
Nighttime Relief

2 BOTTLES - 1 DAYQUIL / 1 NYQUIL 6 FL. OZ (177 mL) EACH; TOTAL 12 FL. OZ (354 mL)

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

MADE IN CANADA
DIST. BY: PROCTER & GAMBLE,
CINCINNATI, OH 45202

P&G
www.pg.com
Patents: www.pg.com/patents

VICKS DAYQUIL KIDS AND VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS

dextromethorphan hbr, guaifenesin, diphenhydramine hcl kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84126-312
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-312-12	1 in 1 PACKAGE; Type 0: Not a Combination Product	06/25/2024	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	177 mL
Part 2	1 BOTTLE, PLASTIC	177 mL

Part 1 of 2

VICKS DAYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS MUCUS

dextromethorphan hbr, guaifenesin liquid

Product Information

Item Code (Source)	NDC:84126-310
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	white (product is clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-310-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2024	

Part 2 of 2

VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS RUNNY NOSE

diphenhydramine hydrochloride liquid

Product Information

Item Code (Source)	NDC:84126-311
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Product Characteristics

Color	white (The product is clear)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-311-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2024	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 6/2024

The Procter & Gamble Manufacturing Company