

**TRIPLE ANTIBIOTIC WITH PAIN RELIEF MAXIMUM STRENGTH- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride ointment**  
**Walgreen Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**MAXIMUM STRENGTH**  
**Triple Antibiotic with Pain Relief**  
**Bacitracin Zinc /Neomycin Sulfate / Polymyxin B Sulfate /Pramoxine HCl**

***Drug Facts***

**Active ingredients (in each gram)**

Bacitracin zinc, USP 500 units  
Neomycin sulfate, USP 3.5 mg  
Polymyxin B sulfate, USP 10,000 units  
Pramoxine hydrochloride, USP 10 mg

**Purposes**

First aid antibiotic/Pain reliever

**Uses**

First aid to help prevent infection and for temporary relief of pain or discomfort due to

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

**Other information**

- Store at 59° - 86°F (15° - 30°C).
- Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive ingredient**

white petrolatum

**PRINCIPAL DISPLAY PANEL**

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED

MAXIMUM STRENGTH

Triple Antibiotic with Pain Relief

Bacitracin Zinc /Neomycin Sulfate / Polymyxin B Sulfate /Pramoxine HCl

- First aid antibiotic
- Pain relieving ointment

Compare to Neosporin<sup>®</sup> +

Pain Relief active ingredients

Helps prevent infection & relieves pain in minor cuts, scrapes & burns

NET WT 0.5 OZ (14 g)



WALGREENS PHARMACIST RECOMMENDED\*

MAXIMUM STRENGTH

# Triple Antibiotic With Pain Relief

- First aid antibiotic
- Pain-relieving ointment

Compare to Neosporin®+ Pain Relief active ingredients\*\*

Helps prevent infection & relieves pain in minor cuts, scrapes & burns.

MAXIMUM STRENGTH

# Triple Antibiotic With Pain Relief

Bacitracin Zinc / Neomycin Sulfate / Polymyxin B Sulfate / Pramoxine HCl



WALGREENS PHARMACIST RECOMMENDED\*

NET WT 1 OZ (28 g)

LOT & EXP.

Questions or comments? 1-800-883-0085

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2013 Walgreen Co.  
MADE IN KOREA

ITEM 330123



\*Walgreens Pharmacist Survey Study, November 2012.

\*\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company - A Division of Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Neosporin® + Pain Relief.

ORG1213-F

<p><b>Drug Facts</b> (continued)</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• adults and children 2 years of age and older:             <ul style="list-style-type: none"> <li>■ clean the affected area</li> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul> </li> <li>• children under 2 years of age: ask a doctor</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ Store at controlled room temperature 59°-86°F (15°-30°C)</li> </ul> <p><b>Inactive ingredient</b> white petrolatum</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredients (each gram contains) Purpose</b></p> <p>Bacitracin zinc 500 units.....First aid antibiotic</p> <p>Neomycin B sulfate 3.5 mg.....First aid antibiotic</p> <p>Polymyxin B sulfate 10,000 units.....First aid antibiotic</p> <p>Pramoxine HCl 10mg.....External analgesic</p> <p><b>Uses</b> ■ first aid to help prevent infection and for temporary relief of pain or discomfort due to:</p> <ul style="list-style-type: none"> <li>■ minor cuts ■ scrapes ■ burns</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <ul style="list-style-type: none"> <li>■ Do not use             <ul style="list-style-type: none"> <li>■ if you are allergic to any of the ingredients</li> <li>■ in the eyes</li> <li>■ over large areas of the body</li> </ul> </li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ deep or puncture wounds</li> <li>■ animal bites</li> <li>■ serious burns</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ you need to use longer than 1 week</li> <li>■ condition persists or gets worse</li> <li>■ symptoms persist for more than 1 week, or clear up and occur again within a few days</li> <li>■ rash or other allergic reaction develops</li> </ul>
---	--

# TRIPLE ANTIBIOTIC WITH PAIN RELIEF MAXIMUM STRENGTH

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0123
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP <sup>U</sup> ] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:H6QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP <sup>U</sup> ] in 1 g
PRAMO XINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056)	PRAMO XINE HYDROCHLORIDE	10 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0123-01	1 in 1 CARTON		
1		28 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	03/27/2014	

**Labeler** - Walgreen Company (008965063)

Revised: 3/2014

Walgreen Company