

**SIMANIX- simanix pain relieving cream cream**  
**Home Aide Diagnostics, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Silmanix Pain Relieving Cream**

**PURPOSE:** Topical analgesic

**ACTIVE INGREDIENTS**

Capsaicin 0.0375% -----

----- Counterirritant

Menthol 3% -----

---- Topical analgesic

Histamine DiHydrochloride 0.035% -----

----- Topical analgesic

**INDICATIONS**

For the temporary relief of minor pain of muscles and joints associated with:

- Arthritis
- Simple Backache
- Strains
- Sprains
- Bruises

**WARNINGS**

FOR EXTERNAL USE ONLY.

- Use only as directed
- Do not bandage tightly
- Do not use with a heating pad
- Avoid contact with the eyes or mucous membranes
- Do not apply to wounds, damaged, broken or irritated skin
- A transient burning sensation may occur upon application but generally disappears in several days
- If severe burning sensation occurs, discontinue use immediately and call a doctor
- Do not expose the area treated with product to heat or direct sunlight

**STOP USE AND ASK A DOCTOR IF:**

- Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days
- Redness is present or irritation develops

**DIRECTIONS**

- Adults and children over 18 years:
- Apply generously to affected area
- Massage into painful area until thoroughly absorbed into skin
- Repeat as necessary, not more than 3-4 times daily.
- Wash hands with soap and water immediately after use.
- Children 18 years or younger: ask a doctor

*Store at 20°-25°C (68°-77 °F). Avoid direct sunlight.*

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

away. (1-800-222-1222)

If pregnant or breast-feeding, ask a healthcare professional before use

### INACTIVE INGREDIENTS

aliphatic alcohol; stearic acid; vaseline; peregol; Carmellose; odium; water

**DRUG FACTS**

**PURPOSE:** Topical analgesic

**ACTIVE INGREDIENTS**

Capsaicin 0.0375% ————— Counterirritant

Menthol 3% ————— Topical analgesic

Histamine Dihydrochloride 0.035% ————— Topical analgesic

**INDICATIONS**

For the temporary relief of minor pain of muscles and joints associated with:

• Arthritis • Simple Backache • Strains • Sprains • Bruises

**WARNINGS**

**FOR EXTERNAL USE ONLY.**

- Use only as directed
- Do not bandage tightly
- Do not use with a heating pad
- Avoid contact with the eyes or mucous membranes
- Do not apply to wounds, damaged, broken or irritated skin
- A transient burning sensation may occur upon application but generally disappears in several days
- If severe burning sensation occurs, discontinue use immediately and call a doctor
- Do not expose the area treated with product to heat or direct sunlight

**STOP USE AND ASK A DOCTOR IF:**

- Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days
- Redness is present or irritation develops

**DIRECTIONS**

- Adults and children over 18 years:
- Apply generously to affected area
- Massage into painful area until thoroughly absorbed into skin
- Repeat as necessary, not more than 3-4 times daily.
- Wash hands with soap and water immediately after use.
- Children 18 years or younger: ask a doctor

Store at 20°-25°C (68°-77 °F). Avoid direct sunlight.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

If pregnant or breast-feeding, ask a healthcare professional before use.

**INACTIVE INGREDIENTS**

aliphatic alcohol; stearic acid; vaseline; peregol; Carmellose; odium; water



# Simanix

## Pain Relieving Cream

(0.0375% Capsaicin . 3% Menthol . 0.035% Histamine DiHCL)

### RX

Net Weight: 120 g

**Distributed by:**  
Home Aide Diagnostics, Inc.  
1072 S. Powerline Road  
Deerfield Beach, FL 33442  
1 (800) 915-0116  
www.homeaide.us



1 69379 00103 9

**NDC #: 69379-0001-03**  
**Lot #:**  
**Exp Date:**

## SIMANIX

simanix pain relieving cream cream

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:69379-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CAPSAICIN</b> (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.0375 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3 g in 100 g
<b>HISTAMINE DIHYDRO CHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	0.035 g in 100 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69379-001-03	120 g in 1 BOTTLE; Type 0: Not a Combination Product	07/08/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved drug other

07/08/2015

**Labeler** - Home Aide Diagnostics, Inc. (783518983)

**Registrant** - Zhejiang Bangli Medical Products Cl. Ltd (421295875)

**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Bangli Medical Products Co. Ltd		421295875	manufacture(69379-001)

Revised: 7/2015

Home Aide Diagnostics, Inc.