

**OUR FAMILY DAY TIME SEVERE COLD AND COUGH BERRY INFUSED WITH MENTHOL AND GREEN TEA FLAVORS- acetaminophen, dextromethorphan hbr, and phenylephrine hcl. granule, for solution**  
**Quality Home Products**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

**Day time Severe Cold and cough berry infused with menthol and green tea flavors**

Active ingredients (in each packet)	Purpose
Acetaminophen 650 mg .....	Pain reliever-Fever reducer
Dextromethorphan hydrobromide 20 mg .....	Cough suppressant
Phenylephrine hydrochloride 10 mg.....	Nasal decongestant

**Uses**

-Temporarily relieves:

- minor aches and pains -headache -minor sore throat pain
- nasal and sinus congestion -cough due to minor throat and bronchial irritation

-Temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 packets in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Ask a doctor before use if you have

- liver disease -heart disease -high blood pressure
- thyroid disease -diabetes -trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

As a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product

-do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs -fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- symptoms do not get better or worsen

-pain, cough or nasal congestion gets worse or lasts more than 7 days

-cough comes back or occurs with fever, rash or headache that lasts.

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

-do not use more than directed

-take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor

-adults and children 12 years of age and over; dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.

-children under 12 years of age: consult a doctor

-if using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

Other information

-each packet contains: potassium 8 mg, sodium 20 mg

-phenylketonurics: contains phenylalanine 14 mg per packet

-store at controlled room temperature 20-25C (68-77F). Protect from excessive heat and moisture.

**Drug Facts**

**Active ingredients (in each packet)**      **Purpose**  
**Acetaminophen 650 mg** ..... Pain reliever-Fever reducer  
**Dextromethorphan hydrobromide 20 mg** ..... Cough suppressant  
**Phenylephrine hydrochloride 10 mg** ..... Nasal decongestant

**Uses**

- Temporarily relieves:
  - minor aches and pains
  - headache
  - minor sore throat pain
  - nasal and sinus congestion
  - cough due to minor throat and bronchial irritation
- Temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take • more than 6 packets in 24 hours

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription and nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product**

- do not exceed recommended dosage

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not use more than directed
- take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor.
- adults and children 12 years of age and over: dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years of age: consult a doctor
- if using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

**Other information**

- each packet contains: potassium 8 mg, sodium 20 mg
- phenylephrine: contains phenylephrine 14 mg per packet
- store at controlled room temperature 20-25°C (68-77°F). Protect from excessive heat and moisture.

**Inactive ingredients:**

Acetosulfame K, aspartame, citric acid, FD&C Blue No. 1, FD&C red No. 40, maltodextrin, menthol, natural flavors, sodium citrate, starch and sugar.

**DO NOT USE IF SEALED PACKET IS TORN OR BROKEN.**

DISTRIBUTED BY  
**WASH FINCH COMPANY** ©2009, 11996  
 NFC BRANDS  
 7600 FRANCE AVE S, MPLS, MN 55435  
 www.ourfamilyfoods.com NFX000X  
 Made in Canada

NDC 64525-0543-6

Compare to *Theraflu*® Daytime Severe Cold & Cough\*

**Our Family**  
Quality Care Since 1964

**Our Family**  
Quality Care Since 1964

**DAYTIME SEVERE COLD & COUGH**

**DAYTIME SEVERE COLD & COUGH**

ACETAMINOPHEN • PAIN RELIEVER-FEVER REDUCER  
 DEXTROMETHORPHAN HBR • COUGH SUPPRESSANT  
 PHENYLEPHRINE HCl • NASAL DECONGESTANT

Nasal and Sinus Congestion • Cough  
 Body Ache • Sore Throat Pain  
 Headache • Fever

Berry Infused with  
Menthol and Green Tea  
flavors

Berry Infused with  
Menthol and Green Tea  
flavors

6 PACKETS

See new warnings information.

\*This product is not affiliated with Novartis Consumer Health, Inc., owner of the registered trademark, *Theraflu*®

If you are not satisfied with any Our Family brand product, simply return it to the store where purchased. We will refund your money. **PLUS** replace the item with a like item of the brand of your choice - FREE.

200

C-3110-30508-6N



<b>OUR FAMILY DAY TIME SEVERE COLD AND COUGH BERRY INFUSED WITH MENTHOL AND GREEN TEA FLAVORS</b>			
acetaminophen, dextromethorphan hbr, and phenylephrine hcl. granule, for solution			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64525-0545
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>Acetaminophen</b> (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	650 mg
	<b>Dextromethorphan Hydrobromide</b> (UNII: 9D2RTI9KYH) (Dextrose - UNII:IY9XDZ35W2)	Dextromethorphan Hydrobromide	20 mg
	<b>Phenylephrine Hydrochloride</b> (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)	Phenylephrine Hydrochloride	10 mg
<b>Inactive Ingredients</b>			

Ingredient Name	Strength
Acesulfame (UNII: MA3UYZ6K1H)	
Aspartame (UNII: Z0H242BBR1)	
citric acid monohydrate (UNII: 2968PHW8QP)	
Maltodextrin (UNII: 7CVR7L4A2D)	
Sodium Citrate (UNII: 1Q73Q2JULR)	
Sucrose (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	red (FD & C red No. 40) , blue (FD & C blue No.1)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY (Berry infused with menthol & Green tea flavors) , MENTHOL (menthol)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64525-0545-6	6 in 1 BOX		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/31/2009	

**Labeler** - Quality Home Products (205554157)

Revised: 10/2009

Quality Home Products