

PROTECTIF FAIR TINT- zinc oxide and titanium dioxide cream
Derma Research Group Inc.

Drug Facts

Active Ingredients: Zinc Oxide 8.6%, Titanium Dioxide 6.5%

Purpose: Sun Protectant

Uses: Broad spectrum (Sun Protection Factor 50 /SPF 50).

Warning: For external use only.

Do not use on damaged or broken skin.

When using this product, avoid contact with the eyes. If contact occurs, rinse thoroughly with water.

Discontinue use if rash or irritation develops or lasts. If irritation persists, consult a doctor.

Keep out of reach of Children - if swallowed get medical help or contact Poison Control Center right away.

Directions: Adults and Children over 6 months of age: Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging - to decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and take other sun protection measures including limiting time in the sun, especially from 10 a.m. - 2 p.m., and wearing long-sleeve shirts, pants, hats and sunglasses.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging - to decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and take other sun protection measures including limiting time in the sun, especially from 10 a.m. - 2 p.m., and wearing long-sleeve shirts, pants, hats and sunglasses.

Inactive Ingredients: Water (Aqua), Cyclopentasiloxane, C12-15 Alkyl Benzoate, Dimethicone, Cyclotetrasiloxane, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Polysilicone-31, Glycerin, Aluminum Hydroxide, Stearic Acid, Dimethicone/PEG-10/15 Crosspolymer, Pyrus Malus (Apple) Fruit Extract, Sodium Chloride, Dipropylene Glycol, Sodium Citrate, Tocopherol, Dimethicone/Polyglycerin-3 Crosspolymer, Dimethicone / Vinyl Dimethicone Crosspolymer, Tocopheryl Acetate, PEG/PPG-18/18 Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Cetearyl Oliviate, Sorbitan Oliviate, Benzoic Acid, Ethylhexyl Palmitate, Silica Dimethyl Silylate, Butylene Glycol, Pentylene Glycol, Sodium Hyaluronate, Cyclohexasiloxane, PEG-8, Ascorbyl Palmitate, Ascorbic Acid, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Sodium Ferrocyanide Decahydrate, Hydroxytyrosol, Polygonum Aviculare Extract, Sodium Benzoate, Potassium Sorbate, Alcohol, Lecithin, Ectoin, Cyclotetra peptide-24 Aminocyclohexane Carboxylate, Carbomer, Polysorbate 20, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Vitis Vinifera (Grape) Fruit Cell Extract, Isomalt, Camellia Sinensis Leaf Extract, Coffee Arabica (Coffee) Seed Extract, Citric Acid, Phenoxyethanol,

Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, Triethoxycaprylylsilane, Iron Oxides(CI 77491, CI 77492, CI 77499)

Protectif™

SPF 50+ FPS

BROAD SPECTRUM SUNSCREEN
CRÈME SOLAIRE À LARGE SPECTRE

MINERAL REPAIR
WITH GMA7™

RÉPARATION MINÉRALE
AVEC GMA7™

FAIR TINT
UVA/UVB PROTECTION



Drug Facts / Info-médicament

Active Ingredients
Ingredients Médicamenteux
Zinc Oxide 8.6%
Titanium Dioxide 6.5%

Purpose
Objectif
Sun Protection / Ecran Solaire
Sun Protection / Ecran Solaire

Uses: Broad spectrum (Sun Protection Factor 50 / SPF 50). **Directions:** Adults and Children over 6 months of age: Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging - to decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and take other sun protection measures including limiting time in the sun, especially from 10 a.m. - 2 p.m., and wearing long-sleeve shirts, pants, hats and sunglasses. / **Utilisations:** Large Spectre (facteur de Protection Solaire / FPS 50). **Préemploi:** Adultes et enfants de plus de 6 mois : Appliquez généreusement et uniformément 15 minutes avant l'exposition au soleil. Renouvelez l'application au moins toutes les 2 heures. **Protection quotidienne contre les rayons UV:** Passer du temps au soleil augmente votre risque de cancer de la peau et de vieillissement cutané précoce - pour réduire ce risque, utilisez régulièrement un écran solaire avec une valeur SPF à large spectre de 15 ou plus et prenez d'autres mesures de protection solaire, y compris la limitation du temps au soleil, en particulier de 10 h à 14 h et porter des chemises à manches longues, des pantalons, des chapeaux et des lunettes de soleil.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product, avoid contact with the eyes. If contact occurs, rinse thoroughly with water. Discontinue use if rash or irritation develops or lasts. If irritation persists, consult a doctor. Keep out of reach of Children - if swallowed get medical help or contact Poison Control Center right away. **Mise en garde:** Pour usage externe seulement. Ne pas utiliser sur la peau endommagée ou cassée. Lors de l'utilisation de ce produit, évitez le contact avec les yeux. En cas de contact, rincer abondamment à l'eau. Cesser d'utiliser le produit si une éruption cutanée ou une irritation se manifeste ou persiste. Si l'irritation persiste, consulter un médecin. En cas d'ingestion -consulter un médecin ou contacter un centre antipoisons immédiatement.

Inactive Ingredients: Water (Aqua), Cyclopentasiloxane, CI 77491, Acyl Benzoate, Dimethicone, Cyclohexanone, Polyglyceryl-3 Polydimethylsilyloxyethyl Dimethicone, Polydimethylsiloxane-35, Glycerin, Aluminium Hydroxide, Stearic Acid, Dimethicone/PEG-10/15 Crosspolymer, Pyrus Malus (Apple) Fruit Extract, Sodium Chloride, Dipropylene Glycol, Sodium Citrate, Tocopherol, Dimethicone/Polyglyceryl-3 Crosspolymer, Dimethicone / Vinyl Dimethicone Crosspolymer, Tocopheryl Acetate, PEG/PPG-18/18 Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Pentaerythrityl Tetra-di-t-butyl Hydroxyphenylacetate, Cetearyl Olivate, Sorbitan Olivate, Benzoic Acid, Ethylhexyl Palmitate, Silyl Dimethyl Silylate, Butylene Glycol, Pentaerythritol, Sodium Hyaluronate, Cyclohexasiloxane, PEG-4, Ascorbyl Palmitate, Ascorbic Acid, (Inethoxyethyl) Polydimethylsilyloxyethyl Hexyl Dimethicone, Sodium Ferrocyanide Decahydrate, Hydroxytyrosol, Polyposium Anticellulose Extract, Sodium Benzoate, Potassium Sorbate, Alcohol, Lecithin, Ectoin, Cyclohexapeptide-24, Aminocyclohexane Carboxylate, Carbomer, Polysorbate 20, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Vitis Vinifera (Grape) Fruit Cell Extract, Bombyx Mori (Silkworm) Silk Extract, Coffea Arabica (Coffee) Seed Extract, Citric Acid, Phenoxycarbazone, Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, Triethoxycaprylylsilane, Iron Oxides (CI 77491, CI 77492, CI 77499)

Questions or Comments: Call toll free 1-855-968-3600

Protectif™

SPF 50+ FPS

BROAD SPECTRUM SUNSCREEN
CRÈME SOLAIRE À LARGE SPECTRE

MINERAL REPAIR
WITH GMA7™

RÉPARATION MINÉRALE
AVEC GMA7™

FAIR TINT
UVA/UVB PROTECTION



Daily Protection Against UV Rays
Safeguard your skin from the sun with daily UV protection and skin nourishment. Natural minerals Zinc Oxide and Titanium Dioxide form a sun protective shield. Powerful extracts of Olive, Coffee Seed and Green Tea restoratively beautify the skin and help prevent UV damage. Our expert formulation is non-greasy, scent-free, and provides a makeup-friendly matte finish.

Skin and coral reef friendly.

Protection quotidienne contre les rayons UV
Protégez votre peau du soleil avec une protection UV quotidienne et un soin nourrissant pour la peau. Les minéraux naturels de l'oxyde de zinc et du dioxyde de titane forment un écran de protection solaire. Des extraits puissants d'olive, de graine de café et de thé vert embellissent la peau de manière réparatrice et aident à prévenir les dommages causés par les rayons UV. Notre formulation experte est non grasse, sans parfum et offre une finition mate idéale pour le maquillage.

Sans danger pour la peau et les récifs coralliens.

NPN 80120153

DERMA RESEARCH GROUP
33 Fairley Drive, Guelph
ON N1L0B7
Made in USA
Fabrique en USA
sajicskin.com



PROTECTIF FAIR TINT

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82038-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	8.6 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX3357)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
WATER (UNII: 059QF0K00R)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
CETEARYL OLIVATE (UNII: 58B69Q84JO)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
DIMETHICONE (UNII: 92RU3N3Y1O)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
SODIUM FERROCYANIDE DECAHYDRATE (UNII: CG0CLR485X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
APPLE (UNII: B423VGH5S9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TOCOPHEROL (UNII: R0ZB2556P8)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
STEARIC ACID (UNII: 4ELV7Z65AP)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
SODIUM BENZOATE (UNII: OJ245FE5EU)
ALCOHOL (UNII: 3K9958V90M)
CYCLOTETRAPEPTIDE-24 AMINOCYCLOHEXANE CARBOXYLATE (UNII: NR327745KQ)
HYDROXYTYROSOL (UNII: QEU0NE4O90)
WINE GRAPE (UNII: 3GOV20705G)
ISOMALT (UNII: S870P5502W)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ARABICA COFFEE BEAN (UNII: 3SW678MX72)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)

ECTOINE (UNII: 7GXZ3858RY)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER (UNII: 2P2G24V6T9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82038-006-02	1 in 1 CARTON	05/10/2024	
1	NDC:82038-006-01	100 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:82038-006-04	1 in 1 CARTON	05/10/2024	
2	NDC:82038-006-03	30 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/10/2024	

Labeler - Derma Research Group Inc. (200108372)