

SHEFFIELD TRIPLE ANTIBIOTIC- bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment
Sheffield Pharmaceuticals LLC

Sheffield Triple Antibiotic Ointment

Drug Facts

Active ingredients (In each gram)

Bacitracin 400

Neomycin 3.5 mg

Polymyxin B 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Allergy alert:

- do not use if you are allergic to any of the ingredients

Do not use

- in or near the eyes
- on large areas of the body

Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Other information

- Store at a controlled room temperature 68°-77°F (20°-25°C)

Inactive ingredient

Petrolatum

Questions? 1-800-222-1087

Principal Display Panel – Carton Label


Dr. Sheffield's NDC 11527-162-47

Triple Antibiotic Ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin-B Sulfate

First Aid Antibiotic Ointment

NET WT. 0.33 oz. (9.35)





Principal Display Panel - Tube Label

Dr. Sheffield's NDC 11527-162-47

Triple Antibiotic Ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin-B Sulfate

First Aid Antibiotic Ointment

NET WT. 0.33 oz. (9.35g)

First Aid Treatment for Minor Cuts, Scrapes and Burns

Original Ointment

Triple Antibiotic Ointment

First Aid Antibiotic Ointment

• Bacitracin Zinc • Neomycin Sulfate • Polymyxin-B Sulfate

NET WT. 0.33 oz. (9g)

**Active Ingredients (in each gram)**

Bacitracin 400 units, Neomycin 3.5 mg, Polymyxin B 5,000 units First aid antibiotic

Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns**Warnings:** For external use only. **Allergy alert:** • do not use if you are allergic to any of the ingredients.**Do not use** • In or near the eyes • on large areas of the body. **Consult a doctor before use if you have:** • deep or puncture wounds • animal bites • serious burns. **When using this product:** • do not use longer than 1 week **Stop use and consult a doctor if:** • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops. **Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center immediately. **Directions:** • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage.**Other information** • Store at a controlled room temperature 68°-77°F (20°-25°C). **Questions?** 1-800-222-1087 *This product is not manufactured or distributed by ©Johnson & Johnson Consumer Products Company - A Division of Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Neosporin®.

Distributed by Sheffield Pharmaceuticals, 170 Broad Street, New London, CT 06320 www.sheffieldpharma.com

Made in the USA OF U.S. AND IMPORTED INGREDIENTS AND COMPONENTS

Purpose

Original Ointment

Triple Antibiotic Ointment

First Aid Antibiotic Ointment

• Bacitracin Zinc • Neomycin Sulfate • Polymyxin-B Sulfate

NET WT. 0.33 oz. (9g)

**Active Ingredients (in each gram)**

Bacitracin 400 units, Neomycin 3.5 mg, Polymyxin B 5,000 units First aid antibiotic

Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns**Warnings:** For external use only. **Allergy alert:** • do not use if you are allergic to any of the ingredients.**Do not use** • In or near the eyes • on large areas of the body. **Consult a doctor before use if you have:** • deep or puncture wounds • animal bites • serious burns. **When using this product:** • do not use longer than 1 week **Stop use and consult a doctor if:** • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops. **Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center immediately. **Directions:** • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage.**Other information** • Store at a controlled room temperature 68°-77°F (20°-25°C). **Questions?** 1-800-222-1087 *This product is not manufactured or distributed by ©Johnson & Johnson Consumer Products Company - A Division of Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Neosporin®.

Distributed by Sheffield Pharmaceuticals, 170 Broad Street, New London, CT 06320 www.sheffieldpharma.com

Made in the USA OF U.S. AND IMPORTED INGREDIENTS AND COMPONENTS

Purpose

SHEFFIELD TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11527-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [USP'U] in 1 g
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ 07J96K)	Polymyxin B	5000 [USP'U] in 1 g
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11527-162-51	1 in 1 CARTON	01/23/2011	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11527-162-30	1 in 1 CARTON	12/22/2020	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:11527-162-55	1 in 1 CARTON	11/09/2012	
3		28 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:11527-162-47	1 in 1 CARTON	01/23/2011	
4		9.35 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:11527-162-27	144 in 1 CARTON	10/12/2018	
5		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/23/2011	

Labeler - Sheffield Pharmaceuticals LLC (151177797)

Establishment

Name	Address	ID/FEI	Business Operations
Sheffield Pharmaceuticals LLC		151177797	manufacture(11527-162) , analysis(11527-162)

Revised: 11/2023

Sheffield Pharmaceuticals LLC