

**MOTION SICKNESS RELIEF- meclizine hcl tablet**  
**Meijer Distribution Inc**

-----  
**Meijer 44-403A**

***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- take first dose 1/2 to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

### ***Inactive ingredients***

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

Meijer®

NDC 41250-930-19

Compare to  
Dramamine® Less Drowsy  
active ingredient\*

LESS DROWSY FORMULA

**motion**

**sickness relief**

Meclizine HCl | 25 mg | Antiemetic

Helps prevent Nausea and Dizziness  
due to Motion Sickness for up to 24 hours  
Ages 12 Years and Over

8 Tablets  
actual size

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by  
Medtech Products Inc., owner of the registered trademark

Dramamine® Less Drowsy.  
50844 ORG042340319

**DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com**

**LESS DROWSY FORMULA**  
**motion sickness relief**  
Meclizine HCl | 25 mg | Antiemetic

Helps prevent Nausea and Dizziness due to Motion Sickness for up to 24 hours

**meijer**

NDC 41250-930-19  
Compare to Dramamine® Less Drowsy active ingredient\*

**LESS DROWSY FORMULA**  
**motion sickness relief**  
Meclizine HCl | 25 mg | Antiemetic

Helps prevent Nausea and Dizziness due to Motion Sickness for up to 24 hours  
**Ages 12 Years and Over**

**8 Tablets** |  actual size

*E1044*

8-1214-403A-19  
ORG042340319

 **OUR QUALITY GUARANTEE**  
www.meijer.com  
DIST. BY MEIJER  
GRAND RAPIDS, MI 49544

50844 ORG042340319  
Dramamine® Less Drowsy.  
Medtech Products Inc., owner of the registered trademark  
\*This product is not manufactured or distributed by


**When using this product**  
are taking sedatives or tranquilizers.

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**Inactive ingredients** colloidal silicon dioxide, D & C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

**(Questions or comments?)**  
1-800-426-9391

466390 



## Meijer 44-403A

### MOTION SICKNESS RELIEF

meclizine hcl tablet

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-930
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

#### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm

<b>Flavor</b>		<b>Imprint Code</b>	44;403
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-930-19	1 in 1 CARTON	03/27/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/27/2019	

**Labeler** - Meijer Distribution Inc (006959555)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41250-930)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-930) , pack(41250-930)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41250-930)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41250-930)