

VELTRIX- veltrix pain relieving cream cream
Home Aide Diagnostics, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Veltrix Pain Relieving Cream

PURPOSE: Topical analgesic

ACTIVE INGREDIENTS

Lidocain 4% -----

----- Topical analgesic

Menthol 1% -----

----- Topical analgesic

INDICATIONS

For the temporary relief of pain of muscles and joints associated with:

- Arthritis
- Simple Backache
- Strains
- Sprains
- Bruises

DIRECTIONS

Adults and children over 12 years

Apply generously to affected area

Massage into painful area until thoroughly absorbed into skin, repeat as necessary, not more than 3-4 times daily

Store at 20°-25°C (68°-77 °F). Avoid direct sunlight.

WARNINGS

FOR EXTERNAL USE ONLY.

- When using this product use only as directed
- Do not bandage tightly
- Do not use with a heating pad
- Avoid contact with the eyes or mucous membranes
- Do not apply to wounds or damaged or irritated skin

STOP USE AND ASK A DOCTOR IF

- Condition worsens
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- Redness is present
- Irritation develops

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)
- If pregnant or breast-feeding, ask a healthcare professional before use

INACTIVE INGREDIENTS

aliphatic alcohol; stearic acid; vaseline; peregol; Carmellose; odium; water

DRUG FACTS
PURPOSE: Topical analgesic ACTIVE INGREDIENTS Lidocain 4% Topical analgesic Menthol 1% Topical analgesic
INDICATIONS For the temporary relief of pain of muscles and joints associated with: • Arthritis • Simple Backache • Strains • Sprains • Bruises
WARNINGS FOR EXTERNAL USE ONLY. • When using this product use only as directed • Do not bandage tightly • Do not use with a heating pad • Avoid contact with the eyes or mucous membranes • Do not apply to wounds or damaged or irritated skin
STOP USE AND ASK A DOCTOR IF • Condition worsens • Symptoms persist for more than 7 days or clear up and occur again within a few days • Redness is present • Irritation develops
DIRECTIONS Adults and children over 12 years Apply generously to affected area Massage into painful area until thoroughly absorbed into skin, repeat as necessary, not more than 3-4 times daily Store at 20°-25°C (68°-77 °F). Avoid direct sunlight.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222) If pregnant or breast-feeding, ask a healthcare professional before use
INACTIVE INGREDIENTS alpha-hydroxy alcohol; stearic acid; vaseline; pregel; Carmellose; odium; water

Veltrix

Pain Relieving Cream

(Lidocain 4% . Menthol 1%)

RX

Net Weight: 120 g



Distributed by:
 Home Aide Diagnostics, Inc.
 1072 S. Powerline Road
 Deerfield Beach, FL 33442
 1 (800) 915-0116
 www.homeaide.us



1 69379 00403 0

NDC #: 69379-0004-03

Lot #:

Exp Date:

VELTRIX

veltrix pain relieving cream cream

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:69379-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69379-004-03	120 g in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/01/2015	

Labeler - Home Aide Diagnostics, Inc. (783518983)

Registrant - Zhejiang Bangli Medical Products Cl. Ltd. (421295875)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Bangli Medical Products Cl. Ltd.		421295875	manufacture(69379-004)

Revised: 7/2015

Home Aide Diagnostics, Inc.