

**0.025% CAPSAICIN PATCH- capsaicin pain relief patch, capsaicin pain relief strip patch**  
**4% LIDOCAINE PAIN RELIEF PATCH- lidocaine pain relief patch patch**  
**5% MENTHOL PAIN RELIEF PATCH- pain relief patch patch**  
**4% LIDOCAINE PLUS 1% MENTHOL PAIN RELIEF PATCH- pain relief patch, pain relief strip patch**  
**Koolcare Technology Co., Ltd.**

-----

**0.025% Capsaicin Patch NDC: 84205-001-00**


SIZE: 135×175mm



**Directions**

apply 1 patch at a time to affect area, not more than 3 to 4 times daily  
 remove patch from the skin after a most 8-hour application

SIZE: 135×175mm




Front

Back

**Warnings**

SIZE: 135×175mm



### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsen
- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

## **Inactive ingredient**

Glycerin, sodium polyacrylate, Carboxymethylcellulose sodium, Dihydroxyaluminium Aminoacetate, disodium Ethylenediaminetetraacetic acid, kaolin, water, tartaric acid, polyvinylpyrrolidone 90, glaydant (DMDM HYDANTOIN), propylene glycol, Polysorbate 80.

## **Directions**

Directions

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

## **Warnings**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Purpose**

Topical anesthetic

**4% Lidocaine Pain Relief Patch NDC: 84205-002-00**

SIZE: 135×175mm



## Directions

apply 1 patch at a time to affect area, not more than 3 to 4 times daily  
remove patch from the skin after a most 8-hour application

## Warnings

### Warnings (For external use only)

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling

and blistering

- condition worsen
- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

### **Inactive ingredients**

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, disodium Ethylenediaminetetraacetic acid, kaolin, Polysorbate 80, water, tartaric acid, glaydant(DMDM HYDANTOIN), DihydroxyaluminiumAminoacetate, polyvinylpyrrolidone 90.

### **Directions**

#### **Directions**

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

### **Warnings**

Keep out of reach of children. If swallowed, get medical help or contact a Posison Control Center right away.

### **Purpose**

Topical anesthetic

**4% Lidocaine plus 1% Menthol Pain Relief Patch NDC: 84205-003-00**

SIZE: 135×175mm



Front

Back

## Directions

Apply 1 patch at a time to affected area, not more than 3 to 4 times daily  
remove patch from the skin after a most 8-hour application

## Warnings

### Warnings (For external use only)

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling

and blistering

- condition worsen
- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

### **Inactive ingredients**

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, Dihydroxyaluminium Aminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glaydant(DMDM HYDANTOIN), disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

### **Directions**

#### **Directions**

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

### **Warnings**

Keep out of reach of children. If swallowed, get medical help or contact a Posison Control Center right away.

### **Purpose**

Topical anesthetic

**0.025% Capsaicin Patch NDC: 84205-001-01**





**Do not use**

Do not use more than 1 patch at a time



## Warnings

### Capsicum Patch

Capsaicin 0.025%

#### Drug Facts

Active Ingredient	Purpose
Capsaicin 0.025%	Topical anesthetic

**Uses** For temporary relief of minor aches & pains of muscles & joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** (For external use only)

**Do not use** ■ more than 1 patch at a time ■ on wounds or damaged skin ■ with a heating pad ■ if you are allergic to any ingredients of this product

**When using this product** ■ use only as directed

■ avoid contact with the eyes, mucous membranes or rashes ■ do not bandage tightly

**Stop use and ask a doctor if**

■ localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering

■ condition worsens

■ symptoms persist for more than 7 days

■ symptoms clear up and occur again within a few days

■ if pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Adult and children 12 years of age and over:

■ clean and dry affected area

■ remove film from patch and apply to the skin (see illustration)

■ apply 1 patch at a time to affected area, not more than 3 to 4 times daily

■ remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

#### Other information

■ Avoid storing product in direct sunlight ■ Protect product from excessive moisture

#### Inactive ingredients

Glycerin, sodium polyacrylate, Carboxymethylcellulose sodium, Dihydroxyaluminum Aminoacetate, disodium Ethylenediaminetetraacetic acid, Kaolin, water, tartaric acid, polyvinylpyrrolidone 90, glycolant, propylene glycol, Polyborate 80.

**Manufacturer:**  
Koolcare Technology Co., Ltd

Wenli Healthcare Park, No.18, Zhenbei Road, Xinyi city,  
Jiangsu province, China 221400

LOT



www.koolcare.com

Made in China

Capsicum Patch  
Capsaicin 0.025% HOT



## Inactive ingredients

Glycerin, sodium polyacrylate, Carboxymethylcellulose sodium, Dihydroxyaluminium Aminoacetate, disodium Ethylenediaminetetraacetic acid, kaolin, water, tartaric acid, polyvinylpyrrolidone 90, gloydant (DMDM HYDANTOIN), propylene glycol, Polysorbate 80.

## Directions

### Directions

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor


## Warnings

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

## Purpose

Topical anesthetic

## 5% Menthol Pain Relief Patch NDC: 84205-004-01



### Directions

Apply 1 patch at a time to affected area, not more than 3 to 4 times daily  
remove patch from the skin after a most 8-hour application

### Warnings

#### Warnings (For external use only)

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

**Stop use and ask a doctor if**

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsen
- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

**Inactive ingredients**

Glycerin, sodium polyacrylate, Dihydroxyaluminium Aminoa acetate, disodium Ethylenediaminetetraacetic acid, water, tartaric acid, polyvinylpyrrolidone 90, glaydant(DMDM HYDANTOIN), Polysorbate 80, Ethyl Alcohol, Carboxymethylcellulose sodium, kaolin.

**Directions****Directions**

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

**Warnings**

Keep out of reach of children. If swallowed, get medical help or contact a Posison Control Center right away.

**Purpose**

**5% Menthol Pain Relief Patch NDC: 84205-004-00**

5% Menthol Pain Relief Patch NDC: 84205-004-00

SIZE: 135×175mm



## Directions

apply 1 patch at a time to affect area, not more than 3 to 4 times daily  
remove patch from the skin after a most 8-hour application

## Warnings

### Warnings (For external use only)

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling

and blistering

- condition worsen
- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

### **Inactive ingredients**

Glycerin, sodium polyacrylate, Dihydroxyaluminium Aminoa acetate, disodium Ethylenediaminetetraacetic acid, water, tartaric acid, polyvinylpyrrolidone90, glaydant(DMDM HYDANTOIN), Polysorbate80, Ethyl Alcohol, Carboxymethylcellulose sodium, kaolin.

### **Directions**

#### **Directions**

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

### **Warnings**

Keep out of reach of children. If swallowed, get medical help or contact a Posison Control Center right away.

### **Purpose**

Topical anesthetic

**4% Lidocaine Pain Relief Patch NDC: 84205-002-01**





## Warnings

### Warnings (For external use only)

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsen
- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison



Control Center right away.

### **Directions**

apply 1 patch at a time to affected area, not more than 3 to 4 times daily  
remove patch from the skin after at most 8-hour application

### **Inactive ingredients**

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, disodium Ethylenediaminetetraacetic acid, kaolin, Polysorbate 80, water, tartaric acid, glaydant(DMDM HYDANTOIN), DihydroxyaluminiumAminoacetate, polyvinylpyrrolidone 90.

### **Directions**

#### **Directions**

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

### **Warnings**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### **Purpose**

Topical anesthetic

**4% Lidocaine plus 1% Menthol Pain Relief Patch NDC: 84205-003-01**



## Directions

Apply 1 patch at a time to affected area, not more than 3 to 4 times daily  
 Remove patch from the skin after a most 8-hour application

## Warnings

### Warnings (For external use only)

#### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsen

- symptoms persist form more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Posison Control Center right away.

### Inactive ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, Dihydroxyaluminium Aminoacetate, kaolin, Ethyl Alcohol, water,tartaric acid, polyvinylpyrrolidone 90, glaydant(DMDM HYDANTOIN), disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

### Directions

#### Directions

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

### Warnings

Keep out of reach of children. If swallowed, get medical help or contact a Posison Control Center right away.

### Purpose

Topical anesthetic

<b>0.025% CAPSAICIN PATCH</b>			
capsaicin pain relief patch, capsaicin pain relief strip patch			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84205-001
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
CAPSAICIN (UNII: S07O44R1Z M) (CAPSAICIN - UNII:S07O44R1Z M)		CAPSAICIN	0.25 mg in 1 g
<b>Inactive Ingredients</b>			
<b>Ingredient Name</b>			<b>Strength</b>

<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)


### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84205-001-02	11 g in 1 PATCH; Type 0: Not a Combination Product	02/04/2024	
2	NDC:84205-001-03	5 in 1 BOX	02/04/2024	
2	NDC:84205-001-02	11 g in 1 PATCH; Type 0: Not a Combination Product		

SIZE: 135×175mm



Front

Back

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2024	

## 4% LIDOCAINE PAIN RELIEF PATCH

lidocaine pain relief patch patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84205-002
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84205-002-03	5 in 1 BOX	02/04/2024	
1	NDC:84205-002-02	12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:84205-002-02	12 g in 1 PATCH; Type 0: Not a Combination Product	02/04/2024	

SIZE: 135×175mm



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2024	

## 5% MENTHOL PAIN RELIEF PATCH

pain relief patch patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84205-004
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, (+)- (UNII: C6B10E8P3W) (MENTHOL, (+)- - UNII:C6B10E8P3W)	MENTHOL, (+)-	0.05 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84205-004-02	12 g in 1 PATCH; Type 0: Not a Combination Product	02/04/2024	
2	NDC:84205-004-03	5 in 1 BOX	02/04/2024	
2	NDC:84205-004-02	12 g in 1 PATCH; Type 0: Not a Combination Product		



SIZE: 135×175mm



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2024	

## 4% LIDOCAINE PLUS 1% MENTHOL PAIN RELIEF PATCH

pain relief patch, pain relief strip patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84205-003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g
<b>MENTHOL, (+)-</b> (UNII: C6B10E8P3W) (MENTHOL, (+)- - UNII:C6B10E8P3W)	MENTHOL, (+)-	0.01 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84205-003-02	12 g in 1 PATCH; Type 0: Not a Combination Product	02/04/2024	
2	NDC:84205-003-03	5 in 1 BOX	02/04/2024	
2	NDC:84205-003-02	12 g in 1 PATCH; Type 0: Not a Combination Product		

SIZE: 135×175mm



Front

Back

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2024	

**Labeler** - Koolcare Technology Co., Ltd. (602479389)

**Registrant** - Koolcare Technology Co., Ltd. (602479389)

## Establishment

Name	Address	ID/FEI	Business Operations
Koolcare Technology Co., Ltd.		602479389	manufacture(84205-001, 84205-002, 84205-004, 84205-003)

Revised: 6/2024

Koolcare Technology Co., Ltd.