

SODIUM BICARBONATE- sodium bicarbonate injection

Covetrus

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Covetrus

Sodium bicarbonate 8.4%

For animal use only

Each mL contains:

Sodium bicarbonate (equal to 1 mEq/mL) 84 mg

Water for Injection q.s.

Store at a temperature between 15° and 30°C (59° - 86°F).

Keep out of the reach of children

Indications:

For treatment of metabolic acidosis. See package insert for specific indications.

Dosage and Administration:

Administer intravenously. See package insert for complete directions for use and dosage information.

Warning:

This is a sterile single dose vial. No preservatives have been added. Discard unused portion after use. Do not use if solution is hazy, cloudy, or contains a precipitate.

The total osmolar concentration of this product is approximately 2000 mOsm/L.

Read entire package insert before use.

Caution:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NDC: 11695-1218-5

Sodium bicarbonate 8.4%

Sterile Solution

Net Contents: 100 mL (3.4 fl oz)

Lot No.

Exp. Date

Reorder #002484

Questions?

(855) 724-3461

Distributed by:

Covetrus North America

400 Metro Place North

Dublin, OH 43017

covetrus.com

Made in the USA

AH-002484-02

RMS-92-306

L818-1119

REV: 1119

Package Insert

NEOGENVet

SODIUM BICARBONATE 8.4%

STERILE NONPYROGENIC SOLUTION

FOR VETERINARY USE ONLY

DESCRIPTION: Sodium Bicarbonate 8.4% is a sterile nonpyrogenic preparation of sodium bicarbonate (NaHCO_3) in water for Injection. Each 100 mL contains 8.4 grams of sodium bicarbonate (100 mEq/100 mL each of sodium and bicarbonate). This concentrated solution has an approximate pH of 7.8.

ACTIONS: Sodium Bicarbonate is useful in the treatment of metabolic acidosis due to a wide variety of causes. Sodium Bicarbonate therapy increases plasma bicarbonate, buffers excess hydrogen ion concentration, raises blood pH and reverses the clinical manifestations of acidosis. Sodium Bicarbonate also alkalinizes the urine.

INDICATIONS: Sodium Bicarbonate is indicated in the treatment of metabolic acidosis which may be due to severe renal disease, uncontrolled diabetes, circulatory insufficiency due to shock or severe dehydration, cardiac arrest and severe primary lactic acidosis. Sodium Bicarbonate is also indicated in severe diarrhea which is often accompanied by a significant loss of bicarbonate. Sodium Bicarbonate 8.4% is indicated in the treatment of metabolic acidosis in cattle, horse, sheep, swine and dogs depending upon causative factor.

CONTRAINDICATIONS: Sodium Bicarbonate is contraindicated in animals losing chloride by vomiting and in animals receiving diuretics known to produce a hypochloremic alkalosis.

PRECAUTIONS: Bicarbonate therapy is directed at producing a substantial correction of low total CO_2 content and blood pH, but risks of overdosage and alkalosis should be avoided. Repeated fractional doses and periodic monitoring by appropriate laboratory tests are therefore recommended to minimize the possibility of overdosage. Sodium Bicarbonate addition to parenteral solutions containing calcium should be avoided except where compatibility has been previously established. Precipitation or haze may result from sodium bicarbonate-calcium admixtures, and the resulting solution should not be administered.

HOW SUPPLIED: Sodium Bicarbonate 8.4% is supplied in a 100 mL single dose vial.

Store at a temperature between 15°-30° C (59°-86° F).

CAUTION: Federal law (U.S.A.) restricts this drug to use by or on the order of a licensed veterinarian.

NEOGEN

NEOGENVet

Sodium Bicarbonate 8.4%

STERILE NONPYROGENIC SOLUTION

FOR VETERINARY USE ONLY

DOSAGE AND ADMINISTRATION: Sodium Bicarbonate 8.4% is injected intravenously. Caution should be taken in emergencies where very rapid infusion of large quantities of bicarbonate is indicated, such as cardiac arrest. Sodium Bicarbonate solutions are hypertonic and may produce an undesirable rise in plasma sodium concentration during the process of correction of metabolic acidosis. During cardiac arrest, however, the risks from acidosis exceed those of hypernatremia. In cattle and horses, 200 to 300 mL of 8.4% solution may be given undiluted by rapid infusion using a needle and syringe.

Sodium Bicarbonate 8.4% solution is often added to other intravenous fluids for the less urgent forms of metabolic acidosis. The amount of bicarbonate to be given over a 4 to 8 hour period is approximately 2 to 5 mEq per kg of body weight (1-2.5 mL/lb body weight) depending upon the severity of the acidosis as judged by the lowering of total CO₂ content, blood pH and clinical condition of the animal.

Bicarbonate therapy should always be planned in stepwise fashion since the degree of response from a given dose is not precisely predictable. Initially, an infusion of 2 to 5 mEq per kg of body weight over a period of 4 to 8 hours will produce a measurable improvement in the abnormal acid-base status of the blood. Completion of therapy is dependent upon the clinical response of the animal. If severe symptoms have abated, then frequency of administration and size of the dose should be reduced.

OVERDOSAGES: In case alkalosis occurs, the bicarbonate should be stopped and the animal managed according to the degree of alkalosis present. Sodium chloride injection (0.9%) may be given intravenously; potassium chloride also may be indicated if there is hypokalemia. Severe alkalosis may be accompanied by hyperirritability or tetany, and these symptoms may be controlled by calcium gluconate. An acidifying agent such as ammonium chloride may also be indicated in severe alkalosis.

WARNING: This is a sterile single dose vial. No preservatives have been added. Discard unused portion after use. Do not use if solution is hazy, cloudy or contains a precipitate.

Manufactured by: Nova-Tech, Grand Island, NE 68801

Manufactured for: Neogen Corporation, Lexington, KY 40511

859-254-1221 • animalsafety.neogen.com L1556-0220

RMS# 92-516 NTI# 18-9078

NEOGEN



NDC: 11695-1218-5

Sodium bicarbonate 8.4%

Sterile solution

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For animal use only
Keep out of the reach of children

Net contents: 100 mL (3.4 fl oz)



Indications: For treatment of metabolic acidosis. See package insert for specific indications.

Each mL contains:
Sodium bicarbonate (equal to 1mEq/mL) 84 mg
Water for Injection q.s.

Dosage and administration: Administer intravenously. See package insert for complete directions for use and dosage information.

Warning: This is a sterile single-dose vial. No preservatives have been added. Discard unused portion after use. Do not use if solution is hazy, cloudy, or contains a precipitate. The total osmolar concentration of this product is approximately 2000 mOsm/L.

Store at temperature between 15° and 30°C (59° - 86°F).

Read entire package insert before use.

Reorder #002484

Questions?
(855) 724-3461
Distributed by:
Covetrus North America
400 Metro Place North
Dublin, OH 43017
covetrus.com
Made in the USA
AH-002484-02
RMS-92-306
L818-1119
REV: 1119

Lot No.

Exp. Date

SODIUM BICARBONATE

sodium bicarbonate injection

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:11695-1218
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1ZRA3Q20)	SODIUM BICARBONATE	84 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-1218-5	100 mL in 1 VIAL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2012	

Labeler - Covetrus (603750329)

Registrant - Nova-Tech, Inc (196078976)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc		196078976	manufacture

Revised: 3/2020

Covetrus