

BOVADINE- iodine solution
WestAgro, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

WESTAGRO Bovadine

SANITIZING TEAT DIP
with 10% Glycerin

Sellador De Pezones Desinfectante Con Glicerina

ACTIVE INGREDIENT:

Iodine 1.0%
From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex

I-tech2

HIGH "FREE" IODINE TECHNOLOGY

U.S. Patent No. 5,916,581

NPE FREE Formula

ACT
ADVANCED CONDITIONING TECHNOLOGY

U.S. Patent No. 5,368,868

Manufactured by:
WESTAGRO
11100 N. Congress Ave. Kansas City, MO
64153-1296

PRODUCT BENEFITS

- Unsurpassed effectiveness as a post-dip.
- Elevated *free* iodine for fast kill of mastitis-causing organisms.
- Unique gentle formula has 10% glycerin plus cosmetic-grade complexors to help soften cracked and chapped teats.
- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Use at full strength. Do not dilute.
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Bovadine teat dip for cleaning or sanitizing equipment.

TEAT DIPPING INSTRUCTIONS

PRE-DIPPING

West Agro recommends the use of Quarter Mate sanitizing teat dip as a predip. However, if you choose to use Bovadine sanitizing teat dip:

- Make sure udder and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with Bovadine.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single-service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with Bovadine sanitizing teat dip. Do not wipe.
- If outside temperature is below freezing, allow Bovadine sanitizing teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Made in USA

0129-H0408

Copyright, 2005, West Agro, Inc.

Contains Next Generation I-Tech 2 Technology!

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

! CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MÁS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

FIRST AID:

Contact with product can cause irritation to eyes. Avoid contact with eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue flushing.

If Swallowed: Drink large quantities of water and induce vomiting.

THIS PRODUCT IS NOT FOR HUMAN USE

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro Dealer.

CHEMTREC EMERGENCY NO.:
1-800-424-9300

NET CONTENTS:

LOT NO.:

EXPIRATION DATE:

PRODUCT BENEFITS

- Unsurpassed effectiveness as a post-dip.
- Elevated free iodine for fast kill of mastitis-causing organisms.
- Unique gentle formula has 10% glycerin plus cosmetic-grade complexors to help soften cracked and chapped teats.
- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.



Sellador

DIRECTIONS FOR USE
GENERAL INSTRUCTIONS:

- Use at full strength. Do not dilute.
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Bovadine® teat dip for cleaning or sanitizing equipment.

TEAT DIPPING INSTRUCTIONS:

PRE-DIPPING
West Agro recommends the use of QuarterMate® sanitizing teat dip as a pre-dip. However, if you choose to use Bovadine® sanitizing teat dip:

- Make sure udders and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with Bovadine®.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single-service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with Bovadine® sanitizing teat dip. Do not wipe.
- If outside temperature is below freezing, allow Bovadine® sanitizing teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

CHEMTREC EMERGENCY # :
1-800-424-9300

Made in USA
0129-J1215



WESTAGRO®

Bovadine®

SANITIZING TEAT DIP
with 10% Glycerin

Sellador De Pezones Desinfectante
Con Glicerina

ACTIVE INGREDIENT:

Iodine * 1.0%
* From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex

I-tech2®
WITH "NEXT GENERATION" TECHNOLOGY

NPE
FREE
Formula

ADVANCED LABORATORY
EQUIPMENT
CORPORATION
MILWAUKEE, WI

I-tech2 U.S. Patent No. 5,916,581 ACT U.S. Patent No. 5,368,868

Manufactured by:
WESTAGRO®
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
© Copyright 2015, Made in USA

0129

NDC# 33392-129

KEEP OUT OF
REACH OF CHILDREN

CAUTION

MANTENER FUERA DEL
ALCANCE DE LOS NIÑOS

CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA,
POR FAVOR PIDA A ALGUIEN MAS QUE SE LA
LEA ANTES DE USAR ESTE PRODUCTO

FIRST AID:
Contact with product can cause irritation to eyes. Avoid contact with eyes.
Eye Contact: Flush with water. Remove contact lenses, if present, after the first 5 minutes. Then continue flushing.
If Swallowed: Drink large quantities of water and induce vomiting.

THIS PRODUCT IS NOT FOR HUMAN USE

STORAGE AND DISPOSAL:
THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.
Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro dealer.

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:



7 320461 021745 >

BOVADINE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-129
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10.5 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:33392-129-08	19.0 L in 1 PAIL		
2	NDC:33392-129-02	56.8 L in 1 DRUM		
3	NDC:33392-129-01	208.4 L in 1 DRUM		
4	NDC:33392-129-27	1042.2 L in 1 TANK		
5	NDC:33392-129-23	18927 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Ederer Dairy Supply LLC		076158336	repack

Establishment

Name	Address	ID/FEI	Business Operations
Genex Cooperative, Inc		134946461	repack

Establishment

Name	Address	ID/FEI	Business Operations
Dairymen Specialty Co., Inc.		023762966	repack

Establishment

Name	Address	ID/FEI	Business Operations
JBZ Dairy Advantage Inc		016914287	repack

Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

Establishment

Name	Address	ID/FEI	Business Operations
Noble Road Milking Equipment LLC		828991521	repack

Establishment

Name	Address	ID/FEI	Business Operations
Joe's Refrigeration, Inc.		074783069	repack

Establishment

Name	Address	ID/FEI	Business Operations
S&S Dairy Systems LLC		964813583	repack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, label, pack

Revised: 12/2021

WestAgro, Inc.