

GOOD CARE POVIDONE IODINE SWABSTICKS- povidone-iodine swab
Dalian Goodwood Medical Care Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Care Povidone Iodine, USP Swabsticks

Good Care Povidone Iodine, USP Swabsticks

Active Ingredient

Povidone Iodine USP, 10%

Purpose

Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns

Warnings

For external use only. Do not use or apply in the eyes on individuals who are allergic or sensitive to iodine over large areas of the body as a first aid antiseptic longer than 1 week unless directed by a doctor

Discontinue use if irritation and redness develop.

Consult a doctor in case of deep or puncture wounds, animal bites, serious burns.

Stop use and consult a doctor if the condition persists or gets worse.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control right away

Directions

For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery

For use as a first aid antiseptic clean the affected area, apply a small amount of this

product on the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other Information

- Store at room temperature: 15 degrees - 30 degrees C (59 degrees - 86 degrees F)

Inactive Ingredients


Purified water, Povidone Iodine, Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxynol

Manufactured by Dalian Goodwood Medical Care Ltd.

Made in China

Good Care Povidone Iodine, USP Swabsticks (1s) (50 pouches/box) (50685-009-01)

<p style="text-align: right;">1 each/pouch 50 pouches/box Reorder #GW1311S</p> <p style="text-align: right;">Sterile Antiseptic Germicide Swabsticks (1's) Povidone Iodine, USP</p> 	<p style="text-align: center;">GoodTM G+Care</p> <p style="text-align: center;">TEAR ALONG PERFORATION FOR</p> <p>Povidone Iodine, USP Swabsticks (1's) Sterile Antiseptic Germicide</p> <p><small>Single use only. Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD. 3-91 Jiaozui Yongzheng Street Jinchou District Dalian China 116300 Tel: +86-411-87827288 Made in China • www.d-goodwood.com</small></p> 	<p style="text-align: center;">GoodTM G+Care</p> <p>Povidone Iodine, USP Swabsticks (1's) Sterile Antiseptic Germicide</p> <p><small>Single use only. Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD. 3-91 Jiaozui Yongzheng Street Jinchou District Dalian China 116300 Tel: +86-411-87827288 Made in China • www.d-goodwood.com</small></p>	<p style="text-align: center;">GoodTM G+Care</p> <p>Povidone Iodine, USP Swabsticks (1's) Sterile Antiseptic Germicide</p> <p>• Topical pre-surgical and first aid antiseptic swabstick • For hospital and professional use only</p> <p><small>Single use only.</small></p>	<table border="1"> <tr> <td>Drug Facts</td> <td></td> </tr> <tr> <td>Active ingredient</td> <td>Povidone</td> </tr> <tr> <td>Povidone Iodine, USP, 10% w/w</td> <td>Antiseptic</td> </tr> <tr> <td colspan="2">Uses</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First-aid antiseptic to help prevent the risk of skin infection in minor cuts, blisters, and burns </td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">For external use only.</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • Do not use in the eyes • Use on individuals who are allergic or sensitive to iodine • Avoid contact with areas of the body • Use for a first-aid antiseptic longer than 1 week unless directed by a doctor </td> </tr> <tr> <td colspan="2">Discontinue use if Paresthesia and/or redness occurs.</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • Consult a doctor in cases of: <ul style="list-style-type: none"> • severe or persistent rash • severe dizziness </td> </tr> <tr> <td colspan="2">Keep use and contents enclosed in the outer pouch or jar when not in use.</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2">For preparation of the skin prior to surgery</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • clean the affected area • remove any oils • apply to the operative site prior to surgery </td> </tr> <tr> <td colspan="2">For use as a first-aid antiseptic</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if necessary, apply first </td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2">Store at room temperature: 15° - 30° C (59° - 86° F)</td> </tr> <tr> <td colspan="2">Product Description</td> </tr> <tr> <td colspan="2">Purified water/Povidone Iodine, USP, Citric Acid Disodium Hydrogen Phosphate Dodecahydrate/Potassium Iodate/Nonoxynol</td> </tr> <tr> <td colspan="2">LOT</td> </tr> </table>	Drug Facts		Active ingredient	Povidone	Povidone Iodine, USP, 10% w/w	Antiseptic	Uses		<ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First-aid antiseptic to help prevent the risk of skin infection in minor cuts, blisters, and burns 		Warnings		For external use only.		<ul style="list-style-type: none"> • Do not use in the eyes • Use on individuals who are allergic or sensitive to iodine • Avoid contact with areas of the body • Use for a first-aid antiseptic longer than 1 week unless directed by a doctor 		Discontinue use if Paresthesia and/or redness occurs.		<ul style="list-style-type: none"> • Consult a doctor in cases of: <ul style="list-style-type: none"> • severe or persistent rash • severe dizziness 		Keep use and contents enclosed in the outer pouch or jar when not in use.		Directions		For preparation of the skin prior to surgery		<ul style="list-style-type: none"> • clean the affected area • remove any oils • apply to the operative site prior to surgery 		For use as a first-aid antiseptic		<ul style="list-style-type: none"> • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if necessary, apply first 		Other information		Store at room temperature: 15° - 30° C (59° - 86° F)		Product Description		Purified water/Povidone Iodine, USP, Citric Acid Disodium Hydrogen Phosphate Dodecahydrate/Potassium Iodate/Nonoxynol		LOT	
Drug Facts																																														
Active ingredient	Povidone																																													
Povidone Iodine, USP, 10% w/w	Antiseptic																																													
Uses																																														
<ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First-aid antiseptic to help prevent the risk of skin infection in minor cuts, blisters, and burns 																																														
Warnings																																														
For external use only.																																														
<ul style="list-style-type: none"> • Do not use in the eyes • Use on individuals who are allergic or sensitive to iodine • Avoid contact with areas of the body • Use for a first-aid antiseptic longer than 1 week unless directed by a doctor 																																														
Discontinue use if Paresthesia and/or redness occurs.																																														
<ul style="list-style-type: none"> • Consult a doctor in cases of: <ul style="list-style-type: none"> • severe or persistent rash • severe dizziness 																																														
Keep use and contents enclosed in the outer pouch or jar when not in use.																																														
Directions																																														
For preparation of the skin prior to surgery																																														
<ul style="list-style-type: none"> • clean the affected area • remove any oils • apply to the operative site prior to surgery 																																														
For use as a first-aid antiseptic																																														
<ul style="list-style-type: none"> • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if necessary, apply first 																																														
Other information																																														
Store at room temperature: 15° - 30° C (59° - 86° F)																																														
Product Description																																														
Purified water/Povidone Iodine, USP, Citric Acid Disodium Hydrogen Phosphate Dodecahydrate/Potassium Iodate/Nonoxynol																																														
LOT																																														
<p>1 each/pouch 50 pouches/box Reorder #GW1311S</p>	<p>1 each/pouch 50 pouches/box Reorder #GW1311S</p>	<p>1 each/pouch 50 pouches/box Reorder #GW1311S</p>																																												



Good Care Povidone Iodine, USP Swabsticks (2s) (25 pouches/box) (50685-009-02)

2 each/pouch
25 pouches/box
Reorder #GW1312S

Good+Care™
Povidone Iodine, USP
Swabsticks (2's)
Sterile Antiseptic Germicide

TEAR ALONG PERFORATION FOR

Good+Care™

Povidone Iodine, USP
Swabsticks (2's)
Sterile Antiseptic Germicide

Single use only.
Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Julicun Yongzheng Street Jinzhou District Dalian China 116100
Tel: +86-411-87852288
Made in China • www.dl-goodwood.com

2 each/pouch
25 pouches/box
Reorder #GW1312S

Good+Care™

Povidone Iodine, USP
Swabsticks (2's)
Sterile Antiseptic Germicide

Single use only.
Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Julicun Yongzheng Street Jinzhou District Dalian China 116100
Tel: +86-411-87852288
Made in China • www.dl-goodwood.com

2 each/pouch
25 pouches/box
Reorder #GW1312S

Good+Care™

Povidone Iodine, USP
Swabsticks (2's)
Sterile Antiseptic Germicide

- Topical pre-surgical and first aid antiseptic swabstick
- For hospital and professional use only

Single use only.

2 each/pouch
25 pouches/box
Reorder #GW1312S

Drug Facts	Purpose
Active ingredient Povidone iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic
Uses • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns	
Warnings For external use only. Do not use or apply in the eyes or on individuals who are allergic or sensitive to iodine or over large areas of the body as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds, animal bites, or serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 - 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Other information Store at room temperature 15° - 30 °C (59° - 86° F)	
Inactive ingredients Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9	

2 each/pouch
25 pouches/box
Reorder #GW1312S

TEAR AT NOTCH

Good+Care™

Povidone Iodine, USP Swabsticks (2's)
Sterile Antiseptic Germicide

- Topical pre-surgical and first aid antiseptic swabstick
- For hospital and professional use only

Povidone Iodine, USP Swabsticks (2's)
Sterile Antiseptic Germicide

TEAR AT NOTCH

Drug Facts	Purpose
Active ingredient Povidone iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic
Uses • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns	
Warnings For external use only. Do not use or apply in the eyes or on individuals who are allergic or sensitive to iodine or over large areas of the body as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds, animal bites, or serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 - 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Other information Store at room temperature 15° - 30 °C (59° - 86° F)	
Inactive ingredients Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9	

Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Julicun Yongzheng Street Jinzhou District Dalian China. 116100
Tel: +86-411-87852288
Made in China • www.dl-goodwood.com



LOT

TEAR AT NOTCH

3 each/pouch
Reorder #GW1313S

Povidone Iodine, USP Swabsticks (3's)
Sterile Antiseptic Germicide

• Topical pre-surgical and first aid antiseptic swabstick
• For hospital and professional use only



Povidone Iodine, USP Swabsticks (3's)

Sterile Antiseptic Germicide



6 946 186 000431

TEAR AT NOTCH

Drug Facts	
Active ingredient	Purpose
Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic
Uses	
<ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns 	
Warnings	
<p>For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor.</p> <p>Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns.</p> <p>Stop use and consult a doctor if the condition persists or gets worse.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
Directions	
<p>For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery.</p> <p>For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.</p>	
Other information	
Store at room temperature 15 ° - 30 °C (59° - 86° F)	
Inactive ingredients	
Purified water , Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9	

Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Jiulicun Yongzheng Street Jinzhou District Dalian China. 116100
Tel: +86-411-87857288
Made in China • www.dl-goodwood.com

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">3 each/pouch 25 pouches/box Reorder #GW1313S</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Povidone Iodine, USP Swabsticks (3's) Sterile Antiseptic Germicide</p> 	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">3 each/pouch 25 pouches/box Reorder #GW1313S</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Povidone Iodine, USP Swabsticks (3's) Sterile Antiseptic Germicide</p> 	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">3 each/pouch 25 pouches/box Reorder #GW1313S</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Povidone Iodine, USP Swabsticks (3's) Sterile Antiseptic Germicide</p> 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left;">Drug Facts</th> </tr> <tr> <th style="text-align: left;">Active ingredient</th> <th style="text-align: left;">Purpose</th> </tr> <tr> <td>Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)</td> <td>Antiseptic</td> </tr> <tr> <th colspan="2" style="text-align: left;">Uses</th> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns </td> </tr> <tr> <th colspan="2" style="text-align: left;">Warnings</th> </tr> <tr> <td colspan="2"> <p>For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor.</p> <p>Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns.</p> <p>Stop use and consult a doctor if the condition persists or gets worse.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> </td> </tr> <tr> <th colspan="2" style="text-align: left;">Directions</th> </tr> <tr> <td colspan="2"> <p>For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery.</p> <p>For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.</p> </td> </tr> <tr> <th colspan="2" style="text-align: left;">Other information</th> </tr> <tr> <td colspan="2">Store at room temperature 15 ° - 30 °C (59° - 86° F)</td> </tr> <tr> <th colspan="2" style="text-align: left;">Inactive ingredients</th> </tr> <tr> <td colspan="2">Purified water , Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9</td> </tr> </table>	Drug Facts		Active ingredient	Purpose	Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic	Uses		<ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns 		Warnings		<p>For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor.</p> <p>Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns.</p> <p>Stop use and consult a doctor if the condition persists or gets worse.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>		Directions		<p>For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery.</p> <p>For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.</p>		Other information		Store at room temperature 15 ° - 30 °C (59° - 86° F)		Inactive ingredients		Purified water , Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9	
Drug Facts																													
Active ingredient	Purpose																												
Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic																												
Uses																													
<ul style="list-style-type: none"> • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns 																													
Warnings																													
<p>For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor.</p> <p>Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns.</p> <p>Stop use and consult a doctor if the condition persists or gets worse.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>																													
Directions																													
<p>For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery.</p> <p>For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.</p>																													
Other information																													
Store at room temperature 15 ° - 30 °C (59° - 86° F)																													
Inactive ingredients																													
Purified water , Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9																													

GOOD CARE POVIDONE IODINE SWABSTICKS

povidone-iodine swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50685-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, DODECAHYDRATE (UNII: E1W4N241FO)	
POTASSIUM IODATE (UNII: I139E44NHL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50685-009-01	50 in 1 BOX	02/13/2013	04/30/2026
1		0.7 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:50685-009-02	25 in 1 BOX	02/13/2013	04/30/2026
2		1.4 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:50685-009-03	25 in 1 BOX	02/13/2013	04/30/2026
3		2.1 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	02/13/2013	04/30/2026

Labeler - Dalian Goodwood Medical Care Ltd. (529575699)

Registrant - Dalian Goodwood Medical Care Ltd. (529575699)

Establishment

Name	Address	ID/FEI	Business Operations
Dalian Goodwood Medical Care Ltd.		529575699	manufacture(50685-009)

Revised: 5/2023

Dalian Goodwood Medical Care Ltd.