

GOOD CARE POVIDONE IODINE SWABSTICKS - povidone-iodine swab
Dalian Goodwood Medical Care Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Care Povidone Iodine, USP Swabsticks

Good Care Povidone Iodine, USP Swabsticks

Active Ingredient

Povidone Iodine USP, 10%

Purpose

Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns

Warnings

- For external use only. Do not use or apply in the eyes
- on individuals who are allergic or sensitive to iodine
- over large areas of the body
- as a first aid antiseptic longer than 1 week unless directed by a doctor

Discontinue use if irritation and redness develop.

Consult a doctor in case of deep or puncture wounds, animal bites, serious burns.

Stop use and consult a doctor if the condition persists or gets worse.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control right away

Directions

For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery

For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other Information

- Store at room temperature: 15 degrees - 30 degrees C (59 degrees - 86 degrees F)

Inactive Ingredients

Purified water, Povidone Iodine, Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxynol

Manufactured by Dalian Goodwood Medical Care Ltd.

Made in China

Good Care Povidone Iodine, USP Swabsticks (1s) (50 pouches/box) (50685-009-01)



LOT

TEAR AT NOTCH

1 each/pouch
Reorder #GW1311S

Povidone Iodine, USP Swabsticks (1's)
Sterile Antiseptic Germicide

- Topical pre-surgical and first aid antiseptic swabstick
- For hospital and professional use only



Good
Care™

Povidone Iodine, USP Swabsticks (1's)

Sterile Antiseptic Germicide



TEAR AT NOTCH

Drug Facts

Active ingredient

Povidone Iodine USP, 10% w/v
(equivalent to 1% titratable iodine)

Purpose

Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns

Warnings

For external use only. Do not use or apply in the eyes

- on individuals who are allergic or sensitive to iodine
- over large areas of the body
- as a first aid antiseptic longer than 1 week unless directed by a doctor.

Discontinue use if irritation and redness develop.
Consult a doctor in case of deep or puncture wounds

- animal bites
- serious burns.

Stop use and consult a doctor if the condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery.

For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 - 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Store at room temperature: 15° - 30° C (59° - 86° F).

Inactive ingredients

Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9

Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Jiulicun Yongzheng Street Jinzhou District
Dalian China 116100 Tel:+86-411-87857288
Made in China • www.dl-goodwood.com

TEAR AT NOTCH

Povidone Iodine, USP Swabsticks (2's)
Sterile Antiseptic Germicide

• Topical pre-surgical and first aid antiseptic swabstick
 • For hospital and professional use only



2 each/pouch
 Reorder #GW1312S

LOT



Povidone Iodine, USP Swabsticks (2's)
Sterile Antiseptic Germicide

TEAR AT NOTCH

Drug Facts

Active ingredient	Purpose
Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns

Warnings

For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Store at room temperature 15 ° - 30 °C (59° - 86° F)

Inactive ingredients

Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9

Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Jiulicun Yongzheng Street Jinzhou District Dalian China. 116100
Tel: +86-411-87857288
Made in China • www.dl-goodwood.com

<p>2 each/pouch 25 pouches/box Reorder #GW1312S</p> <p style="text-align: center;">  </p> <p style="text-align: center;"> Povidone Iodine, USP Swabsticks (2's) Sterile Antiseptic Germicide </p>	<p style="text-align: center;">TEAR ALONG PERFORATION FOR</p> <p style="text-align: center;">  </p> <p style="text-align: center;"> Povidone Iodine, USP Swabsticks (2's) Sterile Antiseptic Germicide </p> <p style="text-align: center;"> • Topical pre-surgical and first aid antiseptic swabstick • For hospital and professional use only </p> <p style="text-align: center;">  </p> <p style="text-align: center;"> 2 each/pouch 25 pouches/box Reorder #GW1312S </p>	<p style="text-align: center;">  </p> <p style="text-align: center;"> Povidone Iodine, USP Swabsticks (2's) Sterile Antiseptic Germicide </p> <p style="text-align: center;"> • Topical pre-surgical and first aid antiseptic swabstick • For hospital and professional use only </p> <p style="text-align: center;">  </p> <p style="text-align: center;"> 2 each/pouch 25 pouches/box Reorder #GW1312S </p>																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Drug Facts</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td> Active ingredient Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine) </td> <td>Antiseptic</td> </tr> <tr> <td colspan="2">Uses</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> Health-care antiseptic for preparation of the skin prior to surgery First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns </td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2"> For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. </td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2"> For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first. </td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2">Store at room temperature 15 ° - 30 °C (59° - 86° F)</td> </tr> <tr> <td colspan="2">Inactive ingredients</td> </tr> <tr> <td colspan="2">Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9</td> </tr> </tbody> </table>			Drug Facts	Purpose	Active ingredient Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic	Uses		<ul style="list-style-type: none"> Health-care antiseptic for preparation of the skin prior to surgery First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns 		Warnings		For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions		For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.		Other information		Store at room temperature 15 ° - 30 °C (59° - 86° F)		Inactive ingredients		Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9	
Drug Facts	Purpose																									
Active ingredient Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic																									
Uses																										
<ul style="list-style-type: none"> Health-care antiseptic for preparation of the skin prior to surgery First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns 																										
Warnings																										
For external use only. Do not use or apply in the eyes • on individuals who are allergic or sensitive to iodine • over large areas of the body • as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																										
Directions																										
For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 – 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.																										
Other information																										
Store at room temperature 15 ° - 30 °C (59° - 86° F)																										
Inactive ingredients																										
Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9																										

Good Care Povidone Iodine, USP Swabsticks (3s) (25 pouches/box) (50685-009-03)



LOT

TEAR AT NOTCH

3 each/pouch
Reorder #GW1313S



- Topical pre-surgical and first aid antiseptic swabstick
- For hospital and professional use only

Povidone Iodine, USP Swabsticks (3's)
Sterile Antiseptic Germicide

Good
Care™

Povidone Iodine, USP Swabsticks (3's)

Sterile Antiseptic Germicide



TEAR AT NOTCH

Drug Facts

Active ingredient	Purpose
Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns

Warnings

For external use only. Do not use or apply in the eyes * on individuals who are allergic or sensitive to iodine * over large areas of the body * as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds * animal bites * serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 - 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Store at room temperature 15° - 30 °C (59° - 86° F)

Inactive ingredients

Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9

Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.

3-91 Jiulicun Yongzheng Street Jinzhou District Dalian China. 116100

Tel: +86-411-87857288

Made in China • www.dl-goodwood.com

3 each/pouch
25 pouches/box
Reorder #GW1313S



Povidone Iodine, USP Swabsticks (3's)
Sterile Antiseptic Germicide



Povidone Iodine, USP Swabsticks (3's)

Sterile Antiseptic Germicide
Single use only
Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Jiulicun Yongzheng Street Jinzhou District Dalian China 116100
Tel: +86-411-87857288
Made in China • www.dl-goodwood.com



3 each/pouch
25 pouches/box
Reorder #GW1313S



Povidone Iodine, USP Swabsticks (3's)

Sterile Antiseptic Germicide
Single use only
Manufactured by DALIAN GOODWOOD MEDICAL CARE LTD.
3-91 Jiulicun Yongzheng Street Jinzhou District Dalian China 116100
Tel: +86-411-87857288
Made in China • www.dl-goodwood.com

3 each/pouch
25 pouches/box
Reorder #GW1313S



Povidone Iodine, USP Swabsticks (3's)

Sterile Antiseptic Germicide
• Topical pre-surgical and first aid antiseptic swabstick
• For hospital and professional use only
Single use only

3 each/pouch
25 pouches/box
Reorder #GW1313S

Active ingredient	Purpose
Povidone Iodine USP, 10% w/v (equivalent to 1% titratable iodine)	Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns

Warnings

For external use only. Do not use or apply in the eyes * on individuals who are allergic or sensitive to iodine * over large areas of the body * as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of deep or puncture wounds * animal bites * serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery clean the affected area, remove swab by stick, apply to the operative site prior to surgery. For use as a first aid antiseptic clean the affected area, apply a small amount of this product on the area 1 - 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Store at room temperature 15° - 30 °C (59° - 86° F)

Inactive ingredients

Purified water, Povidone Iodine Citric Acid Disodium Hydrogen Phosphate Dodecahydrate Potassium Iodate Nonoxonyl-9

GOOD CARE POVIDONE IODINE SWABSTICKS

povidone-iodine swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50685-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, DODECAHYDRATE (UNII: E1W4N241FO)	
POTASSIUM IODATE (UNII: I139E44NHL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50685-009-01	50 in 1 BOX		
1		0.7 g in 1 PACKET		
2	NDC:50685-009-02	25 in 1 BOX		
2		1.4 g in 1 PACKET		
3	NDC:50685-009-03	25 in 1 BOX		
3		2.1 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333E	02/13/2013	

Labeler - Dalian Goodwood Medical Care Ltd. (529575699)

Registrant - Dalian Goodwood Medical Care Ltd. (529575699)

Establishment

Name	Address	ID/FEI	Business Operations
Dalian Goodwood Medical Care Ltd.		529575699	manufacture(50685-009)

