

**OXYGEN COMPRESSED- oxygen gas gas  
A + OXYGEN & D.M.E.**

-----  
Oxygen

Oxygen



**OXYGEN, COMPRESSED USP UN1072**

**DO NOT REMOVE THIS PRODUCT LABEL**

**OXYGEN 2**

**69995-8915-1**

**DANGE: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER, CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED.** In case of fire: stop leak if safe to do so. Keep valves and fittings free from grease and oil. Do not smoke. Open valve slowly. Use and store only outdoors or in a well-ventilated place. Use a back-flow preventive device in the piping. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 Degrees C/125 Degrees F. Do not handle until all safety precautions have been read and understood. Keep/store away from clothing and other combustible materials. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Read and follow the safety data sheet (SDS) before use. **WARNING:** For emergencies use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications **Rx Only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Keep out of reach of children. **CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION**

**A+ OXYGEN & DME**

(775)329-0101

940 Matley Ln #14 Reno, NV

**OXYGEN, COMPRESSED USP UN1072**

**OXYGEN 2**

**DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED.**  
In case of fire: stop leak if safe to do so. Keep valves and fittings free from grease and oil. Do not smoke. Open Valve Slowly. Use and store only outdoors or in a well ventilated place. Use a back flow preventive device in the piping. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 Degrees C/125 Degrees F.  
Do not handle until all safety precautions have been read and understood. Keep/store away from clothing and other combustible materials. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Read and follow the safety data sheet (SDS) before use. **WARNING:** For emergencies use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications **Rx Only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Keep out of reach of children.  
CAS: 7782-44-7 PRODUCED BY AIR LIQUEFACTION

**A+ OXYGEN & DME**

DO NOT REMOVE THIS PRODUCT LABEL

69995-8915-1

(775) 329-0101  
940 Matley Ln #14 Reno, NV

**OXYGEN, COMPRESSED USP UN1072**

**OXYGEN 2**

**DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED.**  
In case of fire: stop leak if safe to do so. Keep valves and fittings free from grease and oil. Do not smoke. Open Valve Slowly. Use and store only outdoors or in a well ventilated place. Use a back flow preventive device in the piping. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 Degrees C/125 Degrees F.  
Do not handle until all safety precautions have been read and understood. Keep/store away from clothing and other combustible materials. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Read and follow the safety data sheet (SDS) before use. **WARNING:** For emergencies use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications **Rx Only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Keep out of reach of children.  
CAS: 7782-44-7 PRODUCED BY AIR LIQUEFACTION

**A+ OXYGEN & DME**

DO NOT REMOVE THIS PRODUCT LABEL

69995-8915-1

(775) 329-0101  
940 Matley Ln #14 Reno, NV

## OXYGEN COMPRESSED

oxygen gas gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:69995-8915
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	992 mL in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69995-8915-1	100 mL in 1 CANISTER; Type 0: Not a Combination Product	07/16/2015	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205840	07/16/2015	

**Labeler** - A + OXYGEN & D.M.E. (958959194)

**Registrant** - A + OXYGEN & D.M.E. (958959194)

## Establishment

Name	Address	ID/FEI	Business Operations
A + OXYGEN & D.M.E.		958959194	api manufacture(69995-8915)

Revised: 10/2024

A + OXYGEN & D.M.E.