

**CODEINUM- codeine pellet**  
**Remedy Makers**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

CII

**WARNING**

"The FDA has not determined that the product is safe, effective and not misbranded for its intended use"

**INDICATIONS:**

ITCHING WITH WARMTH SPASMODIC COUGH, OR OTHER INDICATIONS

**WARNING:**

Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug. If you are pregnant or nursing (breast-feeding) a baby, seek the advise of a health professional before using this product. Store tightly closed in a cool area.

**Directions (adult\children)**

Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

**Inactive Ingredients**

Lactose and Sucrose. Free from yeast, wheat, corn and soy.

**Other Information:**

Contains approx. 172 - 173 pellets.

**Questions or comments:**

(877) REM4YOU Fax (909) 594-4205, Pomona, Ca. 91768 USA  
[www.remedymakers.com](http://www.remedymakers.com)

CAUTION: Federal law prohibits dispensing without prescription.

REMEDY MAKERS™  
Rx ONLY  
**CODEINUM 12X<sub>H</sub>**  
(Codeine Base) 6 mg per gram

ITCHING WITH WARMTH SPASMODIC COUGH,  
OR OTHER INDICATIONS

2 Drams (1/4 ounce) Lot# XXX-XXX-X Exp. N/A

**\*WARNING:** The FDA has not determined that this product is safe, effective, and not misbranded for its intended use.

**Drug Facts: Active Ingredient:** Listed above. To be used according to standard homeopathic indications for self-limiting conditions such as those indicated above or as directed by a physician.

**Warning:** Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug, if you are pregnant or nursing (breast-feeding) a baby, seek the advice of a health professional before using this product. Store tightly closed in a cool area.

**Directions (adult/children):** Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

**Other information:** Contains approx. 172 - 173 pellets.

**Inactive ingredients:** Lactose and Sucrose. Free from yeast, wheat, corn and soy.

**Questions or comments:** (877) REM4YOU Fax: (909) 594-4205  
POMCOL, Inc. 91168, USA [www.remedymakers.com](http://www.remedymakers.com)

CAUTION: Federal law prohibits dispensing without prescription

NDC 10191-1036-2 HOMEOPATHIC MEDICINE



**CODEINUM**

codeine pellet

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10191-1036
<b>Route of Administration</b>	SUBLINGUAL	<b>DEA Schedule</b>	CII

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CODEINE ANHYDROUS</b> (UNII: UX6OWY2V7J) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE ANHYDROUS	12 [hp_X]

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:10191-1036-2	172 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2015	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		07/15/2015	

**Labeler** - Remedy Makers (018543582)

Revised: 3/2023

Remedy Makers