

CODEINUM- codeine pellet
Remedy Makers

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

CII

WARNING

"The FDA has not determined that the product is safe, effective and not misbranded for its intended use"

INDICATION:

ITCHING WITH WARMTH SPASMODIC COUGH, OR OTHER INDICATIONS

WARNING

Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug. If you are pregnant or nursing (breast-feeding) a baby, seek the advise of a health professional before using this product. Store tightly closed in a cool area.

Directions (adult/children)

Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

Inactive Ingredients

Lactose and Sucrose. Free from yeast, wheat, corn and soy.

Other Information

Contains approx. 166 - 169 pellets.

Questions or comments:

(877) REM4YOU Fax (909) 594-4205 Pomona, Ca. 91768 USA www.remedy-makers.com

CAUTION: Federal law prohibits dispensing without prescription.

REMEDY MAKERSTM

CODEINUM 15X_H
(Codeine Base) 0.15g per gram

ITCHING WITH WARMTH SPASMODIC COUGH,
OR OTHER INDICATIONS

2 Drams (14 ounce) Lot #XXX-XXX-X Exp.N/A

***WARNING:** The FDA has not determined that this product is safe, effective, and not misbranded for its intended use.

Drug Facts: Active ingredient: Listed above. To be used according to standard homeopathic indications for self-limiting conditions such as those indicated above or as directed by a physician.

Warning: Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug, if you are pregnant or nursing (or breastfeeding) a baby, seek the advice of a health professional before using this product. Store tightly closed in a cool area.

Directions (adult/children): Dissolve 5 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 3 years and older take 1/2 adult dose.

Other information: Contains approx. 166 - 169 pellets.

Inactive ingredients: Lactose and Sucrose. Free from yeast, wheat, corn and soy.

Questions or comments: (877) REM4YOU Fax: (909) 594-4205

Omaha, NE 68108, USA www.remedymakers.com

CAUTION: Federal law prohibits dispensing without prescription.

NDC 10191-1037-2

 HOMEOPATHIC MEDICINE

CODEINUM

codeine pellet

Product Information

| | | | |
|--------------------------------|-------------------------|---------------------------|----------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:10191-1037 |
| Route of Administration | SUBLINGUAL | DEA Schedule | CII |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| CODEINE ANHYDROUS (UNII: UX6OWY2V7J) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J) | CODEINE ANHYDROUS | 15 [hp_X] |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|-----------------|
| LACTOSE (UNII: J2B2A4N98G) | |
| SUCROSE (UNII: C151H8M554) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:10191-1037-2 | 166 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 07/16/2015 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved homeopathic | | 07/16/2015 | |

Labeler - Remedy Makers (018543582)

Revised: 3/2023

Remedy Makers