

**TRADER JOES ZINC OXIDE SUNSCREEN SPF 40- zinc oxide lotion**  
**Trader Joe's Company**

-----  
**TRADER JOE'S (as PLD) - ZINC OXIDE SUNSCREEN LOTION SPF 40 (71270-151)**

***Active ingredient***

Zinc Oxide 20.5%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures ( ***See Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product**, keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

***Directions***

- Apply liberally to face and body 15 minutes before sun exposure.
- Reapply after 40 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours.
- Children under 6 months: ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 value or higher along with other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long sleeved shirts, pants, hats and sunglasses.

**Other information**

- Protect the product in this container from excessive heat and direct sun
- store at room temperature 59-86°F (15-30°C)
- May stain some fabrics.

**Inactive ingredients**

WATER (AQUA), ISOPROPYL PALMITATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, HYDROGENATED METHYL ABIETATE, GLYCERIN, SORBITAN LAURATE, OCTYLDODECYL CITRATE CROSSPOLYMER, POLYHYDROXYSTEARIC ACID, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, PHENOXYETHANOL, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, SODIUM STEAROYL GLUTAMATE, METHYLCELLULOSE, SODIUM LAURYL GLUCOSE, CARBOXYLATE, POLYGLYCERYL-4 LAURATE, LAURYL GLUCOSIDE, XANTHAN GUM, DILAURYL CITRATE, ETHYLHEXYLGLYCERIN, SODIUM PHYTATE, LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE, ALOE BARBADENSIS LEAF JUICE, LONICERA JAPONICA (HONEYSUCKLE) FLOWER EXTRACT, LONICERA CAPRIFOLIUM (HONEYSUCKLE) FLOWER EXTRACT, POPULUS TREMULOIDES BARK EXTRACT, TOCOPHEROL, GLYCINE SOJA (SOYBEAN) OIL, GLUCONOLACTONE, GINKGO BILOBA LEAF EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, BAMBUSA ARUNDINACEA STEM EXTRACT.

**Questions or comments?**

**1- 626-599-3700** Monday – Friday 9 AM – 5 PM PST

**Packaging**



**BROAD SPECTRUM  
SPF 40**

UVA/UVB PROTECTION  
WATER RESISTANT (40 MINUTES)  
NO ADDED FRAGRANCE  
HYPOALLERGENIC

MINERAL BASED SUNSCREEN | RUBS IN CLEAR  
NON NANO TECHNOLOGY  
PABA FREE | VEGAN  
ULTRA-LIGHTWEIGHT FORMULA

**NET WT.  
5 OZ (142g)**

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Zinc oxide 20.5%	Sunscreen

**Uses**  
• helps prevent sunburn  
• if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only.**  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• apply liberally and generously 15 minutes before sun exposure  
• reapply: • after 40 minutes of swimming or sweating  
• immediately after towel drying • at least every 2 hours  
• children under 6 months: ask a doctor

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10am-2pm  
• wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**  
• protect the product in this container from excessive heat and direct sun  
• store at room temperature 59-86°F (15-30°C)  
• may stain surfaces and fabrics.

**Inactive ingredients**  
Water (Aqua), Isopropyl Palmitate, Caprylic/Capric Triglyceride, Hydrogenated Methyl Abietate, Glycerin, Sorbitan Laurate, Octyldodecyl Citrate Crosspolymer, Polyhydroxystearic Acid, Simmondsia Chinensis (Jojoba) Seed Oil, Phenoxethanol, Ammonium Acryloyldimethyltaurate/VP Copolymer, Sodium Stearoyl Glutamate, Methylcellulose, Sodium Lauryl Glucose Carboxylate, Polyglyceryl-4 Laurate, Lauryl Glucoside, Xanthan Gum, Dilauryl Citrate, Ethylhexylglycerin, Sodium Phytate, Leuconostoc/Radish Root Ferment Filtrate, Aloe Barbendensis Leaf Juice, Lonicera Japonica (Honeysuckle) Flower Extract, Lonicera Caprifolium (Honeysuckle) Flower Extract, Populus Tremuloides Bark Extract, Tocopherol, Glycine Soja (Soybean) Oil, Gluconolactone, Ginkgo Biloba Leaf Extract, Camellia Sinensis Leaf Extract, Bambusa Arundinacea Stem Extract.

**Questions? 1-626-599-3700** Monday - Friday 9AM - 5PM PST

DIST. & SOLD EXCLUSIVELY BY:  
TRADER JOE'S, MONROVIA, CA 91016  
MANUFACTURED IN CANADA  
NOT TESTED ON ANIMALS

SKU# 65863

Open End

5 1/2" Tube Sleeve Length

Shoulder

<b>TRADER JOES ZINC OXIDE SUNSCREEN SPF 40</b>			
zinc oxide lotion			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71270-151
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	20.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>HYDROGENATED METHYL ABIETATE</b> (UNII: A23O709X8O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>OCTYLDODECYL LACTATE</b> (UNII: 8JKW8M5W35)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>METHYLCELLULOSE (100 CPS)</b> (UNII: 4GFU244C4J)	
<b>SODIUM LAURYL GLYCOL CARBOXYLATE</b> (UNII: 8L0472VMYL)	
<b>POLYGLYCERYL-4 OLEATE</b> (UNII: 15B05TY4GX)	
<b>LAURYL GLUCOSIDE</b> (UNII: 76LN7P7UCU)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>DILAURYL CITRATE</b> (UNII: 5OYS3G306B)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>LONICERA JAPONICA FLOWER</b> (UNII: 4465L2WS4Y)	
<b>LONICERA CAPRIFOLIUM FLOWER</b> (UNII: 5N1WD9784U)	
<b>POPULUS TREMULOIDES BARK</b> (UNII: 5543O0CEID)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>GINKGO BILOBA WHOLE</b> (UNII: 660486U6OI)	
<b>CAMELLIA SINENSIS WHOLE</b> (UNII: C5M4585ZBZ)	
<b>BAMBUSA ARUNDINACEA STEM</b> (UNII: NRA4497HC5)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71270-151-11	142 g in 1 TUBE; Type 0: Not a Combination Product	02/27/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/27/2019	

