

**NIGHTTIME SLEEP AID- diphenhydramine hcl solution**  
**Bi-Mart**

-----  
**Bi-Mart 44-002A**

***Active ingredient (in each 30 mL dose cup)***

Diphenhydramine HCl 50 mg

***Purpose***

Nighttime sleep-aid

***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

***Warnings***

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

avoid alcoholic beverages.

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

### ***Other information***

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

### ***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

### ***Questions or comments?***

**1-800-935-6737**

### ***Principal Display Panel***

#### ***BI-MART***

NDC 37835-319-30

Compare to the active ingredient in  
Vicks<sup>®</sup> ZzzQuil<sup>®</sup> NIGHTTIME SLEEP-AID\*

#### **Nighttime Sleep-Aid**

Diphenhydramine HCl  
50 mg per 30 mL  
Nighttime Sleep-Aid

Non-Habit Forming  
Not For Colds or For Pain

Ages 12 Years and Over

Berry Flavor

**12 FL OZ (355 mL)**

**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK  
WRAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil®  
 Nighttime Sleep-Aid. 50844 ORG022300202

Distributed by:  
 BI-MART  
 Eugene, OR 97402

B-002A ORG  
 L9133-012-11-1

**BI-MART** NDC 37835-319-30  
 Compare to the active ingredient in Vicks® ZzzQuil® NIGHTTIME SLEEP-AID™

# Nighttime Sleep-Aid

Diphenhydramine HCl  
 50 mg per 30 mL  
 Nighttime Sleep-Aid

Non-Habit Forming  
 Not For Colds or For Pain

Ages 12 Years and Over

Berry Flavor  
**12 FL OZ (355 mL)** F-002A ORG

PEEL BACK FOR COMPLETE DRUG FACTS  
**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING**

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient (in each 30 mL)</b> Diphenhydramine HCl 50 mg.....Nighttime sleep-aid	
<b>Uses</b> <ul style="list-style-type: none"> <li>for relief of occasional sleeplessness</li> <li>reduces time to fall asleep if you have difficulty falling asleep</li> </ul>	
<b>Warnings</b> <b>Do not use</b> <ul style="list-style-type: none"> <li>for children under 12 years of age</li> <li>with any other product containing diphenhydramine, even one used on skin</li> </ul> <b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>glaucoma</li> <li>difficulty in urination due to enlargement of the prostate gland</li> </ul> <b>Ask a doctor or pharmacist before use if you are taking</b> sedatives or tranquilizers.	

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil® Nighttime Sleep-Aid.  
 50844 ORG022300202

Distributed by:  
 BI-MART Eugene, OR 97402 B-002A ORG L9133-012-11-1

no print / no varnish area  
 lot no. & exp. date

**Drug Facts (continued)**

When using this product avoid alcoholic beverages.

**Stop use and ask a doctor** if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

**Other information**  

- each 30 mL contains: sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients** anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

**Questions or comments?**  
 © 1-800-935-6737

**Bi-mart 44-002A**

<b>NIGHTTIME SLEEP AID</b>			
diphenhydramine hcl solution			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37835-319
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB65)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	purple	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-319-30	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/29/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	04/29/2021	

**Labeler** - Bi-Mart (027630078)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(37835-319) , pack(37835-319)

