

MIPASTE PLUS STRAWBERRY- sodium fluoride paste, dentifrice
MIPASTE PLUS- sodium fluoride paste, dentifrice
GC America Inc.

MIPaste NDCs: 61596-888-41, 61596-884-41, 61596-882-41, 61596-880-41,
61596-986-41

Active Ingredient

Sodium Fluoride 0.2% (w/w).....Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Warnings

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions

* Adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental profession or doctor, rinse mouth after brushing, dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.

* Children under the age of 12: consult your dental professional or doctor.

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptides and amorphous calcium phosphate, D-sorbitol, Ethyl p-hydroxybenzoate, Flavoring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?

1-800-323-7063

Recommended Indications

To be used for cleaning and polishing procedures as part of a professionally administered prophylaxis treatment. Secondly, MI Paste Plus can be used for the management of tooth sensitivity, post-scaling, root planing and bleaching.

Tube Box Strawberry

MI Paste Plus[™]
Strawberry

Contains RECALDENT[™] derived from MILK protein

MI Paste Plus[™]
Strawberry

Professional use only

Anticavity dentifrice crème with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry low humidity area away from direct sunlight (3-25°C) (46.4-77.0°F).

CAUTION RECALDENT[™] is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water, and seek medical advice.

Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient Purpose
Sodium fluoride 0.20% (w/w) Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions

- adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor, rinse mouth after brushing, dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
- children under the age of 12: consult your dental professional or doctor

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptides and amorphous calcium phosphate, D-sorbitol, Ethyl p-hydroxybenzoate, Flavoring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, Sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?
1-800-323-7063

MI Paste Plus[™]

Anticavity dentifrice crème with bio-available calcium, phosphate and fluoride

• Anticavity
• Rebuilds enamel
• Helps against sensitivity
Sodium Fluoride 0.20% WW (800ppm F)


Strawberry

Consult instructions for use insert and drug facts panel.


RECALDENT is a trademark used under license.
GPP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.


SCALE-00040-A

© NAME-00040-A





Tube Box Mint





Tube Box Vanilla





Tube Box Melon



Paste Plus

Melon

Contains RECALDENT™ derived from MILK protein

MI Paste Plus

Melon

Professional use only

Actively stabilizes color with the visible color, fluoride and floss

CAUTION: For use only on patients with no history of hypersensitivity to any of the ingredients.

CAUTION RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxyapatite allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

CAUTION: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient: Polyoxy Sodium fluoride (2.25% w/w) Fluoride

Use: • aids in the prevention of dental caries

Warnings: Keep out of reach of children under 6 years of age.

Contains polioxy sodium fluoride and polyoxy sodium fluoride. Do not use on patients with a milk protein or hydroxyapatite allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

Directions

- adults and children over 12: brush teeth with your usual toothpaste at least twice a day, or as directed by your dental professional or doctor. Use a pea-sized portion of MI Paste Plus on your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, also to wear on teeth for 3 minutes. Do not rinse.
• children under the age of 12: consult your dental professional or doctor

Other information

For additional application instructions, refer to the product insert.

Inactive Ingredients

Triphosphoric acid, Calcium phosphate, polyoxy sodium fluoride, polyoxy sodium fluoride, Fluorine Glycol, Phosphoric acid, Polyphosphoric acid, Polyphosphoric acid, Sodium hexafluoroantimonate, Sodium hexafluoroantimonate, Zinc Oxide

Questions or




MI Paste Plus

Actively stabilizes color with the visible color, fluoride and floss

- Actively
• Hydroxyapatite
• Polyoxy sodium fluoride

Sodium fluoride 4.25% w/w (100ppm F)



Melon

RECALDENT™ NET WT. 40g (1.4oz)

Contains RECALDENT™ derived from MILK protein



MI Paste Plus

CAUTION

RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxyapatite allergy.

MI Paste Plus

Actively stabilizes color with the visible color, fluoride and floss

- Actively
• Hydroxyapatite
• Polyoxy sodium fluoride

Sodium fluoride 4.25% w/w (100ppm F)



Melon


Consult instructions for use insert and drug facts panel.

RECALDENT™


RECALDENT™ is a trademark used under license. CFP-ACP technology developed by

6 34961 00032 - A

6 34961 00032 - A



Tube box Tutti-Frutti



MIPASTE PLUS STRAWBERRY

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-986
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C00X)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ETHYLPARABEN (UNII: 14255EXE39)	
CALCIUM PHOSPHATE (UNII: 97Z1M3NDX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XYLITOL (UNII: VCQ006KQ1E)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-986-41	1 in 1 BOX	06/01/2015	
1	NDC:61596-986-40	40 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

MI Paste Plus™

Strawberry

Contains RECALDENT™ derived from MILK protein

MI Paste Plus™ Strawberry

Professional use only

Articinely dentifrice crème with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry low humidity area away from direct sunlight (8-25°C) (46.4-77.0°F).

CAUTION: RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

Recaldent Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient Purpose
Sodium fluoride 0.20% (w/w) _____ Articinely

Use • aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used or breathing get medical help or contact a Poison Control Center right away.

Directions

- adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor; rinse mouth after brushing; dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
- children under the age of 12: consult your dental professional or doctor

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptide and amorphous calcium phosphate, D-xybitol, Ethyl p-hydroxybenzoate, Flavouring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, Sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?

1-800-323-7063



MI Paste Plus™

Articinely dentifrice crème with bio-available calcium, phosphate and fluoride

- Articinely
- Rebuilds enamel
- Helps against sensitivity

Sodium Fluoride 0.20% W/W (800ppm F)



Strawberry

Recaldent
NET WT. 40g (85mL)

Contains RECALDENT™ derived from MILK protein

MI Paste Plus™

CAUTION
RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy.

MI Paste Plus™

Articinely dentifrice crème with bio-available calcium, phosphate and fluoride

- Articinely
- Rebuilds enamel
- Helps against sensitivity

Sodium Fluoride 0.20% W/W (800ppm F)



Strawberry

Consult Instructions for use Insert and drug facts panel.

Recaldent

RECALDENT is a trademark used under license. GPP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.

GCAME-00040-A

GCAME-00040-A

7471014

CC
MANUFACTURED BY
GC AMERICA INC.
ALPH, L 8008 USA.

DISTRIBUTED BY
GC AMERICA INC.
ALPH, L 8008 USA.

MADE IN U.S.A.



SEEK RECYCLING AND RECYCLING SYMBOLS

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/01/2015	

MIPASTE PLUS

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-884
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
XYLITOL (UNII: VCQ006KQ1E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ETHYLPARABEN (UNII: 14255EXE39)	
CALCIUM PHOSPHATE (UNII: 97Z1W3NDX)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-884-41	1 in 1 BOX	06/01/2015	
1	NDC:61596-884-40	40 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

MI Paste Plus™

Mint

Contains RECALDENT™ derived from MILK protein

MI Paste Plus™ Mint

Professional use only

Artificially sweetened cream with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry low humidity area away from direct sunlight (8-25°C) (46-77°F).

CAUTION: RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.



Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient Purpose
Sodium fluoride 0.20% (w/w) Anticavity

Use • aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions

- adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor, (rinse mouth after brushing), dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
- children under the age of 12: consult your dental professional or doctor

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptides and amorphous calcium phosphate, D-escibid, Ethyl p-hydroxybenzoate, Flavoring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, Sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?

1-800-323-7083



'CC'

MI Paste Plus™

Artificially sweetened cream with bio-available calcium, phosphate and fluoride

- Anticavity
 - Rebuilds enamel
 - Helps against sensitivity
- Sodium Fluoride 0.20% WW (800ppm F)



Mint

Recaldent
NET WT. 40g (85mL)

Contains RECALDENT™ derived from MILK protein

MI Paste Plus™

CAUTION

RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy.

MI Paste Plus™

Artificially sweetened cream with bio-available calcium, phosphate and fluoride

- Anticavity
 - Rebuilds enamel
 - Helps against sensitivity
- Sodium Fluoride 0.20% WW (800ppm F)



Mint

Consult instructions for use
Insert and drug facts panel.



RECALDENT is a trademark used under license.
CPP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.

GCAME-00031-A

GCAME-00031-A

7481014



MANUFACTURED BY
GC AMERICA INC.
JAN, U.S.A.

DISTRIBUTED BY
GC AMERICA INC.
JAN, U.S.A.

MADE IN U.S.A.



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/01/2015	

MIPASTE PLUS

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-888
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CALCIUM PHOSPHATE (UNII: 97Z1W3NDX)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
XYLITOL (UNII: VCQ006KQ1E)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
ETHYLPARABEN (UNII: 14255EXE39)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	VANILLA	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-888-41	1 in 1 BOX	06/01/2015	
1	NDC:61596-888-40	40 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

MI Paste Plus™

Vanilla



MI Paste Plus™ Vanilla

Professional use only

Artificially sweetened cream with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry low humidity area away from direct sunlight (8-25°C) (46.4-77.0°F).

CAUTION RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water, and seek medical advice.



Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient Purpose
Sodium fluoride 0.20% (w/w) Anticavity

Use • aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used or breathing get medical help or contact a Poison Control Center right away.

Directions

- adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor, rinse mouth after brushing, dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
- children under the age of 12: consult your dental professional or doctor

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptide and amorphous calcium phosphate, D-sorbitol, Ethyl p-hydroxybenzoate, Flavouring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, Sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?

1-800-323-7063



MI Paste Plus™

Artificially sweetened cream with bio-available calcium, phosphate and fluoride

- Anticavity
- Rebuilds enamel
- Helps against sensitivity

Sodium Fluoride 0.20% W/W (800ppm F)



Vanilla



NET WT. 40g (85mL)



MI Paste Plus™

CAUTION

RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy.

MI Paste Plus™

Artificially sweetened cream with bio-available calcium, phosphate and fluoride

- Anticavity
- Rebuilds enamel
- Helps against sensitivity

Sodium Fluoride 0.20% W/W (800ppm F)



Vanilla



Consult instructions for use Insert and drug facts panel.



RECALDENT is a trademark used under license. GPP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.

GCAME-00033-A

GCAME-00033-A

7491014



MANUFACTURED BY
3M AMERICA INC.
ALPH, L 8908 USA

DISTRIBUTED BY
3M AMERICA INC.
ALPH, L 8908 USA

MADE IN U.S.A.



SEE REVERSE FOR USE AND DISPOSAL INSTRUCTIONS

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/01/2015	

MIPASTE PLUS

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-880
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ETHYLPARABEN (UNII: 14255EXE39)	
CALCIUM PHOSPHATE (UNII: 97Z1W3NDX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XYLITOL (UNII: VCQ006KQ1E)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	TUTTI FRUTTI	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-880-41	1 in 1 BOX	06/01/2015	
1	NDC:61596-880-40	40 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

MI Paste Plus
Trio-Fruit



MI Paste Plus
Trio-Fruit

Professional use only

Adhesive for orthodontic brackets and appliances

For use on all tooth surfaces and appliances

CAUTION: READER'S GUIDE
To avoid allergic reactions, do not use on patients with a milk protein or hypersensitivity allergy. In case of allergic reaction stop use, rinse mouth with water, and seek medical advice.

CAUTION: Read the MI Paste Plus instructions and warnings on the back of the box or package.

Drug Facts

Active Ingredient: Paste
Other Ingredients: Zinc Oxide

Uses: • aids in the prevention of dental caries

Warnings:
Keep out of reach of children under 18 years of age.

Directions:
• Adults and children over the age of 18: Apply a pea-sized amount of MI Paste Plus to the tooth surface to be treated. Rub gently with a toothbrush for 30 seconds. Rinse with water. Repeat 2-3 times daily.

Other Information:
• Adults and children over the age of 18: Apply a pea-sized amount of MI Paste Plus to the tooth surface to be treated. Rub gently with a toothbrush for 30 seconds. Rinse with water. Repeat 2-3 times daily.

Other Information:
For additional information, refer to the product insert.

Contains Sugar Alcohols:
MI Paste Plus contains sugar alcohols. Excessive consumption of sugar alcohols may cause laxative effects. MI Paste Plus contains 0.1g of sugar alcohols per 1g of product.

Contains or Derived From:
Lactose



MI Paste Plus

Adhesive for orthodontic brackets and appliances

- Adhesive
- Sugar-free
- Hypoallergenic

Contains Flavors: Lactose, Sucrose, Fructose



Trio-Fruit



MI Paste Plus

CAUTION

Adhesive for orthodontic brackets and appliances

MI Paste Plus

Adhesive for orthodontic brackets and appliances

- Adhesive
- Sugar-free
- Hypoallergenic

Contains Flavors: Lactose, Sucrose, Fructose



Trio-Fruit



CAUTION: Read the MI Paste Plus instructions and warnings on the back of the box or package.

MI Paste Plus

MI Paste Plus

MI Paste Plus

MI Paste Plus
Trio-Fruit



MI Paste Plus

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/01/2015	

MIPASTE PLUS

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-882
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ETHYLPARABEN (UNII: 14255EXE39)	
CALCIUM PHOSPHATE (UNII: 97Z1W3NDX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XYLITOL (UNII: VCQ006KQ1E)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-882-41	1 in 1 BOX	06/01/2015	
1	NDC:61596-882-40	40 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

MI Paste Plus

Melon

Contains RECALDENT™ derived from MILK proteins

MI Paste Plus Melon

Professional use only

Actively inhibits caries with the soluble calcium, phosphate and fluoride

CAUTION: Fluoride inhibits plaque bacteria. Do not use on patients with a milk protein or hydroxyapatite allergy.

CAUTION RECALDENT™ is derived from milk protein. Do not use on patients with a milk protein or hydroxyapatite allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

CAUTION: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient: Polycaprolactone
Sodium Fluoride: 0.28% (w/w) (1.12 ppm F)

Uses: • aids in the prevention of dental caries

Warnings: Keep out of reach of children under 6 years of age.

Contains polycaprolactone resin or hydroxyapatite. Avoid use on patients with a milk protein or hydroxyapatite allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

Directions:

- adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor, then apply MI Paste Plus to your teeth, spreading it over the tooth surface with your finger. Do not rinse.
- children under the age of 12: consult your dental professional or doctor.

Other information: For additional application instructions, refer to the user's leaflet.



MI Paste Plus

Actively inhibits caries with the soluble calcium, phosphate and fluoride

- Actively
- Inhibits plaque
- Helps against sensitivity

Sodium Fluoride: 0.28% (w/w) (1.12 ppm F)



MI Paste Plus

CAUTION

RECALDENT™ is derived from milk protein. Do not use on patients with a milk protein or hydroxyapatite allergy.

MI Paste Plus

Actively inhibits caries with the soluble calcium, phosphate and fluoride

- Actively
- Inhibits plaque
- Helps against sensitivity

Sodium Fluoride: 0.28% (w/w) (1.12 ppm F)



G-CAME-00032-A

Q33AME-00003-A

Inactive Ingredients

Edge polyphosphates, Calcium hydroxyapatite, urea, urea, calcium phosphate, D-calcified Ethyl polyphosphates, Fluorine Glycol, Phosphoric acid, Poly polyphosphates, Polyphosphates, Silica, zinc, Sodium octaphosphates, Sodium acetate, Water, Ethyl, Zinc Oxide

Questions or comments?

1-800-323-7083

NEKON



Consult instructions for use insert and stay teeth panel



RECALDENT is a trademark used under license. CFP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia



7541014



Manufactured by 3M MEDICAL, 3M U.S.A. INC.

MADE IN USA



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/01/2015	

Labeler - GC America Inc. (005473608)

Registrant - GC America Inc. (005473608)

Establishment

Name	Address	ID/FEI	Business Operations
GC America Inc.		005473608	manufacture(61596-986, 61596-884, 61596-888, 61596-880, 61596-882)

Revised: 1/2024

GC America Inc.