#### LUNG GUARDER- ginsenoside compound k granule Hainan Zehuitang Biotechnology Co., LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### 84428-102-01

Active ingredient: Ginsenoside Compound K 50 mg/ 10 g

Purpose: Immunomodulatory

Uses:

Regulate the human immune system,

Treat lung cancer,

Reduce pulmonary nodules

Warnings:

Do not use if you are allergic to this product and its ingredients.

Ask a doctor before use if you have:

Other diseases,

Or take some medicines

Ask a doctor or pharmacist before use if you are Children under 15 years old

When using this product:

Take before meals,

Take it half an hour before going to bed

Stop use and ask a doctor if There was no sign of relief after taking for a week.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

Take one bottle orally with water, three times daily.

For internal use only.

Inactive ingredients: Yeast &-D-glucan, Ziyuglycoside II, Corn Starch

Questions? 123-555-1234

Other information:

Store at 5-30°C,

Keep out of direct sunlight

# Lung Guarder

| Drug Facts  Active ingredient (in each dosage unit)   | Purpose          |  |  |
|---|------------------|--|--|
| Ginsenoside Compound K 50 mg/ 10 g  | Immunomodulatory |  |  |
| Uses  ■Regulate the human immune system ■Treat lung cancer ■Reduce pulmonary nodules  |                  |  |  |
| Warnings  Do not use if you are allergic to this product and its ingredients.   |                  |  |  |
| Ask a doctor before use if you have  Other diseases  Or take some medicines   |                  |  |  |
| Ask a doctor or pharmacist before use if you are<br>Children under 15 years old   |                  |  |  |
| When using this product  Take before meals  Take it half an hour before going to bed  |                  |  |  |
| Stop use and ask a doctor if  There was no sign of relief after taking for a we   | ek.              |  |  |
| If pregnant or breast-feeding, ask a health prof<br>Keep out of reach of children. In case of overd-<br>contact a Poison Control Center right away. |                  |  |  |

| Drug Facts (continued)   |                  |             |  |  |
|--|------------------|-------------|--|--|
| Directions  ■Take one bottle orally with water, three times daily. |                  |             |  |  |
|  |                  |             |  |  |
| Other information  |                  |             |  |  |
| ■Store at 5-30 °C  |                  |             |  |  |
| ■Keep out of direct sunlight                                       |                  |             |  |  |
| Inactive ingredients   |                  |             |  |  |
| Yeast B-D-glucan   | Ziyuglycoside II | Corn Starch |  |  |
| Questions? 123-555-123   | 4                |             |  |  |

### Label

### LUNG GUARDER

ginsenoside compound k granule

| Product Information     |                |                    |               |  |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:84428-102 |  |
| Route of Administration | ORAL           |                    |               |  |

| Active Ingredient/Active Moiety  |                           |                  |  |  |
|--|---------------------------|------------------|--|--|
| Ingredient Name  | <b>Basis of Strength</b>  | Strength         |  |  |
| GINSENOSIDE COMPOUND K (UNII: G8D4792Q7K) (GINSENOSIDE COMPOUND K - UNII:G8D4792Q7K) | GINSENOSIDE<br>COMPOUND K | 50 mg<br>in 10 g |  |  |

| Inactive Ingredients                   |          |  |  |
|--|----------|--|--|
| Ingredient Name                        | Strength |  |  |
| YEAST .BETAD-GLUCAN (UNII: 44FQ49X6UN) |          |  |  |
| STARCH, CORN (UNII: 08232NY3SJ)        |          |  |  |
| ZIYUGLYCOSIDE II (UNII: 8AXK3E8B87)    |          |  |  |
|  |          |  |  |

| Packaging |   |                      |   |                         |                       |
|-----------|---|----------------------|---|-------------------------|-----------------------|
|           | # | Item Code            | Package Description                                 | Marketing Start<br>Date | Marketing End<br>Date |
|           | 1 | NDC:84428-102-<br>01 | 10 g in 1 BOTTLE; Type 0: Not a Combination Product | 06/24/2024              |                       |

| Marketing Information |   |                         |                       |
|-----------------------|---|-------------------------|-----------------------|
| Marketing<br>Category | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| unapproved drug other |   | 06/24/2024              |                       |
|                       |   | 06/24/2024              |                       |

# Labeler - Hainan Zehuitang Biotechnology Co., LTD (451177295)

**Registrant -** Hainan Zehuitang Biotechnology Co., LTD (451177295)

| Establishment                           |         |           |   |  |
|---|---------|-----------|---|--|
| Na me                                   | Address | ID/FEI    | <b>Business Operations</b>                |  |
| Hainan Zehuitang Biotechnology Co., LTD |         | 451177295 | manufacture(84428-102) , label(84428-102) |  |

Revised: 6/2024 Hainan Zehuitang Biotechnology Co., LTD