

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 CHAMPAGNE 170-N-octinoxate, zinc oxide emulsion

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 CAPUCCINO 310-C-octinoxate, zinc oxide emulsion

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 BEIGE 220-C-octinoxate, zinc oxide emulsion

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 LATTE 180-F-octinoxate, zinc oxide emulsion

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 ALMENDRA 230-N-octinoxate, zinc oxide emulsion

BEL STAR S.A.

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 OIL CONTROL AND LONGWEAR FOUNDATION 48H SPF 15

Drug Facts

Active Ingredients

Octinoxate 5.00%

Zinc oxide 4.90%

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Isododecane, dimethicone, water, trimethylsiloxysilicate, butylene glycol, polyethylene, boron nitride, alcohol denat., silica, mica, peg/ppg-18/18 dimethicone, lecithin, peg-10 dimethicone, polysilicone-11, disteardimonium hectorite, phenoxyethanol, glycerin, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, propylene carbonate, fragrance, xanthan gum, propylene glycol, methylpropanediol, 4-terpineol, camellia sinensis leaf extract, salicylic acid, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, salix alba (willow) bark extract, potassium sorbate, sodium benzoate, polylysine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

May Contain :

Titanium dioxide, iron oxides, barium sulfate.

Company Information

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926

Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126.
Made in Colombia.

www.lbel.com

Product Packaging ALMENDRA 230-N

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.90%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Isododecane, dimethicone, water, trimethylsiloxysilicate, butylene glycol, polyethylene, boron nitride, alcohol denat., silica, mica, peg/ppg-18/18 dimethicone, lecithin, peg-10 dimethicone, polysilicone-11, disteardimonium hectorite, phenoxyethanol, glycerin, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, propylene carbonate, fragrance, xanthan gum, propylene glycol, methylpropanediol, 4-terpineol, camellia sinensis leaf extract, salicylic acid, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, salix alba (willow) bark extract, potassium sorbate, sodium benzoate, polylysine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

May Contain: Titanium dioxide, iron oxides, barium sulfate.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.
www.lbel.com

L'BEL

FOREVER MATTE48H

BASE CONTROL BRILLO
Y LARGA DURACIÓN FPS 15
OIL CONTROL AND LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

Net Wt. 0.95 oz. | 27 g

48H: Duración / Longwear

TONE: ALMENDRA 230-N

Product Packaging BEIGE 220-C



Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.90%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Isododecane, dimethicone, water, trimethylsiloxysilicate, butylene glycol, polyethylene, boron nitride, alcohol denat., silica, mica, ppg/ppg-18/18 dimethicone, lecithin, pag-10 dimethicone, polysilicone-11, disteardimonium hectorite, phenoxyethanol, glycerin, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, propylene carbonate, fragrance, xanthan gum, propylene glycol, methylpropanediol, 4-terpineol, camellia sinensis leaf extract, salicylic acid, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, salix alba (willow) bark extract, potassium sorbate, sodium benzoate, polylysine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

May Contain: Titanium dioxide, iron oxides, barium sulfate.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

L'BEL

FOREVER MATTE 48H

BASE CONTROL BRILLO
Y LARGA DURACIÓN FPS 15
OIL CONTROL AND LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

Net Wt. 0.95 oz. | 27 g

48H: Duración / Longwear

TONE: BEIGE 220-C

Product Packaging CAPUCCINO 310-C



Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.90%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Isododecane, dimethicone, water, trimethylsiloxysilicate, butylene glycol, polyethylene, boron nitride, alcohol denat., silica, mica, peg/ppg-18/18 dimethicone, lecithin, peg-10 dimethicone, polysilicone-11, disteardimonium hectorite, phenoxyethanol, glycerin, triethoxycaprylylsilane, caprylyl glycol, chlorophenesin, propylene carbonate, fragrance, xanthan gum, propylene glycol, methylpropanediol, 4-terpineol, camellia sinensis leaf extract, salicylic acid, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, salix alba (willow) bark extract, potassium sorbate, sodium benzoate, polylysine, amyly salicylate, tetramethyl acetyloctahydronaphthalenes.

May Contain: Titanium dioxide, iron oxides, barium sulfate.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00826.
Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

L'BEL

FOREVER MATTE 48H

BASE CONTROL BRILLO
Y LARGA DURACIÓN FPS 15
OIL CONTROL AND LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

Net Wt. 0.95 oz. | 27 g

48H: Duración / Longwear

TONE: CAPUCCINO 310-C

Product Packaging CHAMPAGNE 170-N



Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.90%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Isododecane, dimethicone, water, trimethylsiloxysilicate, butylene glycol, polyethylene, boron nitride, alcohol denat., silica, mica, peg/ppg-18/18 dimethicone, lecithin, peg-10 dimethicone, polysilicone-11, disteardimonium hectorite, phenoxyethanol, glycerin, triethoxycaprylylsilane, caprylyl glycol, chlorphenesin, propylene carbonate, fragrance, xanthan gum, propylene glycol, methylpropanediol, 4-terpineol, camellia sinensis leaf extract, salicylic acid, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, salix alba (willow) bark extract,

L'BEL

FOREVER MATTE 48H

BASE CONTROL BRILLO
Y LARGA DURACIÓN FPS 15
OIL CONTROL AND LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

Net Wt. 0.95 oz. | 27 g

48H: Duración / Longwear

potassium sorbate, sodium benzoate, polylysine, amyli salicylate, tetramethyl acetyloctahydronaphthalenes.
May Contain: Titanium dioxide, iron oxides, barium sulfate.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
 Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.
www.lbel.com

TONE: CHAMPAGNE 170-N

Product Packaging LATTE 180-F

L'BEL

FOREVER

MATTE 48H

BASE CONTROL BRILLO
 Y LARGA DURACIÓN FPS15
 OIL CONTROL AND LONGWEAR
 FOUNDATION SPF 15
 PIEL NORMAL A GRASA
 NORMAL TO OILY SKIN

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.90%.....	Sunscreen

Uses:


- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging
Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■
For external use only. ■ Do not use on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Isododecane, dimethicone, water, trimethylsiloxysilicate, butylene glycol, polybutylene sebacate, ethylhexyl glycerin, zinc



LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 CHAMPAGNE 170-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-341
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	49 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
AMYL SALICYLATE (UNII: VZO9C30208)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	

LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
ISODODECANE (UNII: A8289P68Y2)
XANTHAN GUM (UNII: TTV12P4NEE)
POLY-L-LYSINE (30000-70000 MW) (UNII: 0A1V8JTU2M)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALCOHOL (UNII: 3K9958V90M)
SALICYLIC ACID (UNII: O414PZ4LPZ)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
4-TERPINEOL, (+)- (UNII: HZK34LN80N)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
SALIX ALBA BARK (UNII: 205MXS71H7)
HORSE CHESTNUT (UNII: 3C18L6RJAZ)
BORON NITRIDE (UNII: 2U4T60A6YD)
WATER (UNII: 059QF0K0OR)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MILK THISTLE (UNII: U946SH95EE)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-341-01	1 in 1 BOX	07/08/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 CAPUCCINO 310-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-340
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	49 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
4-TERPINEOL, (+)- (UNII: HZK34LN80N)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
SALIX ALBA BARK (UNII: 205MXS71H7)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
WATER (UNII: 059QF0K00R)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MILK THISTLE (UNII: U946SH95EE)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
AMYL SALICYLATE (UNII: VZ09C30208)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

ISODODECANE (UNII: A8289P68Y2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLY-L-LYSINE (30000-70000 MW) (UNII: 0A1V8JTU2M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALCOHOL (UNII: 3K9958V90M)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-340-01	1 in 1 BOX	07/08/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 BEIGE 220-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-339
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	49 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
AMYL SALICYLATE (UNII: VZ09C30208)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
MICA (UNII: V8A1AW0880)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
ISODODECANE (UNII: A8289P68Y2)
XANTHAN GUM (UNII: TTV12P4NEE)
POLY-L-LYSINE (30000-70000 MW) (UNII: 0A1V8JTU2M)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALCOHOL (UNII: 3K9958V90M)
SALICYLIC ACID (UNII: O414PZ4LPZ)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
4-TERPINEOL, (+)- (UNII: HZK34LN80N)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
SALIX ALBA BARK (UNII: 205MXS71H7)
HORSE CHESTNUT (UNII: 3C18L6RJAZ)
BORON NITRIDE (UNII: 2U4T60A6YD)
WATER (UNII: 059QF0KO0R)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MILK THISTLE (UNII: U946SH95EE)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-339-01	1 in 1 BOX	07/08/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	07/08/2024	

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 LATTE 180-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-342
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	49 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
AMYL SALICYLATE (UNII: VZ09C30208)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
ISODODECANE (UNII: A8289P68Y2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLY-L-LYSINE (30000-70000 MW) (UNII: 0A1V8JTU2M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALCOHOL (UNII: 3K9958V90M)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
4-TERPINEOL, (+)- (UNII: HZK34LN80N)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
SALIX ALBA BARK (UNII: 205MXS71H7)
HORSE CHESTNUT (UNII: 3C18L6RJAZ)
BORON NITRIDE (UNII: 2U4T60A6YD)
WATER (UNII: 059QF0KO0R)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MILK THISTLE (UNII: U946SH95EE)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-342-01	1 in 1 BOX	07/08/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

LBEL FOREVER MATTE BASE CONTROL BRILLO Y LARGA DURACION 48H FPS 15 CONTROL AND LONGWEAR FOUNDATION 48H SPF 15 ALMENDRA 230-N

octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-338
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	49 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
AMYL SALICYLATE (UNII: VZ09C30208)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICA (UNII: V8A1AW0880)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
ISODODECANE (UNII: A8289P68Y2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLY-L-LYSINE (30000-70000 MW) (UNII: 0A1V8JTU2M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALCOHOL (UNII: 3K9958V90M)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
4-TERPINEOL, (+)- (UNII: HZK34LN80N)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
SALIX ALBA BARK (UNII: 205MXS71H7)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
WATER (UNII: 059QF0KO0R)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MILK THISTLE (UNII: U946SH95EE)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-338-01	1 in 1 BOX	07/08/2024	

1	27 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

Labeler - BEL STAR S.A. (880160197)

Revised: 7/2024

BEL STAR S.A.