# ANTI ITCH MAXIMUM STRENGTH PLUS- hydrocortisone cream Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Rite Aid Corporation Anti-Itch Cream Drug Facts

#### **Active ingredient**

Hydrocortisone 1%

#### **Purpose**

Anti-itch

#### Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

#### **Warnings**

For external use only

#### Do not use

- in the genital area if you have a vaginal discharge. Ask a doctor.
- for the treatment of diaper rash. Ask a doctor.

#### When using this product

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

#### Stop use and ask a doctor if

condition worsens

- symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

#### Other information

• store at 20°-25°C (68°-77°F)

#### **Inactive ingredients**

aloe barbadensis leaf juice, aluminum sulfate, calcium acetate, cetearyl alcohol, cetyl alcohol, cholecalciferol, dextrin, glycerin, isopropyl palmitate, light mineral oil, maltodextrin, methylparaben, propylene glycol, propylparaben, purified water, retinyl palmitate, sodium cetearyl sulfate, sodium lauryl sulfate, tocopherol, white petrolatum, white wax, zea mays (corn) oil

#### Questions or comments?

1-800-719-9260

#### **Principal Display Panel**

Compare to the active ingredient of Cortizone–10® Plus

MAXIMUM STRENGTH PLUS

relieves itch fast

anti-itch cream

temporarily relieves dry skin, skin irritation, inflammation & redness, insect bites, poison ivy, rashes eczema & psoriasis

1% hydrocortisone

NET WT 2 OZ (56 g)

enriched with aloe plus vitamin A & E



#### MAXIMUM STRENGTH PLUS

### anti-itch cream

1% hydrocortisone



### MAXIMUM STRENGTH PLUS

## anti-itch cream

1% hydrocortisone

temporarily relieves dry skin, skin irritation, inflammation & redness, insect bites,

poison ivy, rashes, eczema & psoriasis

DISTRIBUTED BY: RITE AID 30 HUNTER LANE CAMP HILL, PA 17011



WE'LL HAPPILY REFUND



#### Drug Facts

Active ingredient

Purpose

■ temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due tα

- eczema psoriasis poison ivy, oak, sumac insect bites detergents
   jeweły cosmetics soaps seborniec dermatits
   temporariy relieves external anal and pentral it iching
   other uses of this product should be only under the advice and supervision of a doctor

#### Warnings

For external use only

#### Do not use

■ in the genital area if you have a vaginal discharge. Ask a doctor.

for the treatment of diaper rash. Ask a doctor.

When using this product ■ avoid contact with the eyes
■ do not use more than directed unless to blito do so by a doctor
■ do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

sop use an uask a voctor in

■ condition worsens ■ Trectal bleeding occurs

■ symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children. If s wallowed, get medical help or contact a Poison Control Center right away

#### Drug Facts (continued)

#### Directions

or itching of skin irritation, inflam mation, and rashes: ■ adults and children 2 years of age and older: apply to affected areanot m ore than 3 to 4 times daily

a childre under 2 years of age: donot use, ask a doctor for external anal and genital riching, a dults: ■ when practical, clean the affected area with mild soap and warm water and rinse

■ gertly dry by patting or bbtting with to let tissue or a soft cloth before applying
■ apply to affected area not more than 3 to 4 times daily
■ children under 12 years of age: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)

Inactive ingredients aloe barbadensis leaf juice, aluminum sulfate, cabium acetate, cetearyl abohd, cetyl abchol, cholecalciferd, dextrin, glycein, is opropyl palmitate, Ight mineat I of, mathodextrin, methybaraben, propylene glycd, popylparaben, purified water, retiny palmitate, sodium cetearyl sulfate, sodium lauryl sulfate, tocopherol, white petrolatum, white wax, zeamays (corn) of

( Questions or comments? 1-800-719-9260

\*This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone •10® Plus.



#### ANTI ITCH MAXIMUM STRENGTH PLUS

hydrocortisone cream

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0680
Route of Administration	TOPICAL		

l	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
ı	HYDROCORTISONE (UNII: WI4X0 X7BPJ) (HYDROCORTISONE - UNII:WI4X0 X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
ALUMINUM SULFATE (UNII: 34S289N54E)		
CALCIUM ACETATE (UNII: Y882YXF34X)		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
CHOLECALCIFEROL (UNII: 1C6V77QF41)		
GLYCERIN (UNII: PDC6A3C0OX)		
ISOPROPYL PALMITATE (UNII: 8 CRQ2TH6 3M)		
LIGHT MINERAL OIL (UNII: N6K5787QVP)		
MALTO DEXTRIN (UNII: 7CVR7L4A2D)		
METHYLPARABEN (UNII: A2I8 C7HI9 T)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYLPARABEN (UNII: Z8 IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)		
SODIUM CETOSTEARYL SULFATE (UNII: 7ZBS06BH4B)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
PETROLATUM (UNII: 4T6H12BN9U)		
WHITE WAX (UNII: 7G1J5DA97F)		
CORN OIL (UNII: 8470G57WFM)		
TOCOPHEROL (UNII: R0ZB2556P8)		
ICODEXTRIN (UNII: 2NX48 Z0 A9 G)		

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
1	NDC:11822-0680-2	1 in 1 CARTON	02/16/2011		
1		28 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:11822-0680-1	1 in 1 CARTON	02/16/2011		
2		56 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	02/16/2011		

## Labeler - Rite Aid Corporation (014578892)

Revised: 8/2017 Rite Aid Corporation