

BOWEL NOSODE B FAECALIS - bowel nosode b faecalis liquid

Apotheca Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Bowel Nosode B Faecalis

ACTIVE INGREDIENTS: Sepia 3X, 6X, B. Faecalis 30C.

INDICATIONS: Action on nearly every tissue-organ, female hormonal complaints, very weak hemorrhage, paralytic affections of pelvic and abdominal viscera, general circulation.

WARNINGS: If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

DIRECTIONS: On an empty stomach. Only give one Bowel Nosode at a time. 5 drops 1 to 2 times daily five days per week for 4 to 6 weeks. Consult a physician for use in children under 12 years of age.

INACTIVE INGREDIENTS: Demineralized water, 25% Alcohol

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center right away.

INDICATIONS: Action on nearly every tissue-organ, female hormonal complaints, very weak hemorrhage, paralytic affections of pelvic and abdominal viscera, general circulation.

MFG. FOR:

Theresa Dale N.D.

1237 S Victoria Ave.

Oxnard, CA 93035

1-866-962-6484

Dr. Theresa Dale's

NDC 57520-0323-1

HOMEOPATHIC

Bowel Nosode B. Faecalis

1 fl oz (30 ml)

Dr. Theresa Dale's

NDC: 57520-0323-1

ACTIVE INGREDIENTS:

Sepia 3X, 6X,
B Faecalis 30C.

HOMEOPATHIC Bowel Nosode B. Faecalis



MFG FOR:

Theresa Dale, N.D.
1237 S. Victoria Ave.
Oxnard, CA 93035
1-866-962-6484

LOT: XXXXXX

INACTIVE INGREDIENTS:
Deminerlized Water, 25% Alcohol

DIRECTIONS:

On an empty stomach. Only give one Bowl Nosode at a time. 5 drops 1 to 2 times daily five days per week for 4 to 6 weeks. Consult a physician for use in children under 12 years of age.

INDICATIONS:

Action on nearly every tissue-organ, female hormonal complaints, very weak, hemorrhage, Paralytic affections of pelvic and abdominal viscera. General circulation.

WARNINGS: If pregnant or breast-feeding ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

1 fl oz (30 ml)

BOWEL NOSODE B FAECALIS

bowel nosode b faecalis liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57520-0323
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	3 [hp_X] in 1 mL
ALCALIGENES FAECALIS (UNII: 05KB30NGW2) (ALCALIGENES FAECALIS - UNII:05KB30NGW2)	ALCALIGENES FAECALIS	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57520-0323-1	30 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved homeopathic

05/12/2010

Labeler - Apothea Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apothea Company		844330915	manufacture

Revised: 1/2012

Apothea Company