

**TRIPLE PROTECTION SUNSCREEN BROAD SPECTRUM SPF 30- titanium dioxide,
zinc oxide cream
Vivier Pharma Inc**

Triple Protection Sunscreen Broad Spectrum SPF 30

DRUG FACTS

ACTIVE INGREDIENTS

Titanium Dioxide 10.0%
Zinc Oxide 8.0%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn and provides a sun protection factor of 30.
- Ideal for daily use; can be applied under makeup.

WARNINGS

For external use only

- The sun may cause sunburn, premature aging of the skin and skin cancer. Avoiding the sun, wearing protective clothing and regular use of sunscreens over the years may reduce the chance of these harmful effects.

When using this product

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- Do not use on damaged or broken skin.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply daily to face, neck and chest.
- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours or as needed after towel drying, perspiring heavily or washing.

- For use on children less than 6 months of age, consult a healthcare practitioner.
- Use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENTS:

ALUMINA, AMMONIUM ACRYLOYLDIMETHYLTAURATE, BIS PEG/PPG-16-16 PEG/PPG16/16 DIMETHICONE, BUTYLPARABEN, C12-15 ALKYL BENZOATE, CAMELIA SINENSIS (GREEN TEA) EXTRACT, CAPRYLIC/- CAPRIC TRIGLYCERIDE, CETEARETH 20, CETEARYL ALCOHOL, CETYL DIMETHICONE, CITRUS MEDICA LIMONUM (LEMON BIOFLAVANOIDS) PEEL EXTRACT, CYCLOMETHICONE, DIMETHICONE, DIPROPYLENE GLYCOL DIBENZOATE, EICOSENE COPOLYMER, ETHYLPARABEN, GLYCERIN, GLYCERYL STEARATE, ISOPROPYL TITANIUM TRIISOSTEARATE, METHYLPARABEN, PHENOXYETHANOL, POLYHYDROXYSTEARIC ACID, POLYSORBATE 20, PPG-15 STEARYL ETHER BENZOATE, PROPYLPARABEN, PYRUS MALUS (APPLE) FRUIT EXTRACT, SACCHARUM OFFICINARUM (SUGAR CANE) EXTRACT, SODIUM ASCORBYL PHOSPHATE, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, WATER/EAU, XANTHAN GUM.

Questions?

450 455 9779 1 877 484 8437

Package Labeling:

NDC-67226-2231-6

<p>DRUG FACTS CONTINUED</p> <p>INACTIVE INGREDIENTS / INGRÉDIENTS INACTIFS: ALUMINA, AMMONIUM ACRYLOYLDIMETHYLTAURATE, BIS PEG/PPG-16-16 PEG/PPG16/16 DIMETHICONE, BUTYLPARABEN, C12-15 ALKYL BENZOATE, CAMELIA SINENSIS (GREEN TEA) EXTRACT, CAPRYLIC/- CAPRIC TRIGLYCERIDE, CETEARETH 20, CETEARYL ALCOHOL, CETYL DIMETHICONE, CITRUS MEDICA LIMONUM (LEMON BIOFLAVANOIDS) PEEL EXTRACT, CYCLOMETHICONE, DIMETHICONE, DIPROPYLENE GLYCOL DIBENZOATE, EICOSENE COPOLYMER, ETHYLPARABEN, GLYCERIN, GLYCERYL STEARATE, ISOPROPYL TITANIUM TRIISOSTEARATE, METHYLPARABEN, PHENOXYETHANOL, POLYHYDROXYSTEARIC ACID, POLYSORBATE 20, PPG-15 STEARYL ETHER BENZOATE, PROPYLPARABEN, PYRUS MALUS (APPLE) FRUIT EXTRACT, SACCHARUM OFFICINARUM (SUGAR CANE) EXTRACT, SODIUM ASCORBYL PHOSPHATE, TOCOPHERYL ACETATE, TRIFTHOXYCAPRYLYLSILANE</p>	<p>DRUG FACTS</p> <p>ACTIVE INGREDIENTS..... PURPOSE</p> <ul style="list-style-type: none"> • 10.0% Titanium Dioxide..... Sunscreen • 8.0% Zinc Oxide..... Sunscreen <p>USES</p> <ul style="list-style-type: none"> • Helps prevent sunburn and provides a sun protection factor of 30. • Ideal for daily use; can be applied under makeup. <p>WARNINGS</p> <p>For external use only</p> <ul style="list-style-type: none"> • The sun may cause sunburn, premature aging of the skin and skin cancer. Avoiding the sun, wearing protective clothing and regular use of sunscreens over the years may reduce the chance of these harmful effects. <p>When using this product</p> <ul style="list-style-type: none"> • Avoid contact with eyes. If contact occurs, rinse thoroughly with water. • Do not use on damaged or broken skin. <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> • Rash or irritation develops and 	<p>INFORMATIONS PHARMACEUTIQUES</p> <p>INGRÉDIENTS ACTIFS OBJECTIF</p> <ul style="list-style-type: none"> • Dioxyde de Titane 10.0 %..... Écran solaire • Oxyde de Zinc 8.0 %..... Écran solaire <p>INDICATIONS</p> <ul style="list-style-type: none"> • Aident à prévenir les coups de soleil et offre un facteur de protection solaire de 30. • Idéal pour utilisation quotidienne; peut être utilisé sous le maquillage. <p>PRÉCAUTIONS</p> <p>Pour usage externe seulement</p> <ul style="list-style-type: none"> • Le soleil peut causer des coups de soleil, un vieillissement prématuré de la peau et le cancer de la peau. Le fait d'éviter l'exposition au soleil, le port de vêtements protecteurs et l'usage régulier d'écrans solaires peut, avec les années, réduire le risque de ces effets nocifs. <p>Durant l'application de ce produit</p> <ul style="list-style-type: none"> • Éviter tout contact avec les yeux. • En cas de contact, bien vous les rincer avec de l'eau. • Ne pas utiliser sur la peau endom-
--	---	---

Vivierskin®

TRIPLE PROTECTION SUNSCREEN

BROAD SPECTRUM SPF 30 WITH ANTIOXIDANTS, ZINC AND TITANIUM

ÉCRAN SOLAIRE

MULTIPLICATION BY POLYMER,
WATER/EAU, XANTHAN GUM.

Questions?

450 455 9779 1 877 484 8437

Store at room temperature /
Conserver à température ambiante
(15-30 °C / 59-86 °F).

Oil-free. Fragrance-free.
Recommended by physicians.



lasts.
Keep out of reach of children
If swallowed, get medical help or
contact a Poison Control Center
right away.

DIRECTIONS

- Apply daily to face, neck and chest.
- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours or as needed after towel drying, perspiring heavily or washing.
- For use on children less than 6 months of age, consult a healthcare practitioner.
- Use a water resistant sunscreen if swimming or sweating.

Vivier
PHARMA
Vivier Canada Inc.
Mfd. For Vivier Pharma
Hudson QC Canada J0P 1H0
Champlain NY USA 12919
Made in Canada
vivierpharma.com

© Vivier Canada Inc. - used under license 07-8919-20

TRIPLE PROTECTION

À LARGE SPECTRE FPS 30
AVEC ANTIOXIDANTS, ZINC
ET TITANE

NPN 80002049

60 mL / 2 fl oz

magée ou présentant des lésions.

Cessez l'utilisation et demandez l'avis d'un médecin si
• Irritations ou éruptions apparaissent.

Garder hors de portée des enfants.
En cas d'ingestion, obtenez des soins médicaux ou appelez immédiatement un centre antipoison

MODE D'EMPLOI

- Appliquer quotidiennement au visage, cou et décolleté.
- Appliquer abondamment et uniformément 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures ou au besoin après la baignade, le séchage à la serviette, après avoir transpiré abondamment ou après le bain.
- Consulter un médecin avant d'utiliser sur un enfant de moins de 6 mois.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.

Sans huile. Sans parfum.
Recommandé par les médecins.



6 96163 89019 2



NPN 80002049 | NDC 67226-2231-6



**TRIPLE PROTECTION
SUNSCREEN**
BROAD SPECTRUM SPF 30
WITH ANTIOXIDANTS,
ZINC AND TITANIUM

**ÉCRAN SOLAIRE
TRIPLE PROTECTION**
À LARGE SPECTRE FPS 30
AVEC ANTIOXIDANTS,
ZINC ET TITANE

60 ml | 2 fl oz

Directions

Apply daily to face, neck and chest. Apply liberally and evenly 15 minutes prior to sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. For use on children less than 6 months of age, consult a healthcare practitioner. Store at room temperature (15-30°C / 59-86°F).

Warnings

For external use only. Do not use on damaged or broken skin. If rash occurs, discontinue use and consult a health care practitioner. When using this product keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

This unit is packaged in an outer container. Please see outer container for complete drug facts information.

**Medicinal ingredients /
Ingrédients médicinaux**
Titanium Dioxide 10%
Zinc Oxide 8%



Vivier Canada Inc. | Mfd. for Vivier Pharma
Vaudreuil-Dorion QC Canada J7V 5V5
Champlain NY USA 12919
vivierskin.com

Mode d'emploi

Appliquer quotidiennement au visage, cou et décolleté. Appliquer abondamment et uniformément 15 minutes avant une exposition au soleil. Appliquer de nouveau au moins toutes les 2 heures. Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration. Consulter un médecin avant d'utiliser sur un enfant de moins de 6 mois. Conserver à la température ambiante (15-30 °C / 59-86 °F).

Mises en garde

Pour usage externe seulement. Ne pas utiliser sur la peau endommagée ou présentant des lésions. En présence d'une éruption cutanée, cesser l'utilisation et consulter un professionnel de la santé. Éviter tout contact avec les yeux. Rincer à l'eau le cas échéant. Garder hors de portée des enfants. En cas d'ingestion, consulter un médecin immédiatement ou appeler un Centre anti-poison.

Cette unité est emballée dans un contenant extérieur. Veuillez vous y référer pour consulter toute l'information sur le médicament.

Questions? 1 877 484 8437



Made in Canada
01-8919-25

TRIPLE PROTECTION SUNSCREEN BROAD SPECTRUM SPF 30

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67226-2231
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	100 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE (UNII: KBC00G95HI)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
LEMON PEEL (UNII: 72O054U628)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
ETHYLPARABEN (UNII: 14255EXE39)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
APPLE (UNII: B423VGH5S9)	
SUGARCANE (UNII: 81H2R5AOH3)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:67226-2231-6	1 in 1 CARTON	11/11/2017	12/31/2025
1		60 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/11/2017	12/31/2025

Labeler - Vivier Pharma Inc (250996550)

Revised: 10/2023

Vivier Pharma Inc