

VITAMIN E VITALIZING SUNSCREEN- vitamin e vitalizing sunscreen cream
Shenzhen XiaoMai Manufacturing Co., Ltd.

ACTIVE INGREDIENT

Octinoxate
Octocrylene
Zinc Oxide

PURPOSE

sunburn protection

INDICATIONS

sunburn protection

Warnings

For external use only.

Do not use

When using this product

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

Keep out of reach of children.

Directions for use

apply liberally 15 minutes before sun exposure, reapply at least every 2 hours. use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. and wear long-sleeved shirts, pants, hats, and sunglasses.

INACTIVE INGREDIENT

Water,
Glycerin,
Cetearyl Alcohol,
Butylene Glycol,
Niacinamide,
Sodium Hyaluronate,
Tocopherol,
Centella Asiatica Extract,
Camellia Sinensis Leaf Extract, Ethylhexylglycerin, CarbomerTriethoxycaprylylsilane,
Phenoxyethanol,
Xanthan Gum, AdditionalIngredients (Fragrances, Stabilizers, etc.), Dibutyl Adipate,
Polymethylsilsesquioxane,
Coco-Caprylate'Caprate, Hyaluronic Acid.

Other Information

Store in a cool, dry place. "Avoid direct sunlight.
Consult a dermatologist if you have any questions.

label

<table border="1"><thead><tr><th colspan="2">Drug Facts</th></tr><tr><th>ACTIVE INGREDIENT SECTION</th><th>PURPOSE</th></tr></thead><tbody><tr><td>Octinoxate 5%</td><td>Sunscreen</td></tr><tr><td>Octocrylene 5%</td><td>Sunscreen</td></tr><tr><td>Zinc Oxide 6.2%</td><td>Sunscreen</td></tr></tbody></table> <p>Uses</p> <ul style="list-style-type: none">• helps prevent sunburn.• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Warnings Section</p> <ul style="list-style-type: none">• For external use only.• Do not use on damaged or broken skin.• When using this product keep out of eyes. Rinse with water to remove.• Stop use and ask a doctor if rash occurs.• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>Directions for use</p> <ul style="list-style-type: none">• apply liberally 15 minutes before sun exposure.• reapply at least every 2 hours.• use a water resistant sunscreen if swimming or sweating.• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.• To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including :• limit time in the sun, especially from 10 a.m. - 2 p.m.• and wear long-sleeved shirts, pants, hats, and sunglasses.	Drug Facts		ACTIVE INGREDIENT SECTION	PURPOSE	Octinoxate 5%	Sunscreen	Octocrylene 5%	Sunscreen	Zinc Oxide 6.2%	Sunscreen	<p>Vitamin E Vitalizing Sunscreen</p> <p>Tocopherol</p> <p>SPF 50* sunscreen contains Vitamin E to protect your skin from light (UV rays) and heat (Aging signs) leaving your skin healthy and moisturized.</p> <p>50+ BROAD SPECTRUM</p> <p>1.7 FL OZ (50 g) e</p>	<p>Inactive Ingredient Section Ingredients</p> <p>Water, Glycerin, Cetearyl Alcohol, Butylene Glycol, Niacinamide, Sodium Hyaluronate, Tocopherol, Centella Asiatica Extract, Camellia Sinensis Leaf Extract, Ethylhexylglycerin, Carbomer, Triethoxycaprylylsilane, Phenoxyethanol, Xanthan Gum, Additional Ingredients (Fragrances, Stabilizers, etc.), Dibutyl Adipate, Polymethylsilsesquioxane, Coco-Caprylate/Caprate, Hyaluronic Acid.</p> <p>Other Information</p> <p>Protect the product in this container from excessive heat and direct sun.</p> <p>Manufacturer</p> <p>Shenzhen XiaoMai Manufacturing Co., Ltd.</p> <p>Address</p> <p>Building 4301, Yiqiang Industrial Park, No. 61 Guantian Road, Nihu Community, Guanlan Street, Longhua District, Shenzhen City, Guangdong Province, China, 518110</p> <p>Country of Origin China</p> <p>Net Contents 1.7 FL OZ (50 g) e</p> <p>Production Date 22 January 2024</p> <p>Expiry Date 22 January 2026</p> <p>Before 24 Months (Sealed/Unopened) Best Before 12 Months (After Opening)</p> <table border="1"><tr><td>UK</td><td>MICM Product LTD Unit 36 Alsop Arcade brownlow Mill, Liverpool L3 5TX, TEL: 0044 7825478964 E-Mail: mjcm190928@gmail.com</td><td>US</td><td>MICM Limited Room A82, Liffey Building, Dublin 1, Ireland TEL: +353 0894831095 E-Mail: mjcm190928@gmail.com</td></tr></table>	UK	MICM Product LTD Unit 36 Alsop Arcade brownlow Mill, Liverpool L3 5TX, TEL: 0044 7825478964 E-Mail: mjcm190928@gmail.com	US	MICM Limited Room A82, Liffey Building, Dublin 1, Ireland TEL: +353 0894831095 E-Mail: mjcm190928@gmail.com
Drug Facts																
ACTIVE INGREDIENT SECTION	PURPOSE															
Octinoxate 5%	Sunscreen															
Octocrylene 5%	Sunscreen															
Zinc Oxide 6.2%	Sunscreen															
UK	MICM Product LTD Unit 36 Alsop Arcade brownlow Mill, Liverpool L3 5TX, TEL: 0044 7825478964 E-Mail: mjcm190928@gmail.com	US	MICM Limited Room A82, Liffey Building, Dublin 1, Ireland TEL: +353 0894831095 E-Mail: mjcm190928@gmail.com													

VITAMIN E VITALIZING SUNSCREEN

vitamin e vitalizing sunscreen cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-270
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 g in 1 mg

Inactive Ingredients

Ingredient Name	Strength
AVOCADO FRUIT WATER (UNII: QY52B5ZP10)	100 g in 1 mg
OCTINOXATE (UNII: 4Y5P7MUD51)	100 g in 1 mg
.ALPHA.-TOCOPHEROL CALCIUM SUCCINATE, D- (UNII: BVK87L5TNB)	100 g in 1 mg
PEG-9 DIGLYCIDYL ETHER/SODIUM HYALURONATE CROSSPOLYMER (UNII: 788QAG3W8A)	100 g in 1 mg
OCTOCRYLENE (UNII: 5A68WGF6WM)	100 g in 1 mg
CETEARYL BEHENATE (UNII: 7ARI9LTH0U)	100 g in 1 mg
ISONIACINAMIDE (UNII: 4H3BH6YX9Q)	100 g in 1 mg
1-BUTYLGLYCERIN (UNII: 8834DFG5HH)	100 g in 1 mg
1,3-BUTYLENE GLYCOL 1-PROPIONATE (UNII: 17U77WTV66)	100 g in 1 mg

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-270-01	50 mg in 1 BOTTLE; Type 0: Not a Combination Product	07/03/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	07/03/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Shenzhen XiaoMai Manufacturing Co., Ltd.

712999147

manufacture(83872-270)

Revised: 7/2024

Shenzhen XiaoMai Manufacturing Co., Ltd.