

ZAP APF- sodium fluoride gel
Crosstex International Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active Ingredient:

Fluoride Ion 1.23%. A stable thixotropic gel providing 1.23% fluoride ion. Available from 2.09% Sodium Fluoride and Hydrofluoric Acid.

Purpose:

Anticaries Treatment.

Indications and Usage:

This is a prescription fluoride treatment gel used to help prevent dental decay.

- For Professional Use Only. This product is not intended for home or unsupervised consumer use.

Warnings:

- Keep out of reach of children.
- Do not swallow. If product is accidentally swallowed in quantities greater than would normally occur with a treatment gel, seek medical help or contact a poison control center right away.
- Read directions carefully before using.

Dosage and Administration:

Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventative caries treatment two times a year.

1. After thorough prophylaxis, fill two single or one dual tray one third full with gel. Air dry teeth and insert trays into the mouth.
2. Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minutes.

Other information:

Do not store above 25°C/77°F.
Do not freeze.

Inactive Ingredients:

Citric Acid, Flavor, Magnesium Aluminum Silicate, Phosphoric Acid, Polysorbate 20, Sodium Benzoate, Sodium Saccharin, Titanium Dioxide, Water, Xanthan Gum, Xylitol.

Zap
NDC# 24794 107 16
FLUORIDE GEL
Topical Fluoride Ion 1.23%
THIXOTROPIC
1 Minute or 4 Minute Treatment
FOR PROFESSIONAL USE ONLY
DYE-FREE MINT
16 OZ. (454 g)
GLUTEN FREE!
CONTAINS XYLITOL
Patient's Choice[®] Dental Products
from **CROSSTEX**[®]
A CANTEL MEDICAL COMPANY
Rx Only

REF UFGADFM

(01) 10732224000289

Active Ingredient:
Fluoride Ion 1.23%. A stable thixotropic gel providing 1.23% fluoride ion. Available from 2.09% Sodium Fluoride and Hydrofluoric Acid.

Purpose:
Anticaries Treatment.

Indications and Usage:
This is a prescription fluoride treatment gel used to help prevent dental decay.
• For Professional Use Only. This product is not intended for home or unsupervised consumer use.

Warnings:

- Keep out of reach of children.
- Do not swallow. If product is accidentally swallowed in quantities greater than would normally occur with a treatment gel, seek medical help or contact a Poison Control Center right away.
- Read directions carefully before using.

Dosage and Administration:
Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventive caries treatment two times a year.
1. After thorough prophylaxis, fill two single or one dual tray one third full with gel. Air dry teeth and insert trays into the mouth.
2. Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minutes.

Other information:

- Do not store above 25°C/77°F.
- Do not freeze.

Inactive Ingredients:
Citric Acid, Flavor, Magnesium Aluminum Silicate, Phosphoric Acid, Polysorbate 20, Sodium Benzoate, Sodium Saccharin, Titanium Dioxide, Water, Xanthan Gum, Xylitol.

UFGADFM-BTL
Rev. 5 - 6/18

Manufactured for: Crosstex International, Inc.
Corporate Office: 10 Ranick Rd., Hauppauge, NY 11788-4209 USA
Website: www.crosstex.com E-mail: crosstex@crosstex.com

99100016 **MADE IN USA**

ZAP APF

sodium fluoride gel

Product Information

| | | | |
|--------------------------------|-------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:24794-107 |
| Route of Administration | DENTAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|----------------------------------------------------------------------------|--------------|----------------|
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) | FLUORIDE ION | 5.6 g in 454 g |
|----------------------------------------------------------------------------|--------------|----------------|

Inactive Ingredients

| Ingredient Name | Strength |
|-------------------------------------------------------|----------|
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC) | |
| PHOSPHORIC ACID (UNII: E4GA8884NN) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| WATER (UNII: 059QF0K00R) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| XYLITOL (UNII: VCQ006KQ1E) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|------------------|---------------------|--|
| Color | white (Dye Free) | Score | |
| Shape | | Size | |
| Flavor | MINT | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:24794-107-16 | 454 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2018 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|------------------------------------------|----------------------|--------------------|
| unapproved drug other | | 12/14/2012 | |

Labeler - Crosstex International Inc. (057728685)

Revised: 1/2022

Crosstex International Inc.