

**EXCHANGE SELECT FIRST AID TRIPLE ANITBIOTIC PAIN RELIEVING- bacitracin,
neomycin, polymyxin b, pramoxine hcl ointment
Army & Air Force Exchange Service**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Company First Aid Triple Antibiotic Pain Relieving Ointment Drug Facts

Active ingredient (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse

- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Neosporin[®] + Pain Relief active ingredients

Helps skin heal to look healthy

Long Lasting Infection Protection

first aid triple antibiotic pain relieving ointment

Bacitracin Zinc – Neomycin Sulfate – Polymyxin B Sulfate – Pramoxine HCl

First aid antibiotic / pain relieving ointment

MAXIMUM STRENGTH

NET WT 1 OZ (28 g)

exchange **select**TM

Compare to Neosporin[®]
+ Pain Relief
active ingredients

Helps skin heal to look healthy
Long Lasting Infection Protection

first aid triple antibiotic
pain relieving ointment

first aid triple antibiotic
pain relieving ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl
first aid antibiotic / pain relieving ointment

MAXIMUM STRENGTH

NET WT 1 OZ (28g)

quality
value



**SATISFACTION GUARANTEED
OR YOUR MONEY BACK**

Manufactured For: Your Military Exchanges
By: Perrigo Company
Allegan, MI USA 49010

This product is not affiliated with, manufactured by, or produced by the makers of Neosporin[®].

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base	First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfate	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:
 cuts scrapes burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information store at 20-25°C (68-77°F)

Inactive ingredient white petrolatum

Questions or comments? 1-800-719-9260

1 2 2 4 7 4 1 3

EXCHANGE SELECT FIRST AID TRIPLE ANITBIOTIC PAIN RELIEVING

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55301-123

Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP ^U] in 1 g	
	NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g	
	POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP ^U] in 1 g	
	PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
Inactive Ingredients				
	Ingredient Name	Strength		
	PETROLATUM (UNII: 4T6H12BN9U)			
Product Characteristics				
Color	YELLOW (Translucent)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-123-64	1 in 1 CARTON	03/03/2016	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	03/03/2016		

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 12/2019

Army & Air Force Exchange Service