

EXCHANGE SELECT SPORT SUNSCREEN SPF 50- avobenzone homosalate octisalate octocrylene oxybenzone lotion
ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Avobenzone 3.0 %

Homosalate 13.0%

Octisalate 5.0%

Octocrylene 5.0%

Oxybenzone 6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

Warnings

For external use only

When using this product

- keep out of eyes. Rinse with water to remove.

stop use and ask a doctor if

- rash or irritation develops and lasts.

keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring.

Other Information

- May stain some fabrics
- Sun Alert: Limiting sun exposure, wearing, protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water, Neopentyl Glycol Diheptanoate, Styrene/Acrylates Copolymer, Propylene Glycol, Polyglyceryl-3 Methylglucose Distearate, Benzyl Alcohol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Disodium EDTA, Oleth-3, Tocopherol, Chlorphenesin, Fragrance.

Principal Display Panel

EXCHANGE

Select

X

Sport

SUNSCREEN

lotion

SPF 50

Broad Spectrum

UVA/UVB Protection

Very Water/ Sweat Resistant

8 FL.OZ. (237 mL)

exchange
select.



Sport
SUNSCREEN
Lotion

Antioxidant Enriched



Broad Spectrum
UVA/UVB Protection
Very Water/Sweat Resistant

ES02-8

8 FL. OZ. (237 mL)

Drug Facts

Active ingredients **Purpose**
 Avobenzone 3.0%, Homosalate 13.0%,
 Octisalate 5.0%, Octocrylene 5.0%,
 Oxybenzone 6.0% Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water

Warnings

For external use only

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash or irritation develops and lasts.

Keep out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor • reapply frequently and after towel drying, swimming or perspiring

Other information • May stain some fabrics • Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients Water, Neopentyl Glycol Diheptanoate, Styrene/Acrylates Copolymer, Propylene Glycol, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Disodium EDTA, Oleth-3, Tocopherol, Benzyl Alcohol, Chlorphenesin, Fragrance.



"SATISFACTION GUARANTEED OR YOUR MONEY BACK."

Manufactured For:
 Your Military Exchanges
 By: Alpha to Omega
 Ormond Beach, FL 32174
 386-673-2024

Made in U.S.A.

ES02-B

EXCHANGE SELECT SPORT SUNSCREEN SPF 50

avobenzone homosalate octisalate octocrylene oxybenzone lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:5530 1-0 10 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|-----------------------------------------------------------------------|-------------|---------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 3 g in 100 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 13 g in 100 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 5 g in 100 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 5 g in 100 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 6 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------------|----------|
| WATER (UNII: 059QF0K00R) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| OLETH-3 (UNII: BQZ26235UC) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------|----------------------|--------------------|
| 1 | NDC:55301-010-56 | 226 g in 1 BOTTLE, PLASTIC | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph not final | part352 | 11/16/2012 | |

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Revised: 11/2012

ARMY AND AIR FORCE EXCHANGE SERVICE