

**HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid
Cardinal Health (Leader) 70000**

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

First aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area

- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit it out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening

Inactive ingredient

purified water

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Hydrogen Peroxide

3% USP

First Aid Antiseptic

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DISTRIBUTED BY CARDINAL HEALTH, DUBLIN OHIO 43017

www.myleader.com

Package Label



NDC 70000-0500-1

Hydrogen Peroxide

3% USP
First Aid Antiseptic
Oral Debriding Agent

100% Money Back Guarantee

32 FL OZ (1 QT) 946 mL

PLD-A220C LB006564

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts	Active ingredient Hydrogen peroxide 3%.....First aid antiseptic/oral debriding agent	Purpose First aid antiseptic/oral debriding agent
Uses	<ul style="list-style-type: none"> ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth 	
Warnings	<p>For external use only.</p> <p>Do not use ■ in the eyes or apply over large areas of the body ■ longer than one week</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds, animal bites or serious burns <p>Stop use and ask a doctor if ■ swelling, rash, or fever develops ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	
Directions	<p>For use as a first aid antiseptic:</p> <ul style="list-style-type: none"> ■ clean affected area ■ if bandaged, let dry first ■ apply small amount of product on affected area 1-3 times a day ■ may be covered with a sterile bandage <p>For use as an oral debriding agent (oral rinse):</p> <ul style="list-style-type: none"> ■ adults and children 2 years of age and over: <ul style="list-style-type: none"> ■ mix with an equal amount of water ■ swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow. ■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor ■ children under 12 years should be supervised in the use of this product ■ children under 2 years of age: consult a doctor or dentist 	
Other information	<ul style="list-style-type: none"> ■ keep tightly closed and in a dark place at room temperature ■ do not shake bottle. Hold away from face when opening. 	
Inactive ingredient	purified water	
Questions or comments?	Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

DISTRIBUTED BY CARDINAL HEALTH, DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6313
© 2019 Cardinal Health
PLD-A220C LB006571 **CIN 5511712** **REV. 2/19**

0 96295 13703 3

LEADER Hydrogen Peroxide 3% USP

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0500-1	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/28/2019	
2	NDC:70000-0500-2	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/28/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	02/28/2019	

Labeler - Cardinal Health (Leader) 70000 (063997360)

Revised: 10/2023

Cardinal Health (Leader) 70000