

LORATADINE- loratadine tablet
Gobrand, Inc

NON-DROWSY 24 HOUR

Allergy Relief

Loratadine Antihistamine

Active Ingredient (in each tablet)

Loratadine, 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

●runny nose ●itchy, watery eyes ●sneezing ●itching of the nose or throat

Warnings

Do not use if you ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults & children 6 years & over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate, povidone

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL

Compare to active ingredient in Claritin®†

NDC 82501-1580-3

actual size

good now

NON-DROWSY 24 HOUR
Allergy Relief
Loratadine →
Tablets, 10 mg

30 TABLETS

Original Prescription Strength Antihistamine

Indoor & Outdoor Allergy Relief

Sneezing
Runny Nose
Itchy, Watery Eyes

TAMPER EVIDENT. DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING. KEEP CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts	Purpose
Active ingredient (in each tablet) Loratadine 10mg.....Antihistamine	
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: •runny nose •itchy, watery eyes •sneezing •itching of the nose or throat	
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
Directions	
adults & children 6 years & over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor
Other information	
•store between 20° to 25°C (68° to 77°F)	
Questions or comments? 1-888-333-9792	

This product is not manufactured or distributed by Bayer Healthcare, LLC, owner of the registered trademark, Claritin®

DISTRIBUTED BY: GOBRANDS, INC. PHILADELPHIA, PA 19123
©2022 GOBRANDS, INC.
MADE IN INDIA

LOT:
EXP:



LORATADINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82501-1580
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03B07QN) (LORATADINE - UNII: 7AJ03B07QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	P10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82501-1580-3	1 in 1 CARTON	05/16/2022	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA214684	05/16/2022	

Labeler - Gobrands, Inc (057499049)

Registrant - Spirit Pharmaceuticals LLC (179621011)