

**FENTY SKIN HYDRA VIZOR SPF 30- avobenzone, homosalate, octisalate lotion  
KENDO HOLDINGS INC**

-----  
**KENDO (as PLD) - FENTY SKIN HYDRA VIZOR - SPF 30 (71499-220)**

**ACTIVE INGREDIENTS**

AVOBENZONE 3%

HOMOSALATE 9%

OCTISALATE 4.5%

**PURPOSE**

SUNSCREEN

**USES**

- HELPS PREVENT SUNBURN
- IF USED AS DIRECTED WITH OTHER SUN PROTECTION MEASURES (SEE DIRECTIONS), DECREASES THE RISK OF SKIN CANCER AND EARLY SKIN AGING CAUSED BY THE SUN.

**WARNINGS**

FOR EXTERNAL USE ONLY.

DO NOT USE ON DAMAGED OR BROKEN SKIN.

STOP USE AND ASK A DOCTOR IF RASH OCCURS.

WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**DIRECTIONS**

- APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE.
- USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR SWEATING.
- REAPPLY AT LEAST EVERY 2 HOURS.
- CHILDREN UNDER 6 MONTHS: ASK A DOCTOR.
- SUN PROTECTION MEASURES. SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNCREEN WITH A BROAD SPECTRUM SPF VALUE OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING:
  - LIMIT TIME IN THE SUN, ESPECIALLY FROM 10 A.M. - 2 P.M.
  - WEAR LONG-SLEEVED SHIRTS, PANTS, HATS, AND SUNGLASSES.

## OTHER INFORMATION

PROTECT THIS PRODUCT FROM EXCESSIVE HEAT AND DIRECT SUN.

## INACTIVE INGREDIENTS

WATER, GLYCERIN, CARTHAMUS TINCTORIUS SEED OLEOSOMES, PENTYLENE GLYCOL, BUTYLENE GLYCOL, C12-15 ALKYL BENZOATE, NIACINAMIDE, ZEA MAYS (CORN) STARCH, HYALURONIC ACID, SODIUM HYALURONATE, CITRULLUS LANATUS (WATERMELON) SEED EXTRACT, ADANSONIA DIGITATA PULP EXTRACT, BAROSMA BETULINA LEAF EXTRACT, ALOE BARBADENSIS LEAF JUICE, TOCOPHERYL ACETATE, GLUCONOLACTONE, SORBITAN OLEATE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER, DIMETHICONE, ISOHEXADECANE, ETHYLHEXYL METHOXYCRYLENE, POLYSORBATE 80, XANTHAN GUM, SODIUM HYDROXIDE, CITRIC ACID, POTASSIUM HYDROXIDE, TOCOPHEROL, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ETHYLHEXYLGLYCERIN, SODIUM BENZOATE, POTASSIUM SORBATE, PHENOXYETHANOL, FRAGRANCE, BENZYL SALICYLATE, CITRAL, HEXYL CINNAMAL, LIMONENE, LINALOOL, RED 33.

## QUESTIONS?

FENTYSKIN.COM

**FENTY SKIN**

**HYDRA VIZOR**

INVISIBLE MOISTURIZER  
BROAD SPECTRUM SPF 30  
SUNSCREEN

30ML / 1FL. OZ.

Use every single day—no excuses!  
Apply before makeup for the  
ultimate canvas.

**Active ingredients:** Avobenzone 3%,  
Homosalate 9%, Octisalate 4.5%  
**Purpose:** Sunscreen

**Directions:** For external use only. Apply  
liberally 15 minutes before sun  
exposure. Use a water resistant  
sunscreen if swimming or sweating.  
Reapply at least every 2 hours.

**Warnings:** Do not use on damaged or  
broken skin. Stop use and ask a doctor  
if rash occurs. Avoid contact with eyes.  
Rinse with water to remove. Keep out of  
reach of children. If swallowed, get  
medical help or contact a Poison  
Control Center right away.



DIST. BY KENDO, SAN FRANCISCO, CA 94105. MADE IN USA  
FENTYSKIN.COM

| <b>DRUG FACTS</b>  |  | <b>DRUG FACTS</b> (continued)  |  |
|--|--|--|--|
| <b>Active Ingredients</b><br>Avobenzone 3%<br>Homosalate 9%<br>Octisalate 4.5%   |  | <b>Purpose</b><br>Sunscreen  |  |
| <b>Uses</b><br>• Helps prevent sunburn<br>• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.   |  | • Children under 6 months: Ask a doctor.<br>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:<br>• Limit time in the sun, especially from 10 a.m.-2 p.m.<br>• Wear long-sleeved shirts, pants, hats, and sunglasses.   |  |
| <b>Warnings</b><br>For external use only.<br>Do not use on damaged or broken skin.<br>Stop use and ask a doctor if rash occurs.<br>When using this product keep out of eyes. Rinse with water to remove.<br>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. |  | <b>Other information</b><br>Protect this product from excessive heat and direct sun.   |  |
| <b>Directions</b><br>• Apply liberally 15 minutes before sun exposure.<br>• Use a water resistant sunscreen if swimming or sweating.<br>• Reapply at least every 2 hours.  |  | <b>Inactive Ingredients</b><br>WATER, GLYCERIN, CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES, PENTYLENE GLYCOL, BUTYLENE GLYCOL, C12-15 ALKYL BENZOATE, NIACINAMIDE, ZEA MAYS (CORN) STARCH, HYALURONIC ACID, SODIUM HYALURONATE, CITRULLUS LANATUS (WATERMELON) SEED EXTRACT, ADANSONIA DIGITATA PULP EXTRACT, BAROSMA BETULINA LEAF EXTRACT, ALOE BARBADENSIS LEAF JUICE, TOCOPHERYL ACETATE, GLUCONOLACTONE, SORBITAN OLEATE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, DIMETHICONE, ISOHEXADECANE, ETHYLHEXYL METHOXYCRYLENE, POLYSORBATE 80, XANTHAN GUM, SODIUM HYDROXIDE, CITRIC ACID, POTASSIUM HYDROXIDE, TOCOPHEROL, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ETHYLHEXYLGLYCERIN, SODIUM BENZOATE, POTASSIUM SORBATE, PHENOXYETHANOL, FRAGRANCE, BENZYL SALICYLATE, CITRAL, HEXYL CINNAMAL, LIMONENE, LINALOOL, RED 33. |  |
|  |  | <b>Questions?</b> FentySkin.com  |  |

## FENTY SKIN HYDRA VIZOR SPF 30

avobenzone, homosalate, octisalate lotion

| <b>Product Information</b>                                   |                |                           |                 |
|--|----------------|---------------------------|-----------------|
| <b>Product Type</b>  | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:71499-220   |
| <b>Route of Administration</b>                               | TOPICAL        |                           |                 |
| <b>Active Ingredient/Active Moiety</b>                       |                |                           |                 |
| <b>Ingredient Name</b>                                       |                | <b>Basis of Strength</b>  | <b>Strength</b> |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) |                | AVOBENZONE                | 3 g in 100 mL   |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) |                | HOMOSALATE                | 9 g in 100 mL   |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) |                | OCTISALATE                | 4.5 g in 100 mL |
| <b>Inactive Ingredients</b>                                  |                |                           |                 |
| <b>Ingredient Name</b>                                       |                |                           | <b>Strength</b> |
| ADANSONIA DIGITATA FRUIT PULP (UNII: P65OHK3GHP)             |                |                           |                 |
| HYALURONIC ACID (UNII: S270N0TRQY)                           |                |                           |                 |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH)                        |                |                           |                 |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L)                            |                |                           |                 |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4)                         |                |                           |                 |
| TOCOPHEROL (UNII: R0ZB2556P8)                                |                |                           |                 |
| BENZYL SALICYLATE (UNII: WAO5MKNK9TU)                        |                |                           |                 |
| CITRAL (UNII: T7EU009VPP)                                    |                |                           |                 |
| .ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6037OK2I)               |                |                           |                 |
| WATER (UNII: 059QF0KO0R)                                     |                |                           |                 |
| GLYCERIN (UNII: PDC6A3C0OX)                                  |                |                           |                 |
| CARTHAMUS TINCTORIUS SEED OLEOSOMES (UNII: 9S60Q72309)       |                |                           |                 |
| PENTYLENE GLYCOL (UNII: 50C1307PZG)                          |                |                           |                 |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA)                           |                |                           |                 |

|   |
|---|
| <b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)   |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)   |
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)  |
| <b>SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW)</b> (UNII: 1DXE3F3OZX) |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |
| <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)   |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)   |
| <b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)   |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)  |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)  |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)  |
| <b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)              |
| <b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)   |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)  |
| <b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)  |
| <b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)                                 |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)  |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)   |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)   |
| <b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)   |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)   |
| <b>AGATHOSMA BETULINA LEAF</b> (UNII: 369DDH39Z0)   |
| <b>WATERMELON SEED</b> (UNII: N364973Y9Q)   |
| <b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)  |
| <b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)  |

### Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:71499-220-01 | 7 mL in 1 TUBE; Type 0: Not a Combination Product    | 08/23/2020           |                    |
| 2 | NDC:71499-220-02 | 30 mL in 1 TUBE; Type 0: Not a Combination Product   | 08/23/2020           |                    |
| 3 | NDC:71499-220-03 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | 08/23/2020           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 08/23/2020           |                    |

**Labeler** - KENDO HOLDINGS INC (078489982)