

VALIANT PRE- lactic acid and linear dodecyl benzene sulfonic acid solution
ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling.

Do not mix with bleach or other chlorinated products -
will cause chlorine gas.

For external use on dairy cows.

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Pre (US) or mix (27.3 mL Valiant Catalyst (US) to 1 liter Valiant Pre (US)) and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

IMPORTANT: Do not add mixed Valiant Pre (US) ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Valiant Pre (US).

Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR PRE-MILKING

Fill teat dip cup with Valiant Pre (US). Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Valiant Pre (US). Wipe teats dry after dipping, using single-service towels to avoid contamination of milk. Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. If product in dip cup becomes

visibly dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to the original container.

NOTE: Valiant Pre (US) is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/ attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026.

If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Representative label and principal display panel

Pre (US)

Valiant

Quality milk

System

Sanitizing Pre-Milking Teat Dip

Base – For use exclusively with Valiant Catalyst (US)

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....2.3%

Linear Dodecyl Benzene Sulfonic Acid1.6%

INERT INGREDIENTS:.....96.1%

(contains lanolin and propylene glycol)

TOTAL:.....100.0%

6300465

208 L (55 US GAL)

Distributed by:

ABS Global, Inc. · P.O. Box 459

DeForest, Wisconsin USA 53532

www.absglobal.com

Manufactured by:

Ecolab Inc. · 1 Ecolab Place ·



St. Paul, MN 55102 USA ·

tel. 1 800 392 3392

© 2018 Ecolab USA Inc · All rights reserved

Made in U.S.A.

Pre (US)



Sanitizing Pre-Milking Teat Dip


Base – For use exclusively with Valiant Catalyst (US)
An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:
Lactic Acid.....2.3%
Linear Dodecyl Benzene Sulfonic Acid1.6%
INERT INGREDIENTS:.....96.1%
(contains lanolin and propylene glycol)
TOTAL:.....100.0%

Base exclusiva para sellar pezones

Base – Para usarse exclusivamente con Valiant Catalyst (US)
Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTES ACTIVOS:
Ácido láctico.....2,3%
Ácido lineal dodecilbencensulfónico.....1,6%
INGREDIENTES INERTES:.....96,1%
(contiene lanolina y glicol propileno)
TOTAL:.....100,0%



6300465

208 L (55 US GAL)

**KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**
Warning
Causes eye irritation.
Wash skin thoroughly after handling.
Do not mix with bleach or other chlorinated products - will cause chlorine gas.
For external use on dairy cows.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT
EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).
DIRECTIONS FOR USE
Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Pre (US) or mix (27.3 mL Valiant Catalyst (US) to 1 liter Valiant Pre (US)) and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.
IMPORTANT: Do not add mixed Valiant Pre (US) ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Valiant Pre (US). Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.
DIRECTIONS FOR PRE-MILKING
Fill teat dip cup with Valiant Pre (US). Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Valiant Pre (US). Wipe teats dry after dipping, using single-service towels to avoid contamination of milk. Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to the original container.
NOTE: Valiant Pre (US) is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**MANTENGALO ALEJADO DEL ALCANCE DE LOS NIÑOS
NO ES PARA USO HUMANO**
Atención
Provoca irritación ocular.
Lave la piel minuciosamente después del manejo.
No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.
Para uso externo en vacas lecheras.
EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.
LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO
INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).
INSTRUCCIONES DE USO
Mezcla: Agregue 105 mL (3.5 onzas) de Valiant Catalyst (US) a 3.8 litros (1 gal) de Valiant Pre (US) (27.3 mL Valiant Catalyst (US) o 1 litro Valiant Pre (US)) y mezcle. Para mezclar correctamente las dos soluciones, invierta el recipiente de 5 a 7 veces. Esta solución mezclada permanecerá estable por 7 días. Después de 7 días, tire la solución y mezcle otra nueva.
IMPORTANTE: No agregue Valiant Pre (US) mezclado y listo para usar a ningún otro sellador de pezones o a otros productos. Si lo transfiere de este recipiente a otro, verifique que el otro está minuciosamente limpio y que tenga la etiqueta de Valiant Pre (US). El uso de un programa completo para el cuidado de vacas, incluyendo el pre y post sellado, puede reducir la diseminación de organismos que pueden causar mastitis.
INSTRUCCIONES PARA LA PRE-ORDEÑA
Llene la copa de sellado con Valiant Pre (US). Antes de ordeñar cada vaca, sumerja los pezones hasta donde sea posible en la copa de sellado conteniendo Valiant Pre (US). Luego, seque los pezones usando toallas desechables para evitar la contaminación de la leche. Cuando las ubres y los pezones estén demasiado sucios, se deben lavar antes de usar el sellador de pezones preordeña. Si el producto en la copa de sellado se ve sucio, tire el contenido y vuelva a llenar con producto. No vuelva a usar el producto residual ni lo devuelva al recipiente original.
NOTA: Valiant Pre (US) no intenta curar o ayudar a cicatrizar pezones irritados o agrietados. En caso de irritación o agrietamiento, consulte a su médico veterinario.

Distributed by:
ABS Global, Inc. · P.O. Box 459
DeForest, Wisconsin USA 53532
www.absglobal.com

Manufactured by:
Ecolab Inc. · 1 Ecolab Place ·
St. Paul, MN 55102 USA ·
tel. 1 800 392 3392
© 2018 Ecolab USA Inc · All rights reserved
Made in U.S.A.
www.ecolab.com · 703726/5301/1218

VALIANT PRE

lactic acid and linear dodecyl benzene sulfonic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59 282-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
		22 mg

LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)		LACTIC ACID	25 mg in 1 mL	
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)		DODECYLBENZENESULFONIC ACID	16 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-101-16	18930 mL in 1 PAIL		
2	NDC:59282-101-17	56780 mL in 1 DRUM		
3	NDC:59282-101-21	208200 mL in 1 DRUM		
4	NDC:59282-101-44	1135000 mL in 1 CONTAINER		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			12/16/2005	

Labeler - ABS Global Inc. (835053570)

Revised: 6/2019

ABS Global Inc.