

**MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable**  
**Rite Aid Corporation**

-----  
**Rite Aid 44-404 Delisted**

***Active ingredient (in each chewable tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- drowsiness may occur

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

NDC 11822-0404-2

Compare to the active ingredient  
in **Bonine® Chewable Tablets\***

**MOTION SICKNESS** RELIEF  
MECLIZINE HCl 25 mg CHEWABLE TABLETS  
ANTIEMETIC  
PREVENTS MOTION SICKNESS

RASPBERRY  
FLAVORED

**16** CHEWABLE TABLETS

ACTUAL SIZE

Chew or crush tablets completely  
before swallowing.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner  
of the registered trademark Bonine® Chewable Tablets.

50844 REV1218D40421

DISTRIBUTED BY: RITE AID,

200 NEWBERRY COMMONS  
 ETTERS, PA 17319  
 www.riteaid.com

**SATISFACTION  
 GUARANTEE**

If you're not satisfied, we'll  
 happily refund your money.

**Drug Facts (continued)**

**Uses** for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness.

**Drug Facts (continued)**

**Active ingredient**  
 (in each chewable tablet)  
 Meclizine HCl 25 mg

**Purpose** Antiemetic

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Drug Facts**

Compare to the active ingredient in **Bonine® Chewable Tablets\***

**NDC 11822-0404-2**

**MOTION SICKNESS RELIEF**

**MECLIZINE HCl 25 mg CHEWABLE TABLETS**

**ANTIEMETIC PREVENTS MOTION SICKNESS**

**RASPBERRY FLAVORED**

**16 CHEWABLE TABLETS**

**ACTUAL SIZE**

Chew or crush tablets completely before swallowing.

**SATISFACTION GUARANTEE**  
 If you're not satisfied, we'll happily refund your money.

**DISTRIBUTED BY: RITE AID**  
 200 NEWBERRY COMMONS  
 ETTERS, PA 17319  
 www.riteaid.com

no print / no varnish area  
 lot no. & exp. date

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

0 11822 37278 7

**Drug Facts (continued)**

**Warnings**

Do not use for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery ■ drowsiness may occur

If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts (continued)**

**Inactive ingredients** corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

**Drug Facts (continued)**

**Questions or comments?** 1-800-426-9391

**Drug Facts (continued)**

**Directions**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

■ dosage should be taken one hour before travel starts ■ chew or crush tablets completely before swallowing; do not swallow tablets whole ■ adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

**Other information**

**TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ protect from heat and humidity

■ see end flap for expiration date and lot number

Rite Aid 44-404

**MOTION SICKNESS RELIEF**

meclizine hcl tablet, chewable

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:11822-0404 |
| <b>Route of Administration</b> | ORAL           |                           |                |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) | MECLIZINE HYDROCHLORIDE  | 25 mg           |

## Inactive Ingredients

| <b>Ingredient Name</b>                        | <b>Strength</b> |
|---|-----------------|
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)        |                 |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA) |                 |
| <b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)   |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |                 |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)    |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)     |                 |

## Product Characteristics

|                 |                   |                     |          |
|-----------------|-------------------|---------------------|----------|
| <b>Color</b>    | pink (Light Pink) | <b>Score</b>        | 2 pieces |
| <b>Shape</b>    | ROUND             | <b>Size</b>         | 9mm      |
| <b>Flavor</b>   | RASPBERRY         | <b>Imprint Code</b> | 44;404   |
| <b>Contains</b> |                   |                     |          |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                             | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:11822-0404-2 | 2 in 1 CARTON  | 05/29/2002                  | 03/19/2026                |
| 1        |                  | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product |                             |                           |
| 2        | NDC:11822-0404-4 | 1 in 1 CARTON  | 05/29/2002                  | 07/23/2021                |
| 2        |                  | 2 in 1 BLISTER PACK; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M009  | 05/29/2002                  | 03/19/2026                |

**Labeler** - Rite Aid Corporation (014578892)

## Establishment

| Name                    | Address | ID/FEI    | Business Operations                        |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(11822-0404) , pack(11822-0404) |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations     |
|-------------------------|---------|-----------|-------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(11822-0404) |

Revised: 9/2024

Rite Aid Corporation