

**MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable**  
**Rite Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Rite Aid 44-404**

***Active ingredient (in each chewable tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- drowsiness may occur

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

***Questions or comments?***

**1-800-426-9391**

***Principal Display Panel***

NDC 11822-0404-2

Compare to the active ingredient in **Bonine® Chewable Tablets\***

**MOTION SICKNESS RELIEF**  
MECLIZINE HCl 25 mg CHEWABLE TABLETS  
ANTIEMETIC  
PREVENTS MOTION SICKNESS

RASPBERRY  
FLAVORED

**16 CHEWABLE TABLETS**

ACTUAL SIZE

chew or crush tablets completely  
before swallowing.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner of the registered trademark Bonine® Chewable Tablets.

50844 REV1218C40421

**DISTRIBUTED BY:**  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION  
GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.

NDC 11822-0404-2

Compare to the active ingredient  
in **Bonine® Chewable Tablets\***

# MOTION SICKNESS RELIEF

**MECLIZINE HCl 25 mg CHEWABLE TABLETS**

**ANTIEMETIC  
PREVENTS MOTION SICKNESS**

**RASPBERRY  
FLAVORED**

**16  
CHEWABLE  
TABLETS**

Chew or crush tablets completely  
before swallowing.

ACTUAL SIZE

Satisfaction Guarantee  
If you're not satisfied, we'll  
happily refund your money.

DISTRIBUTED BY:  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)

no print, no varnish area  
lot no & exp date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

0 11822 37278 7

\*This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner of the registered trademark Bonine® Chewable Tablets.  
50844 REV1218C40421

**Drug Facts (continued)**

**Warnings**  
Do not use for children under 12 years of age unless directed by a doctor.  
Ask a doctor before use if you have ■ glaucoma  
■ difficulty in urination due to enlargement of the prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
When using this product  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ avoid alcoholic beverages  
■ use caution when driving a motor vehicle or operating machinery  
■ drowsiness may occur  
If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts (continued)**

**Inactive ingredients** com starch, FD&C red #40  
saccharin sodium, silicon dioxide  
aluminum lake, flavor, lactose anhydrous, magnesium stearate.

**Drug Facts (continued)**

**Questions or comments?** 1-800-426-9391

**Drug Facts (continued)**

**Directions**  
■ dosage should be taken one hour before travel starts  
■ chew or crush tablets completely before swallowing.  
■ adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor  
■ do not swallow tablets whole  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ protect from heat and humidity  
■ see end flap for expiration date and lot number

**Other information**  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED  
OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ see end flap for expiration date and lot number

**Drug Facts (continued)**

**Warnings**  
Do not use for children under 12 years of age unless directed by a doctor.  
Ask a doctor before use if you have ■ glaucoma  
■ difficulty in urination due to enlargement of the prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
When using this product  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ avoid alcoholic beverages  
■ use caution when driving a motor vehicle or operating machinery  
■ drowsiness may occur  
If pregnant or breast-feeding, ask a health professional before use.

Rite Aid 44-404

# MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0404
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

## Product Characteristics

<b>Color</b>	pink (Light Pink)	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>	44;404
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0404-2	2 in 1 CARTON	05/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0404-4	1 in 1 CARTON	05/29/2002	07/23/2021
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part336	05/29/2002	

**Labeler** - Rite Aid Corporation (014578892)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	pack(11822-0404)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(11822-0404)

Revised: 7/2022

Rite Aid Corporation