MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable
Rite Aid Corporation

Rite Aid 44-404

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- drowsiness may occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25ºC (77ºF); excursions permitted between 15º-30ºC (59º-86ºF)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-0404-2

Compare to the active ingredient
in **Bonine® Chewable Tablets***

MOTION SICKNESS RELIEF
MECLIZINE HCl 25 mg CHEWABLE TABLETS
ANTIEMETIC
PREVENTS MOTION SICKNESS

RASPBERRY
FLAVORED

16 CHEWABLE TABLETS

ACTUAL SIZE

Chew or crush tablets completely
before swallowing.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner of the registered trademark Bonine® Chewable Tablets.
50844   REV1218D40421

DISTRIBUTED BY: RITE AID,

Drug Facts

Active ingredient
(in each chewable tablet)
Meclizine HCl 25 mg

Purpose
Antiemetic

KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION

Drug Facts (continued)
Uses for prevention and treatment of nausea, vomiting, or
dizziness associated with motion sickness

NDC 11822-0404-2

Compare to the active ingredient
in Bonine® Chewable Tablets*

MOTION SICKNESS RELIEF
MECLIZINE HCl 25 mg CHEWABLE TABLETS
ANTIEMETIC
PREVENTS MOTION SICKNESS

RASPBERRY
FLAVORED

16
CHEWABLE
TABLETS

ACTUAL SIZE

Chew or crush tablets completely
before swallowing.

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com

no print / no varnish area
lot no. & exp. date

SATISFACTION
GUARANTEE
If you're not satisfied, we'll
happily refund your money.

B-1702-404-21-R3
REV12180404Z1

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

0 11822 37278 7

*This product is not manufactured or distributed by Wellspring Pharmaceutical Corporation, owner of the registered trademark Bonine®
Chewable Tablets. 50844   REV12180404Z1

Drug Facts (continued)
Inactive ingredients corn starch, FD&C red #40
aluminum lake, flavor, lactose anhydrous, magnesium stearate,
saccharin sodium, silicon dioxide

Drug Facts (continued)
Questions or comments? 1-800-426-9391

Drug Facts (continued)
Warnings
Do not use for children under 12 years of age unless directed by a
doctor.

Ask a doctor before use if you have ■ glaucoma
■ difficulty in urination due to enlargement of the prostate gland
■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives
or tranquilizers.

When using this product
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic beverages
■ use caution when driving a motor vehicle or operating machinery
■ drowsiness may occur

If **pregnant** or **breast-feeding,** ask a health professional before
use.

Drug Facts (continued)
Directions
■ dosage should be taken one hour before travel starts
■ chew or crush tablets completely before swallowing;
do not swallow tablets whole
■ adults and children 12 years and over: take 1 to 2 chewable
tablets once daily or as directed by a doctor

Other information
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED
OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30C
(59°-86°F)
■ protect from heat and humidity
■ see end flap for expiration date and lot number

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical
help or contact a Poison Control Center right away.

Rite Aid 44-404

MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:11822-0404
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	pink (Light Pink)	**Score**	2 pieces
Shape	ROUND	**Size**	9mm
Flavor	RASPBERRY	**Imprint Code**	44;404
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0404-2	2 in 1 CARTON	05/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0404-4	1 in 1 CARTON	05/29/2002	07/23/2021
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	05/29/2002	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0404) , pack(11822-0404)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0404)

Revised: 7/2023   Rite Aid Corporation