

CHILDRENS PAIN RELIEVER- acetaminophen tablet, chewable
Valu Merchandisers Company

Best choice 44-449-children

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

* or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-800-426-9391

Principal Display Panel

**Compare to the active ingredient in
Children's Tylenol®****

Best
Choice®

**Children's
Pain Reliever**

**Acetaminophen 160 mg
Chewable Tablets**

Pain Reliever/Fever Reducer

**For ages 2 to 11 years
Ibuprofen Free • Aspirin Free**

**24 Chewable Tablets
Do not swallow tablets whole.**

Actual Size
Grape Flavor
CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING.

**TAMPER EVIDENT:
DO NOT USE IF
PACKAGE IS
OPENED OR IF
BLISTER UNIT IS**

**TORN, BROKEN OR
SHOWS ANY SIGNS
OF TAMPERING**

**This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the
registered trademark Children's Tylenol®.

50844 REV0522B44908

PROUDLY DISTRIBUTED BY: VALU MERCHANDISERS, CO.
5000 KANSAS AVE, KANSAS CITY, KS 66106

Best Choice®

100% Guaranteed

www.bestchoicebrand.com

Scan here for more
product information.

Call 1-844-292-1112 for
more product information.

Drug Facts (continued)
 Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
 ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ hives ■ rash
 ■ itchy skin ■ difficulty breathing ■ swelling of the face, lips, tongue, or throat
 ■ temporary relief of minor aches and pains due to:
 ■ headache ■ sore throat ■ flu
 ■ toothache ■ the common cold
 ■ temporarily reduces fever
Warnings
 Liver warning: This product contains acetaminophen.
Drug Facts (continued)
 Acetaminophen 160 mg.....Pain reliever/fever reducer
Active ingredient
 (in each chewable tablet)
Purpose
Drug Facts (continued)
 COMPLETE PRODUCT INFORMATION

Compare to the active ingredient in
Children's Tylenol®

Best Choice®

Children's Pain Reliever

Acetaminophen 160 mg Chewable Tablets Pain Reliever/Fever Reducer

For ages 2 to 11 years
 Ibuprofen Free • Aspirin Free

24 Chewable Tablets
 Do not swallow tablets whole.

Grape Flavor
 CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING.

Actual Size

Best Choice®

Acetaminophen 160 mg Chewable Tablets Pain Reliever/Fever Reducer Grape Flavor

Best Choice®

Children's Pain Reliever

Acetaminophen 160 mg Chewable Tablets Pain Reliever/Fever Reducer Grape Flavor

0 70038 20320 9

Best Choice 20320 0123 LINK

No Print Area
 Lot no. & Exp. Date

TAMPER EVIDENT:
 DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Best Choice®
 100% Guaranteed

Scan here for more product information
 Call 1-844-292-1112 for more product information

Best Choice®
 5000 KANSAS AVE. KANSAS CITY, KS 66106
 PROUDLY DISTRIBUTED BY: VALU MERCHANTS, CO.
 50844 REV0522B44908
 registered trademark Children's Tylenol,
 Johnson & Johnson Corporation, owner of the

Drug Facts (continued)
 ■ see end flap for expiration date and lot number
Inactive ingredients citric acid, croscarmellose, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, ethylcellulose, FD&C blue #1, polyethylene glycol, stearic acid, sucralose
Questions or comments? 1-800-426-9391

Drug Facts (continued)
 Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ If your child is allergic to acetaminophen or any of the inactive ingredients in this product
 Ask a doctor before use if your child has liver disease.
 Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.
 When using this product do not exceed recommended dosage.
 Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 5 days
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur
 ■ redness or swelling is present
 These could be signs of a serious condition.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions ■ this product does not contain directions or complete warnings for adult use
Drug Facts (continued)
 Do not give more than directed
 ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
 ■ chew or crush tablets completely before swallowing; do not swallow tablets whole
 ■ repeat dose every 4 hours while symptoms last
 ■ do not give more than 5 times in 24 hours
 ■ do not give for more than 5 days unless directed by a doctor
Weight (lb) Age (yr) Dose (chewable tablets)*
 Under 24 Under 2 Ask a doctor
 24-35 2-3 1 tablet
 36-47 4-5 1 1/2 tablets
 48-59 6-8 2 tablets
 60-71 9-10 2 1/2 tablets
 72-95 11 3 tablets
 *or as directed by a doctor
Other information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ avoid high humidity
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

B-2115-449-08-R3
 REV0522B44908

CHILDRENS PAIN RELIEVER

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-944
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	44;449
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-944-08	4 in 1 CARTON	01/28/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M013	01/28/2005	

Labeler - Valu Merchandisers Company (868703513)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63941-944) , pack(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(63941-944)

Revised: 3/2024

Valu Merchandisers Company