

**JOHNSON FOAM FOR MEN- minoxidil aerosol, foam
JOHNSON BIOPHARMACEUTICAL INC.**

JOHNSON FOAM FOR MEN

MINOXIDIL 5%
FINASTERIDE 0.1%

Fight primary cause of hair loss in men. Anti hair loss to help increase hair density and volume.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Fight primary cause of hair loss in men. Anti hair loss to help increase hair density and volume.

do not apply on other parts of the body.

avoid contact with eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

some people have experienced changes in hair color and/or texture.

For external use only.

For use by men only.

Extremely Flammable

Avoid fire, flame, or smoking during and immediately following application.

1. PREP HANDS WITH COLD WATER. Rinse Your Fingers In Cold Water And Dry Them. note: Foam Will Melt On Contact With Warm Surfaces.

2. OPEN CHILD RESISTANT CAP

Be Sure To Align Arrow On The Cap With Arrow On Blue Ring. Tilt Cap Back And Pull Off.

3. DISPENSE VERTICALLY ON TO A COLD SURFACE

Hold The Can Straight Upside Down. If You Hold The Can At An Angle, Foam May Not Dispense Properly. Press Nozzle To Dispense Half A Capful Of Foam Onto Cold Surface (e.g. dish or Cold Hands).

4. APPLY TO SCALP, NOT HAIR

Part Your Hair To Expose Hair Loss Area. Massage Foam Into Scalp Not Hair, Repeat Until All Hair Loss Areas Have Been Covered.

5. CLOSE CAP AND WASH HANDS. Snap cap back into place be sure arrows do not line up, so cap remains child resistant, wash hands and any surface thoroughly after use.

Store at controlled room temperature 20 °C to 25 °C (68° to 77 F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 F (49 °C).

ALCOHOL

GLYCERIN

WATER

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)

HYDROLYZED KERATIN

UBIQUINOL
 BIOTIN
 ZINC PIDOLATE
 BUTYLATED HYDROXYTOLUENE
 EDETATE DISODIUM
 LEVOMENTHOL
 Poloxzam
 POLYSORBATE 80

JOHNSON
 BIOPHARMACEUTICAL

DERMATOLOGIST
 RECOMMENDED BRAND

FINASTERIDE FOAM
 WITH 5%
 MINOXIDIL

Hair Regrowth
 Treatment



REACTIVATES
 HAIR FOLLICLES TO
 STIMULATE REGROWTH

CLINICALLY PROVEN
 TO REGROW HAIR

Easy-to-use Foam
 90 Days Supply
 One 90 g (3.03oz) Can



JOHNSON

DIRECTIONS FOR USE

see information booklet with complete directions on how to use and obtain best results.



1. PREP HANDS WITH COLD WATER

Rinse Your Fingers In Cold Water And Dry Them. note: Foam Will Melt On Contact With Warm Surfaces.



2. OPEN CHILD RESISTANT CAP

Be Sure To Align Arrow On The Cap With Arrow On Blue Ring. Tilt Cap Back And Pull Off.



3. DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold The Can Straight Upside Down. If You Hold The Can At An Angle, Foam May Not Dispense Properly. Press Nozzle To Dispense Half A Cupful Of Foam Onto Cold Surface (e.g. dish, or Cold Hands).



4. APPLY TO SCALP, NOT HAIR

Part Your Hair To Expose Hair Loss Area. Massage Foam Into Scalp, Not Hair. Repeat Until All Hair Loss Areas Have Been Covered.



5. CLOSE CAP AND WASH HANDS

snap cap back into place be sure arrow do not line up, so cap remains child resistant, wash hands and any surface thoroughly after use.

Read and keep package and booklet for full product information

NDC xxxxx-xxx-xx



Finasteride, a specific inhibitor of type II 5 α -reductase, competitively inhibits the conversion of testosterone to dihydrotestosterone in the scalp of men, thereby serving as a treatment for male pattern hair loss. Unlike oral finasteride, topical formulations enable precise and direct application to the scalp surface, ensuring high local drug concentration and minimizing side effects commonly associated with systemic administration. Furthermore, topical formulations reduce systemic absorption of finasteride, limiting exposure outside the targeted area.

Inactive ingredients:
 Alcohol, Glycerin, Water, Dimethicone, Hydrolyzed keratin Ubiquinol, Zinc pidolate, Butylated hydroxytoluene, Edetate disodium, Levomenthol, Poloxzam Polysorbate 80

Store at controlled room temperature 20 °C to 25 °C (68 ° to 77 ° F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F (49 °C)

THIS PACKAGE CONTAINS:



One 90g
 Topical Aerosol



Active Ingredient(s)
 Minoxidil(5%), Finasteride(0.1%)

Purpose:
 Fight primary cause of hair loss in men. Anti hair loss to help increase hair density and volume.

Warnings:

- For external use only.
- For use by men only.
- Extremely Flammable.
- Avoid fire, flame, or smoking during and immediately following application.

Do not use if:

- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are and 18 years of age.
- Do not use on babies or children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

Ask a doctor before use if you have
 heart disease

When using this product

- do not apply on other parts of the body.
- avoid contact with eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.

Stop use and ask a doctor if:

- chest pain, rapid heartbeat, faintness, or dizziness occurs.
- sudden, unexplained weight gain occurs.
- your hands or feet swell.
- scalp irritation or redness occurs.
- unwanted facial hair growth occurs.
- you do not see hair regrowth in 4 months.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.

Company information
 Name(English): JOHNSON BIOPHARMACEUTICAL INC
 Address(English): FIVE GREENTREE CENTRE 525 ROUTE 73 NORTH STE 104, MARLTON, NJ 08053 USA
 eMail: Angus.Tomas.Johnson@gmail.com

丝印:105*110mm



JOHNSON FOAM FOR MEN

minoxidil aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84539-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FINASTERIDE (UNII: 57GNO57U7G) (FINASTERIDE - UNII:57GNO57U7G)	FINASTERIDE	0.1 g in 100 g
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
COCODIMONIUM HYDROXYPROPYL HYDROLYZED KERATIN (1000 MW) (UNII: 8V0I3U3HMO)	
UBIQUINOL (UNII: M9NL0C577Y)	
BIOTIN (UNII: 6S06U10H04)	
ZINC PIDOLATE (UNII: C32PQ86DH4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	

LEVOMENTHOL (UNII: BZ1R15MTK7)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84539-001-01	90 g in 1 BOTTLE; Type 0: Not a Combination Product	07/15/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	07/15/2024	

Labeler - JOHNSON BIOPHARMACEUTICAL INC. (132195896)

Establishment			
Name	Address	ID/FEI	Business Operations
JOHNSON BIOPHARMACEUTICAL INC.		132195896	manufacture(84539-001)

Revised: 7/2024

JOHNSON BIOPHARMACEUTICAL INC.