PURESKIN WART REMOVER GEL- pureskin wart remover gel gel Stellans Inc.

83565-010

Active Ingredient

Salicylic Acid 17%

Purpose

Wart Remover

Use

Plantar Warts, Flat Warts, Common Warts

Warnings

For external use only.

Do not use

if you are diabetic, have poor blood circulation, or are allergic to this product if you are pregnant or breast-feeding on face, eye, genitals, mucous membranes, or healthy skin. on moles, birthmarks, and warts with hair growing from them on irritated, infected, or reddened skin

When Using

Flush with water immediately if it gets into your eyes

Stop Use

and ask a doctor if discomfort persists.

Ask Doctor

If you are pregnant, breast-feeding, or have any underlying conditions.

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a poison Control Center immediately.

Directions

- 1. Wash affected area, may soak the wart with warm water for 5 minutes.
- 2. Dry it thoroughly.
- 3. Apply a small drop to cover each wart.
- 4. Let dry and repeat this procedure once or twice daily until the wart is removed.

Other information

Close the cap tightly and keep away from heat above 104°F.

Inactive ingredients

Water, Sophora Flavescens, Prunus Mume (sieb.), Cnidium Monnieri (L.) Cuss, Crocus Sativus L., Gleditsia Sinensis Lam., Cortex Dictamni, Borneol, Kochia Scoparia Whole

Questions

www.pureskinsupport.com, info@pureskinsupport.com

PRINCIPAL DISPLAY PANEL

bnıcskıu

pureskín





USED FOR

- / Plantar Wart / Flat warts / Common Wart



Fast acting and drop off in 20-25 days



Active ingredients salicylic acid



0.5 FI Oz (15ml)









LIVE CHAT WITH US OR **GET A FAST SOLUTION**





DRUG FACTS

Active Ingredient 17% Salicylic Acid

Purpose

Wart Remover

Uses Plantar Warts, Flat Warts, Common Warts

Warning

For external use only.

Do not use

- · if you are diabetic, have poor blood circulation, or are allergic to this product
- · if you are pregnant or breast-feeding
- · on face, eye, genitals, mucous membranes, or healthy skin. Flush with water immediately if it gets into your eyes · on moles, birthmarks,
- and warts with hair growing from them · on irritated, infected, or reddened skin

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a poison Control Center immediately.

DRUG FACTS (continued)

Directions

1. wash affected area, may soak the wart with warm water for 5 minutes 2. dry it thoroughly 3. apply a small drop to cover each wart 4. let dry and repeat this procedure once or twice daily until the wart is removed

Other information

Close the cap tightly and keep away from heat above 104°F.

Inactive Ingredients

Water, Sophora Flavescens, Prunus Mume (sieb.), Cnidium Monnieri (L.) Cuss, Crocus Sativus L. Gleditsia Sinensis Lam., Cortex Dictamni, Borneol. Kochia Scoparia Whole

Questions

www.pureskinsupport.com info@pureskinsupport.com

Distributed By Stellenc INC Temecula, CA 92590

Made In China









PURESKIN WART REMOVER GEL

pureskin wart remover gel gel

_			
Pro	duct	Inform	ation

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients

Strength		
CNIDIUM MONNIERI WHOLE (UNII: GYR30735RE)		
BASSIA SCOPARIA WHOLE (UNII: 240G38P85Z)		

Packaging

rackaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:83565-010-	15 mL in 1 TUBE; Type 0: Not a Combination Product	07/15/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	07/15/2024	

Labeler - Stellans Inc. (111157321)

Establishment			
Name	Address	ID/FEI	Business Operations
Stellans Inc.		111157321	manufacture(83565-010) , label(83565-010)

Revised: 7/2024 Stellans Inc.