

GIL LACT-O-DINE- iodine and lactic acid teat dip/spray liquid
Gilmer Industries, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Gil Lact-O-Dine

Dual Synergy

For External Use Only on Dairy Cows

WARNING! May Cause Eye Irritation.
May Be Harmful If Swallowed.

Keep Out of Reach of Children

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats. In case of irritation or chapping, have cow examined by a veterinarian.

Active Ingredients

Iodine 0.25%

Lactic Acid 2.00%

Inactive Ingredients

Emollient system, surfactant, and buffering agent..... 97.75%

FIRST AID

EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician immediately.

INGESTION: Do NOT induce vomiting. Drink large amounts of milk or water. Contact a physician immediately. Do not give anything by mouth to an unconscious person.

Precautions

- KEEP FROM FREEZING. If frozen, discard.
- Do NOT get in eyes or on clothing.
- Do NOT take internally.
- Do NOT allow to contaminate food.
- Wash thoroughly after handling.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area out of direct sunlight.

Important

Do NOT mix with any other teat spray, dip, or product.

Use Directions

Always use fresh, undiluted product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse or return used product to original container.

- **PRE-DIP/SPRAY:** Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with Gil Udder Wash. Dry udder with a single-service towel to avoid milk contamination. Either spray teats with undiluted Gil Lact-O-Dine or fill teat cup with undiluted product. Dip each

teat as far as possible into the teat cup. Wipe teat dry after dipping or spraying using a single-service towel to avoid contaminating milk.

- **POST-DIP:** Immediately after milking, submerge entire teat in undiluted product. Allow to air dry—do NOT wipe. Do NOT let cows out in freezing weather until completely dry.

Drug Facts

Gil Lact-O-Dine

DUAL SYNERGY

For External Use Only on Dairy Cows

**WARNING! May Cause Eye Irritation.
May Be Harmful If Swallowed.**

Keep Out Of Reach Of Children

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis. Not intended to cure or help the healing of chapped or irritated teats. In case of irritation or chapping, have cow examined by veterinarian.

Active Ingredients

Iodine	0.25%
Lactic Acid	2.00%

Inactive Ingredients

Emollient system, surfactant, and buffering agent..... 97.75%

FIRST AID

EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician immediately.

INGESTION: Do NOT induce vomiting. Drink large amounts of milk or water. Contact a physician immediately. Do not give anything by mouth to an unconscious person.

Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247
Harrisonburg, VA 22801 Harrisonburg, VA 22803
Phone 540/434-8877

Precautions

- KEEP FROM FREEZING. If frozen, discard.
- Do NOT get in eyes or on clothing. Do NOT take internally.
- Do NOT allow to contaminate food. Wash thoroughly after handling.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area out of direct sunlight.

Important

Do NOT mix with any other teat spray, dip, or product.

Use Directions

Always use fresh, undiluted product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse or return used product to original container.

PRE-DIP/SPRAY: Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with **Gil Udder Wash**. Dry udder with a single-service towel to avoid milk contamination. Either spray teats with undiluted Gil Lact-O-Dine or fill teat cup with undiluted product. Dip each teat as far as possible into the teat cup. Wipe teat dry after dipping or spraying using a single-service towel to avoid contaminating milk.

POST-DIP: Immediately after milking, submerge entire teat in undiluted product. Allow to air dry—do NOT wipe. Do NOT let cows out in freezing weather until completely dry.

Net Contents: 55 Gallons (207.9ℓ)

Lot: _____ Expiration: _____

GIL LACT-O-DINE

iodine and lactic acid teat dip/spray liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:54420-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2500 mg in 1 L
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	20000 mg in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:54420-017-01	3.78 L in 1 JUG		
2	NDC:54420-017-02	18.9 L in 1 DRUM		
3	NDC:54420-017-03	56.7 L in 1 DRUM		
4	NDC:54420-017-04	113.4 L in 1 DRUM		
5	NDC:54420-017-05	207.9 L in 1 DRUM		
6	NDC:54420-017-06	1039.5 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/07/2013	

Labeler - Gilmer Industries, Inc. (066017575)

Establishment

Name	Address	ID/FEI	Business Operations
Gilmer Industries, Inc.		066017575	api manufacture, manufacture, label, pack

Revised: 1/2017

Gilmer Industries, Inc.